

# DEPARTMENT OF AGRICULTURE AND RURAL DEVELOPMENT

# TENDER NO ACDP 21/22 TENDER DOCUMENT

**FOR** 

# THE COMPLETION OF THE FISH PROCESSING PLANT AT TOMPI SELEKA AGRICULTURAL COLLEGE IN THE EPHRAIM MOGALE MUNICIPALITY OF THE SEKHUKHUNE DISTRICT IN LIMPOPO PROVINCE

NAME OF TENDERER	
TOTAL TENDERED AMOUNT	
TOTAL TENDERED AMOUNT IN WORDS	
VAT NUMBER (if registered for VAT)	
SUPPLIER CSD REGISTRATION NUMBER	
TAX COMPLIANCE STATUS PIN (to verify bidder's tax compliance status)	
PROJECT DURATION	
TEL NUMBER	
FAX NUMBER	

#### **PREPARED FOR:**



PREPARED BY



HEAD OF DEPARTMENT LIMPOPO DEPT OF AGRICULTURE & RURAL DEVELOPMENT PRIVATE BAG X 9487 POLOKWANE 0700 ENGINEERING SERVICES SEKHUKHUNE DISTRICT LIMPOPO DEPT OF AGRICULTURE & RURAL DEVELOPMENT PUBLIC WORKS BUILDING ZONE A LEBOWAKGOMO

**CLOSING DATE: 12 SEPTEMBER 2023 TIME 11:00 AM** 

LIMPOPO DEPARTMENT OF AGRICULTURE AND RURAL DEVELOPMENT: TENDER NO. ACDP 21/22 THE COMPLETION OF THE FISH PROCESSING PLANT AT TOMPI SELEKA AGRICULTURAL COLLEGE IN THE EPHRAIM MOGALE MUNICIPALITY OF THE SEKHUKHUNE DISTRICT IN LIMPOPO PROVINCE



# DEPARTMENT OF AGRICULTURE AND RURAL DEVELOPMENT

# THE COMPLETION OF THE FISH PROCESSING PLANT AT TOMPI SELEKA AGRICULTURAL COLLEGE IN THE EPHRAIM MOGALE MUNICIPALITY OF THE SEKHUKHUNE DISTRICT IN LIMPOPO PROVINCE

#### **TENDERER'S DETAILS**

NAME OF TENDERER	
PHYSICAL ADDRESS	
POSTAL ADDRESS	
CONTACT PERSON	(NAME)
	(SURNAME)
	(PHONE No)
	(CELL No)
	(FAX No)
	(E-MAIL)

Tender T2 of T71 Index

Part T1: Tendering Procedures

## LIMPOPO DEPARTMENT OF AGRICULTURE AND RURAL DEVELOPMENT

# THE COMPLETION OF THE FISH PROCESSING PLANT AT TOMPI SELEKA AGRICULTURAL COLLEGE IN THE EPHRAIM MOGALE MUNICIPALITY OF THE SEKHUKHUNE DISTRICT IN LIMPOPO PROVINCE

# **Contents**

Number Heading

#### The Tender

#### Part T1: Tendering procedures

T1.1 Tender Notice and Invitation to Tender

T1.2 Tender Data

T1.3 Standard Conditions of Tender

#### Part T2: Returnable schedules

T2.1 List of Returnable Documents

T2.2 Returnable Schedules to be completed by tenderer

#### **The Contract**

#### Part C1: Agreement and Contract Data

C1.1 Form of Offer and Acceptance

C1.2 Contract Data

C1.3 Form of Guarantee

C1.4 Agreement with Adjudicator

C1.5 Agreement in Terms of Section 37(2) of the Occupational Health and Safety Act No 85 of 1993

#### Part C2: Pricing data

C2.1 Pricing Instructions

C2.2 Bill of Quantities

#### Part C3: Scope of Work

C3.1 Standard SpecificationsC3.2 Project SpecificationsC3.3 Particular Specifications

#### Part C4: Site information

C4 Site Information

Tender T3 of T71 Index

## **Drawings**

#### **SCHEDULE OF TENDER DRAWINGS**

The following drawings, which are bound in, form part of this Contract in terms of Clause 1(i)(j) of the General Conditions of Contract:

DRAWING NO:	DESCRIPTION:
17027-001	Site Layout – Aerial
17027-002	3D Views
17027-003	Floor plan – Plan View
17027-004	North & South Elevation
17027-005	East & West Elevation
17027-006	Sections A-A & B-B
17027-007	Sections C-C & D-D
17027-008	Detail of Purge area
17027-009	Wet Area – 3D view
17027-010	Dry Area – 3D view
17027-011	Detailed floor plan – Wet Area
17027-012	Detailed floor plan – Dry area
17027-013	Detailed floor plan – Cold Storage
17027-014	Window Layout – Plan view
17027-015	Door Layout – Plan view
17027-016	Ceiling Layout – Plan view
17027-017	Roof and Truss Layout – Plan view
17027-018	Electrical Reticulation – Plan view
17027-019	Wall Layout – Plan View
17027-020	Foundation Layout – Plan View
17027-021	Material & Specification Bill
17027-022 (SD)	1.8m Diamond Mesh Fence
17027-023 (SD)	Standard Paving Drawing
17027-024 (SD)	Bottom Effluent Pipe

The Tenderer shall satisfy himself that the sets of drawings are complete in accordance with the above schedule, and if any are found to be missing or duplicated, or the writing or figures indistinct, he shall apply to the Engineer immediately and have the discrepancy rectified. No liability whatsoever will be admitted by the Employer in respect of errors in Tenders attributed to any such discrepancy.

Tender T4 of T71 Index

Part T1: Tendering Procedures

\_\_\_\_

# **PART T1: TENDERING PROCEDURES**

TABLE	OF CONTENTS	Page	Colour
T1.1:	TENDER NOTICE AND INVITATION TO TENDER	T.2	White
T1.2:	TENDER DATA	T.3	Pink
T1.3:	ANNEXURE F: STANDARD CONDITIONS OF TENDER	T.9	Pink

Tender T5 of T71 Index

### T1.1: TENDER NOTICE AND INVITATION TO TENDER



# DEPARTMENT OF AGRICULTURE AND RURAL DEVELOPMENT

#### **TENDER NO ACDP 21/22**

PROJECT NAME: THE COMPLETION OF THE FISH PROCESSING PLANT AT TOMPI SELEKA AGRICULTURAL COLLEGE IN THE EPHRAIM MOGALE MUNICIPALITY OF THE SEKHUKHUNE DISTRICT IN LIMPOPO PROVINCE

# T1.1 Tender Notice and Invitation to Tender

Tenders are hereby invited to bid for the completion of the fish processing plant at Tompi Seleka Agricultural College at Ephraim Mogale municipality in Sekhukhune district of the Limpopo Province. **Bidders with 4CE/ ME or higher CIDB grading are targeted.** 

Tender documents will be obtainable from the departmental website: <a href="www.ldard.gov.za">www.ldard.gov.za</a>, from the 11<sup>th</sup> August 2023. Bid documents must be printed and bound in the order/sequence/numbering provided. No omission of pages/ documents will be allowed.

Duly completed tenders enclosed in a sealed envelope marked "TENDER: THE COMPLETION OF THE FISH PROCESSING PLANT AT TOMPI SELEKA AGRICULTURAL COLLEGE IN THE EPHRAIM MOGALE MUNICIPALITY OF THE SEKHUKHUNE DISTRICT IN LIMPOPO PROVINCE, TENDER NO ACDP 21/22, CLOSING DATE: 23 AUGUST 2022" with the name of the Tenderer, shall be deposited in the clearly marked tender box provided at Limpopo Department of Agriculture and Rural Development, 69 Biccard Street, Polokwane before 11h00 on the closing date. The tenders will be opened in public.

A Compulsory Site Inspection will be conducted on **22 August 2023** and prospective tenderers are requested to meet the Engineer at 10h00 at the Tompi Seleka College of Agriculture that is located approximately 30 km north of Marble Hall, on the Tompi Seleka (D4356) road, on the banks of the Olifants River, having GPS co-ordinates **S 24°47.387'**; **E 29°27.087'** Contract documentation will not be available on site, and the Engineer will not be available for inspection purposes on any other occasion.

A preferential point system shall apply whereby a contract will be allocated to a tenderer in accordance with the Preferential Procurement Policy Framework Act, Act No 5 of 2000 and as defined in the Conditions of Tender in the tender document, read in conjunction with the Preferential Procurement Policy of Limpopo Department of Agriculture where 80 points will be allocated in respect of price and 20 points in respect of targeted goals. Tenderers must have the necessary skills, experience and capacity to perform the required work.

Engineer:	Employer:
Limpopo Department of Agriculture & Rura	al Limpopo Department of Agriculture & Rural
Development	Development
Head of Department	Head of Department
Limpopo Dept of Agriculture and Rural Develo	ppment Limpopo Dept of Agriculture and Rural Development
Private Bag X9487	Private Bag X9487
Polokwane	Polokwane
0700	0700
Mrs T Ngoepe	Ms TS Matodzi
Tel.: 015 294 3429	Tel.: 015 294 3351
Cell.: 066 079 3405	

Tender T6 of T71 T1.1

#### T1.2. TENDER DATA

The Conditions of Tender in the Standard Conditions of Tender as contained in Annex F of CIDB Standard Uniformity in Construction Procurement. (See <a href="www.cidb.org.za">www.cidb.org.za</a>) which are reproduced without amendment or alteration for the convenience of Tenderers in this Tender in the section T1.3 of the Tender Data.

The Standard Conditions of Tender make several references to the Tender Data for details that apply specifically to this Tender. The Tender Data shall have precedence in the interpretation of any ambiguity or inconsistency between it and the Standard Conditions of Tender. Each item of Tender Data given below is cross-referenced to the relevant clause in the standard Conditions of Tender.

#### F.1.1 The Employer for this Contract is: Limpopo Department of Agriculture and Rural Development

#### F.1.2 Tender Documents

## The Tender Document consists of the following:

#### **TENDER**

#### **T1: Tendering Procedures**

- T1.1: Tender Notice and Invitation to Tender
- T1.2: Tender Data

#### T2: Returnable Documents

- T2.1: List of Returnable Documents
- T2.2: Returnable schedules

#### **CONTRACT**

### Part 1: Agreements and Contract Data

- C1.1: Form of Offer and Acceptance
- C1.2: Contract Data
- C1.3: Form of Guarantee
- C1.4: Agreement with Adjudicator
- C1.5: Agreement in terms of Section 37(2) of the Occupational Health and Safety Act (No 85, 1993)

#### Part 2: Pricing Data

- C2.1: Pricing Instructions
- C2.2: Bill of Quantities

#### Part 3: Scope of Work

- C3.1: Standard Specifications
- C3.2: Project Specifications
- C3.3: Particular Specifications

#### Part 4: Site Information

- C4.1: Locality Plan
- C4.2: Construction Notice Board

#### **DRAWINGS**

Drawings are bound in this document.

The Tender Document and the drawings shall be obtained from the Employer or his authorized representative at the physical addresses stated in the Tender Notice, upon payment of the deposit stated in the Tender Notice.

#### F.1.4 The Employer's agent is:

Name : Mrs T Ngoepe

Address : Limpopo Department of Agriculture & Rural development

Limpopo Dept of Agriculture and Rural Development

Private Bag X9487

Polokwane 0700

Tel: 015 632 7052 Cell: 066 079 3405

Email: tumisongoepe@gmail.com

#### F.1.5 The Employer's right to accept or reject any Tender Offer

The Employer may accept or reject any variation, deviation, Tender Offer, or alternative Offer, and may cancel the Tender process and reject all Tender Offers at any time before the formation of a Contract. The Employer shall not accept or incur any liability to a Tenderer for such cancellation and rejection, but will give written reasons for such action upon written request to do so. The Employer will reserve the right to appoint more than one (1) bidder.

#### F.2.1 **Eligibility**

A Tenderer will not be eligible to submit a Tender if:

- (a) The Contractor submitting the Tender is under restrictions or has principals who are under restriction to participate in the Employer's procurement due to corrupt of fraudulent practices;
- (b) The Tenderer does not have the legal capacity to enter into the Contract;
- (c) The Contractor submitting the Tender is insolvent, in receivership, bankrupt or being wound up, has his affairs administered by a court or a judicial officer, has suspended his business activities, or is subject to legal proceedings in respect of the foregoing;
- (d) The Tenderer does not comply with the legal requirements stated in the Employer's procurement policy;
- (e) The Tenderer cannot demonstrate that he possesses the necessary professional and technical qualifications and competent, financial resources, equipment and other physical facilities, managerial capability, personnel, experience and reputation to perform the Contract;
- (f) The Tenderer cannot provide proof that he is in good standing with respect to duties, taxes, levies and contributions required in terms of legislation applicable to the work in the Contract.
- (g) Only those Tenderers who have in their employ management and supervisory staff satisfying the requirements of the Scope of Work for Labour Intensive Competencies for supervisory and management staff are eligible to submit Tenders.
- (h) Only those Tenderers who are registered with the CIDB as defined in the Regulations 09 June 2004 and 22 July 2005, in terms of the CIDB Act No 38 of 2000, or are capable of being so prior to the evaluation of submissions, in a Contractor grading designation equal to or higher than a Contractor grading designated determined in accordance with the Sum Tendered for a 4CE/ ME or higher class of construction work, are eligible to submit Tenders.
- The Contractor submitting the Tender is not registered on the Central Supplier Database

Joint Ventures are eligible to submit Tenders provided that:

- 1. every member of the Joint Venture is registered with the CIDB;
- 2.the lead partner has a Contractor grading designation 4CE/ ME or Higher class of construction; and
- 3. the combined Contractor grading designation calculated in accordance with the Construction Industry Development Regulations is equal to or higher than a Contractor grading designation determined in accordance with the sum Tendered for a 4CE/ ME or Higher class of construction work.

#### F.2.7 Site visit and clarification meeting

The arrangements for the compulsory site inspection visit and clarification meeting are as follows: Location:

Prospective tenderers are requested to meet the Engineer on 22 August 2023 at 10:00 AM at the Administration Building of the Tompi Seleka College. The GPS coordinates for the site are: S24°47'30.29"; E29°27'22.94"

Date and time: 22 August 2022 at 10:00:00 AM

Enquiries and confirmation of attendance at least one full working day in advance regarding the meeting and site inspection may be directed to:

Name: NGOEPE T

Telephone No: 015 632 7052 Cell No: 066 079 3405

E-Mail address: tumisongoepe@gmail.com

Tenderers must sign the attendance list and name of the Tendering entity. Addenda will be issued and Tenders will be received only from those Tendering entities appearing on the attendance list.

#### F.2.10 **Pricing the Tender Offer**

#### (a) Value Added Tax

- The Valued Added Tax (VAT) rate shall be 15% or as otherwise provided for by Legislation.
- The successful Tenderer shall be required to produce a VAT invoice that shall only be prepared once measurements and valuations for work done in Terms of Contract Offer have been agreed with the Employers agent and a Certificate of Payment issued.
- Payment of VAT to non-VAT vendors shall be processed from the month in which the Tenderer's liability with the South African Revenue Services is effective.

#### F.2.11 Alterations to document

A Tender Offer shall not be considered if alterations have been made to the Forms of Tender data or Contract data (unless such alterations have been duly authenticated by the Tenderer) or if any particulars required therein have not been completed in all respects.

#### F.2.12 **Alternative Tender Offers**

No alternative Offers will be considered.

#### F2.13 **Submitting a Tender Offer**

F.2.13.3 Tender Offers shall be submitted as an original only.

Under no circumstances whatsoever may the Tender forms be retyped or redrafted.

Photocopies of the original Tender documentation may be used, but an original signature must appear on such photocopies.

The Employer's address for delivery of Tender Offers and identification details to be shown on such F.2.13.5 Tender Offer package are:

> Location of Tender box: Limpopo Department of Agriculture and Rural Development

Physical address: 69 Biccard Street Ground Floor

Polokwane, 0700

Identification details: TENDER FOR THE COMPLETION OF THE FISH PROCESSING PLANT AT TOMPI SELEKA AGRICULTURAL COLLEGE IN THE EPHRAIM MOGALE MUNICIPALITY OF THE SEKHUKHUNE DISTRICT IN LIMPOPO PROVINCE

Tender No: ACDP 21/22

Closing Date: 23 AUGUST 2023 at 11:00 AM

#### F.2.15 **Closing Time**

The closing time for submission of Tender Offers is: 11h00AM on 12 September 2023 as stated in the Tender Notice and Invitation to Tender.

Telephonic, telegraphic, telex, facsimile, electronic or e-mailed Tenders will not be accepted.

#### F.2.16 **Tender Offer validity**

The Tender Offer validity period is 120 days from the closing time for submission of Tenders.

#### F.2.18 Provide other material

The Tenderer shall, when requested by the Employer to do so, submit the names of all management and supervisory staff that will be employed to supervise the labour-intensive portion of the works together with satisfactory evidence that such staff members satisfy the eligibility requirements

#### F.2.19 **Access**

Access shall be provided for inspections and testing by personnel acting on behalf of the Employer.

#### F.2.20 BID EVALUATION CRITERIA

#### **8.1 PRE-COMPLIANCE EVALUATION**

Criteria	Requirements
Pre- compliance criteria	The Service Provider must submit all documents as outlined below.
Preferential points for specific goals	Bidders will be allocated preferential points for specific goals as per table 8.2.2 c

The evaluation process entails the following:

- 8.1 Phase 1: Pre-Compliance evaluation
- 8.1.1 During this phase, bid responses are registered to ascertain the number of bid responses received before the closing date and time.
- 8.1.2 The following key information of bidders will be verified on the CSD in line with Public Finance Management Act and regulatory requirements to qualify for further evaluation processes:
  - a) Business registration including details of directorship and membership.
  - b) In the service of the state status
  - c) Tax compliance status
  - d) Identity number (s)
  - Tender defaulting and restriction status, and
  - Any additional and supplementary verification information communicated by National Treasury

#### 8.1.3 **REQUIRED DOCUMENTS:**

Documents that must be submitted	Non- submiss ion will result in disqualif ication	Requirement
Attend Compulsory Site Briefing	YES	Must attend the compulsory site briefing as per scheduled date and time and ensure to sign the attendance register.
Invitation to Bid – SBD 1	YES	Fully Complete and sign the supplied pro forma document

Compulsory Enterprise Questionnaire	YES	Must be fully completed, signed by the authorized person/s in case of joint ventures and submitted with the bid by the closing date and time. In case of J/V bidders should complete separate forms should be completed.
Pricing Schedule – SBD 3.1	YES	Fully Complete and sign the supplied pro forma document
Bill of Quantities	YES	All items of the BOQs must be fully completed and submitted with the bid by the closing date and time.
CIDB grading certificate of <b>4CE/ ME or higher</b>	YES	Bidder must submit CIDB grading certificate of <b>4CE/ ME or higher</b> . In case of Joint Ventures, both bidders <b>must</b> submit proof of the joint calculated CIDB Grading with their Bid. <b>Non-submission will lead to disqualification</b> .
Bidders Disclosure – SBD 4	YES	Fully Complete and sign the supplied pro forma document. (Must declare if they have interests in other Companies. Refer to Paragraph 2.3). In case of J/V bidders should complete separate SBD 4
Preference Point Claim Form – SBD 6.1	YES	Non-Returnable of the supplied pro forma document will lead to Disqualification. Non-claiming of points on this form will lead to zero (0) even if supporting documentation is attached
Form of intent by a bank or insurance company to provide a performance guarantee and insurance of the works	YES	Must be submitted with the tender by the closing date and time of the bid.
Joint Ventures (J/V)	YES	Attach a valid JV agreement. Non-submission will lead to disqualification.  In the case of an award, the company need to register on CSD as a JV. The process is that the service providers must register the JV at SARS then open a JV bank account. With those documents they can then register the JV on CSD. The department will only make payment to a JV account. Should complete 2 separate SBD 4 & Compulsory Enterprise Questionnaire for each company
Workmen's Compensation Registration Certificate	NO	Must submit valid copy of COIDA certificate or proof of payment thereof.
Completeness of the tender document	YES	Bidders are required to complete the entire bid document without omission of pages and in the provided sequence. The tender document to be fully completed in <b>Black ink (not typed)</b>
Specification	YES	Must comply with the specification
Bank Rating	YES	Bank rating letter from a financial institution. Bidders must have a minimum rating of C and have been with the Bank for at least 6 months.

#### 8.1.4 The Service Provider must ensure that they meet the following requirements:

Tender T11 of T71 T1.2 Criteria Requirement "Bidder must be tax compliant before the bid is awarded, i.e. Where the recommended bidder is not tax compliant, the bidder will be notified of their non-compliant status and the bidder must be requested to submit written proof from SARS of their tax compliance status or proof that they have made an arrangement to meet their outstanding tax obligations within 7 working days. The bidder should thereafter provide the accounting officer or accounting authority with proof of their tax compliance status which should be verified via the Central Supplier Database or eFiling" Tax compliance status The bidder must be registered on CSD and CSD must indicate that the bidder is active Business registration Must be registered as a service provider on the Central Supplier Company registration with Database (CSD). If not registered must proceed to complete the central supplier database registration prior to submitting your proposal. Visit https://secure.csd.gov.za/ to obtain your vendor number. (CSD) The bid will not be considered if Shareholders or directors are employed by state/ government departments, municipalities, municipal entities, or public entities unless the approval from executive authority to do business with the state is submitted In the service of the state with the proposal Tender defaulting and restriction status Entity and directors must not be restricted

#### **8.2 FUNCTIONALITY**

#### 8.2.1 Functionality Evaluation Criteria = 100 points

The minimum score required for functionality is **70 points** in order to qualify for further evaluation. A bidder who scores less than **70 points** on functionality will be disqualified.

CRITERIA	EVIDENCE	VALUE	WEIGHTING	
	No Land line/cell phone or no information provided	0		
	Land line/cell phone and fax line and email only	1		
1.Physical Facilities	Physical address with proof of lease agreement, land line/cell phone, fax line, e-mail address.	3	5	
	Physical address with proof of ownership, land line/cell phone, fax line, e-mail address	5		
2.Plant and Equipment available owned or leased by the Bidder	No information	0		
	Hire 4 of the following: Truck or Tractor & Trailer, LDVs, TLB/Excavator/loader/ Dozer, Fuel trailer, concrete mixer, compactor, plumbing tools, building tools and working tools	1		
	Own or Hire 5-8 equipment: Truck or Tractor & Trailer, LDVs, TLB/Excavator/loader/ Dozer, Fuel trailer, concrete mixer, compactor, plumbing tools, building tools and working tools	3	15	
	Own all of the following: Truck or Tractor & Trailer, LDVs, TLB/Excavator/loader/ Dozer, Fuel trailer, concrete mixer, compactor,	5		

	plumbing tools, building tools and working tools		
3. Program of Works (Execution Plan with cash flow and method statement)	No information = Form not completed/ not attached	0	
	Irrelevant Gantt chart with a less detailed cashflow and method statement	1	
	Gantt chart with relevant activities, with cashflow and a less detailed method statement	3	15
	Clear applicable activities, Gantt charts, a detailed method statement and completion is within contract duration and realistic cash flow	5	
Current Works     Current value	Current value is equal or greater than twice the maximum value of the required CIDB grade	0	
refers to current value of projects for both Civil Engineering (CE) and Mechanical	Current value is greater than the maximum value of the required CIDB grade but less than twice the maximum value of the required CIDB grade	1	
Engineering (ME). NB!! <b>Completion</b>	Current value is within the required CIDB threshold	3	
of this table is mandatory for points to be allocated. Do not refer to any attachment. If no projects at the moment the tenderer must indicate on this table (Not applicable will be deemed as non-responsive).  Misrepresentation of facts will render your bid non-responsive.	Current value is less than the minimum value of the required CIDB grade	5	15
	No information / CVs not attached	0	
4. Staffing profile: Details of relevant staff experience available for this Contract (attach the organisational structure, CVs and qualifications)	Has at least 2 of the following personnel: Site agent/ Project manager, Civil Foreman, electrician, plumber, safety officer, mechanic, and plant operator	1	
	Has 4 of the following personnel: Site agent/ Project manager, Civil Foreman, electrician, plumber, safety officer, mechanic, and plant operator	3	20
	Has all of the following personnel: Site agent/ Project manager, Civil Foreman, electrician, plumber, safety officer, mechanic, and plant operator	5	

5. Experience in similar works	No information / No proof attached	0	
relevant to this technical field	1 similar work completed across any category	1	
completed in the last 5 years (building works:	3 similar works completed across any category with a completion certification	3	
Packhouse, packaging facility, mechanical works for fitting of equipment) Company profile and Proof indicating that the organisation is experienced must be submitted with the tender (Proofs must include appointment letters and completion certificates accompanied by compulsory reference letters for each completed project) must be submitted	5 or more similar works completed across any category with a completion certification	5	30
Total			100

#### 8.2.2 80/20 PREFERENCE POINT SYSTEM FOR GOODS AND SERVICES

- a. The preferential points will be allocated for specific goals as prescribed in Section 2 of the Preferential Procurement Policy Framework Act (5 of 2000), Paragraph 3.2.1 and 7.7 of the Reconstruction and Development Programme White Paper of 1994 and the Broad-Based Economic Empowerment Act, 2003.
- b. The following formula must be used to calculate the points for price of tenders/procurement (quotations) including "tenders for income generating contracts" with Rand Value **below a Million** to be calculated as per the below table inclusive of all applicable taxes:

$$Ps = 80 \quad 1 - \underbrace{\left( \frac{Pt - Pmin}{Pmin} \right)}$$

Where:

Ps = Points scored for price of bid under consideration

Pt = Rand value of tender consideration

Pmin = Rand value of lowest acceptable tender

c. A maximum of **20 points** will be awarded in accordance with the table below:

NO	PREFERANTIAL GOALS	20 POINTS	MEANS OF VERIFICATION
1	Black People ownership > 51%	5	CSD and/ or copy of company registration report
2	Women Ownership > 51%	6	CSD Report
3	Persons with Disability Ownership >51%	3	CSD and Medical Certificate from

Tender T14 of T71 T1.2
Part T1: Tendering Procedures Tender Data

			recognized Medical Practitioner
4	Youth Ownership >51%	6	CSD Report
TOTAL POINTS		20	

- d. The points scored by a tenderer in respect of the specific goals above must be added to the points scored for price and the total must be rounded off to the nearest two decimal places.
- e. Only the tender with the highest number of points scored may be selected for an award.

#### SPECIAL CONDITIONS

- Bidders who intend to cede their rights to payment to an institution as prescribed in No: 10 below should attach cession agreement with their bid proposal.
- Payment will only be made in accordance with the delivery of a service that will be agreed upon by both
  parties and upon receipt of an original invoice.
- It is compulsory for a person to register for VAT if the value of taxable supplies made or to be made, is in excess of R1 million
- The service provider is required to provide a quote for all items, failure to quote according to the specification will invalidate your bid.
- The Department will not make any upfront payment to a successful service provider.
- Inspection will be conducted on the top 3 scoring bidders.
- The department reserves the right to conduct a risk assessment for the recommended service provider to verify the provided information and authenticate the supporting documentation and may disqualify the service provider if the risk analysis feedback is negative.

#### **CESSION**

- a) Cession of payments will only be permissible to a registered financial institution in terms of the Financial Advisory and Intermediary Services Act 37 of 2002 or an approved credit provider in terms of the National Credit Act of 2005
- b) Bidders who intend to cede their rights to payment to an institution as prescribed in 8.1 attach cession agreement with their bid proposal.

#### **JOINT VENTURES**

- c) Should this bid be submitted by a joint venture, the joint venture agreement must accompany the bid document before the closing date and time of bid. The joint venture agreement must clearly specify the percentage of the contract to be undertaken by each company participating therein.
- d) Each party to a Joint Venture/ Consortium must submit separate SBD4 Forms together with the bid before the closing date and time of bid.
- e) The joint venture or consortium must submit a formal agreement that outlines the roles and responsibilities of each member of the joint venture or consortium, nomination of an authorized person to represent the joint venture or consortium in all matters relating to this bid and the details of the bank account for payments to be affected.
- f) The joint venture or consortium must comply with Central Suppliers Database (CSD) registration requirements as per National Treasury directive.

#### **UNSATISFACTORY PERFORMANCE**

- g) Unsatisfactory performance occurs when performance is not in accordance with the contract conditions.
- h) The departmental official shall warn the contractor in writing that action will be taken in accordance with the contract conditions unless the contractor complies with the contract conditions and delivers satisfactory supplies or services within a specified reasonable time (7 days minimum). If the contractor does not perform satisfactorily despite the warning, the official will:
- Take action in terms of its delegated powers; and
- Make a recommendation to the Accounting Officer for cancellation of the contract concerned.
  - i) When correspondence is addressed to the contractor, reference will be made to the contract number/item number/s and an explanation of the complaint.

Tender T15 of T71 T1.2

#### **VALIDITY PERIOD OF BID AND EXTENSION THEREOF**

The validity (binding) period for the bid will be **120 days** from close of bid. However, circumstances may arise whereby the department may request bidders to extend the validity (binding) period. Should this occur, the department will request bidders to extend the validity (binding) period under the same terms and conditions as originally offered by bidders. This request will be done before the expiry of the original validity (binding) period.

#### **IRREGULARITIES**

Companies are encouraged to advise the Department of Agriculture and Rural Development timeously of any possible irregularities which might come to their notice in connection with this or other contracts.

#### **NEGOTIATIONS**

Bidders should note that the department might subject the successful bidder to negotiations for fair market related prices.

#### LANGUAGE GOVERNANCE

The contract shall be written in English. All correspondence and other documents pertaining to the contract that is exchanged by the parties shall also be written in English.

#### **LAW TO APPLY**

The Contract shall in all respects be construed in accordance with the law of the Republic of South Africa, and any difference that may arise with the law of the Republic of South Africa, and any difference that may arise between the Province and the Contractor in regard to the Contract, shall be settled in the Republic of South Africa.

#### **PENALTIES**

Subject to GCC Clause 4, if the Contractor fails to deliver any or all of the goods or to perform the services within the period(s) specified in the contract, the Province shall, without prejudice to its other remedies under the contract, deduct from the contract price, as a penalty, a sum calculated on the delivered price of delayed goods or unperformed services, using the current prime interest rate calculated for each day of the delay until actual delivery or performance. The province may also consider termination of the contract in terms of the GCC.

#### **COMPLETION OF BID DOCUMENT**

The following are minimum requirements for completion of the bid document: -

- Bidders are required to complete the entire bid document in terms of the requirements contained
- Where the space provided in the bid document is insufficient, separate schedules may be drawn up in accordance with the given formats. These schedules shall then be bound together with suitable contents page and submitted with the bid documents.
- All bid documents, certificates, schedules (including additional schedules as mentioned above) and all forms required by this bid must be completed in black ink and signed by the authorized
- m) Bid documents should be returned in the provided sequence.
- n) Bidders must ensure that there are no missing or duplicated pages. LDARD shall not accept liability regarding claims by bidders that pages are missing or duplicated.
- o) Correction fluid is not allowed and any cancellation, alteration or amendment on the bid document must be signed for by the authorized signatory.

The completed bid document with supporting documents shall be packaged, bound, sealed, marked, and submitted strictly as stipulated in this bid document.

#### SERVICIONAL DISTRICT IN CITIES OF A TROVINGE

#### T1.3: Annex F: Standard Conditions of Tender

# (As contained in Annexure F of South African National Standard: Construction procurement processes, Methods and procedures: SANS 294: 2004 Edition)

#### F.1 General

#### F.1.1 Actions

The employer and each tenderer submitting a tender offer shall comply with these conditions of tender. In their dealings with each other, they shall discharge their duties and obligations as set out in F.2 and F.3, timeously and with integrity, and behave equitably, honestly and transparently.

#### F.1.2 Tender Documents

The documents issued by the employer for the purpose of a tender offer are listed in the tender data.

#### F.1.3 Interpretation

- **F.1.3.1** The tender data and additional requirements contained in the tender schedules that are included in the returnable documents are deemed to be part of these conditions of tender.
- **F.1.3.2** These conditions of tender, the tender data and tender schedules which are only required for tender evaluation purposes, shall not form part of any contract arising from the invitation to tender.
- F.1.3.3 For the purposes of these conditions for the calling for expressions of interest, the following definitions apply:
- a) **comparative offer** means the tenderer's financial offer after the factors of non-firm prices, all unconditional discounts and any other tendered parameters that will affect the value of the financial offer have been taken into consideration
- b) **corrupt practice** means the offering, giving, receiving or soliciting of anything of value to influence the action of the employer or his staff or agents in the tender process; and
- c) fraudulent practice means the misrepresentation of the facts in order to influence the tender process or the award of a contract arising from a tender offer to the detriment of the employer, including collusive practices intended to establish prices at artificial levels
- d) **quality (functionality)** means the totality of features and characteristics of a product or service that bear on its ability to satisfy stated or implied needs

#### F.1.4 Communication and employer's agent

Each communication between the employer and a tenderer shall be to or from the employer's agent only, and in a form that can be read, copied and recorded. Writing shall be in the English language. The employer shall not take any responsibility for non-receipt of communications from or by a tenderer. The name and contact details of the employer's agent are stated in the tender data.

#### F.1.5 The employer's right to accept or reject any tender offer

- **F.1.5.1** The employer may accept or reject any variation, deviation, tender offer, or alternative tender offer, and may cancel the tender process and reject all tender offers at any time before the formation of a contract. The employer shall not accept or incur any liability to a tenderer for such cancellation and rejection, but will give written reasons for such action.
- **F.1.5.2** After the cancellation of a tender process or the rejection of all tender offers the employer may abandon the proposed procurement and re-issue a similar tender notice and invitation to tender not less than three months after the closing dated for tender offers or have it performed in another manner at any time.

#### F.2 Tenderer's obligations

#### The tenderer shall comply with the following obligations:

#### F.2.1 Eligibility

Submit a tender offer only if the tenderer complies with the criteria stated in the tender data and the tenderer, or any of his principals, is not under any restriction to do business with employer.

Tender T17 of T71 T1.3

#### F.2.2 Cost of tendering

Accept that the employer will not compensate the tenderer for any costs incurred in the preparation and submission of a tender offer, including the costs of any testing necessary to demonstrate that aspects of the offer satisfy requirements.

#### F.2.3 Check documents

Check the tender documents on receipt for completeness and notify the employer of any discrepancy or omission.

#### F.2.4 Confidentiality and copyright of documents

Treat as confidential all matters arising in connection with the tender. Use and copy the documents issued by the employer only for the purpose of preparing and submitting a tender offer in response to the invitation.

#### F.2.5 Reference documents

Obtain, as necessary for submitting a tender offer, copies of the latest versions of standards, specifications, conditions of contract and other publications, which are not attached but which are incorporated into the tender documents by reference.

#### F.2.6 Acknowledge addenda

Acknowledge receipt of addenda to the tender documents, which the employer may issue, and if necessary apply for an extension to the closing time stated in the tender data, in order to take the addenda into account.

#### F.2.7 Clarification meeting

Attend, where required, a clarification meeting at which tenderers may familiarize themselves with aspects of the proposed work, services or supply and raise questions. Details of the meeting(s) are stated in the tender data.

#### F.2.8 Seek clarification

Request clarification of the tender documents, if necessary, by notifying the employer at least five working days before the closing time stated in the tender data.

#### F.2.9 Insurance

Be aware that the extent of insurance to be provided by the employer (if any) may not be for the full cover required in terms of the conditions of contract identified in the contract data. The tenderer is advised to seek qualified advice regarding insurance.

#### F.2.10 Pricing the tender offer

- **F.2.10.1** Include in the rates, prices, and the tendered total of the prices (if any) all duties, taxes (except Value Added Tax (VAT)), and other levies payable by the successful tenderer, such duties, taxes and levies being those applicable 14 days before the closing time stated in the tender data.
- F2.10.2 Show VAT payable by the employer separately as an addition to the tendered total of the prices.
- **F.2.10.3** Provide rates and prices that are fixed for the duration of the contract and not subject to adjustment except as provided for in the conditions of contract identified in the contract data.
- **F.2.10.4** State the rates and prices in Rand unless instructed otherwise in the tender data. The conditions of contract identified in the contract data may provide for part payment in other currencies.

#### F.2.11 Alterations to documents

Not make any alterations or additions to the tender documents, except to comply with instructions issued by the employer, or necessary to correct errors made by the tenderer. All signatories to the tender offer shall initial all such alterations. Erasures and the use of masking fluid are prohibited.

#### F.2.12 Alternative tender offers

- **F.2.12.1** Submit alternative tender offers only if a main tender offer, strictly in accordance with all the requirements of the tender documents, is also submitted. The alternative tender offer is to be submitted with the main tender offer together with a schedule that compares the requirements of the tender documents with the alternative requirements the tenderer proposes.
- F.2.12.2 Accept that an alternative tender offer may be based only on the criteria stated in the tender data or criteria otherwise acceptable to the employer

Tender T18 of T71 T1.3

#### F.2.13 Submitting a tender offer

- **F.2.13.1** Submit a tender offer to provide the whole of the works, services or supply identified in the contract data and described in the scope of works, unless stated otherwise in the tender data.
- **F.2.13.2** Return all returnable documents to the employer after completing them in their entirety, either electronically (if they were issued in electronic format) or by writing in black ink.
- **F.2.13.3** Submit the parts of the tender offer communicated on paper as an <u>original plus the number of copies stated in the tender data</u>, with an English translation of any documentation in a language other than English, and the parts communicated electronically in the same format as they were issued by the employer.
- **F.2.13.4** Sign the original and all copies of the tender offer where required in terms of the tender data. The employer will hold all authorized signatories liable on behalf of the tenderer. Signatories for tenderers proposing to contract as joint ventures shall state which of the signatories is the lead partner whom the employer shall hold liable for the purpose of the tender offer.
- **F.2.13.5** Seal the original and each copy of the tender offer as separate packages marking the packages as "ORIGINAL" and "COPY". Each package shall state on the outside the employer's address and identification details stated in the tender data, as well as the tenderer's name and contact address.
- **F.2.13.6** Where a two-envelope system is required in terms of the tender data, place and seal the returnable documents listed in the tender data in an envelope marked "financial proposal" and place the remaining returnable documents in an envelope marked "technical proposal". Each envelope shall state on the outside the employer's address and identification details stated in the tender data, as well as the tenderer's name and contact address.
- **F.2.13.7** Seal the original tender offer and copy packages together in an outer package that states on the outside only the employer's address and identification details as stated in the tender data.
- **F.2.13.8** Accept that the employer shall not assume any responsibility for the misplacement or premature opening of the tender offer if the outer package is not sealed and marked as stated.

#### F.2.14 Information and data to be completed in all respects

Accept that tender offers, which do not provide all the data or information requested completely and in the form required, may be regarded by the employer as non-responsive.

#### F.2.15 Closing time

- **F.2.15.1** Ensure that the employer receives the tender offer at the address specified in the tender data not later than the closing time stated in the tender data. Proof of posting shall not be accepted as proof of delivery. The employer shall not accept tender offers submitted by telegraph, telex, facsimile or e-mail, unless stated otherwise in the tender data.
- **F.2.15.2** Accept that, if the employer extends the closing time stated in the tender data for any reason, the requirements of these conditions of tender apply equally to the extended deadline.

#### F.2.16 Tender offer validity

- **F.2.16.1** Hold the tender offer(s) valid for acceptance by the employer at any time during the validity period stated in the tender data after the closing time stated in the tender data.
- **F.2.16.2** If requested by the employer, consider extending the validity period stated in the tender data for an agreed additional period.

#### F.2.17 Clarification of tender offer after submission

Provide clarification of a tender offer in response to a request to do so from the employer during the evaluation of tender offers. This may include providing a breakdown of rates or prices and correction of arithmetical errors by the adjustment of certain rates or item prices (or both). No change in the total of the prices or substance of the tender offer is sought, offered, or permitted. The total of the prices stated by the tenderer shall be binding upon the tenderer.

**Note:** Sub-clause F.2.17 does not preclude the negotiation of the final terms of the contract with a preferred tenderer following a competitive selection process, should the Employer elect to do so.

Tender T19 of T71 T1.3

#### F.2.18 Provide other material

**F.2.18.1** Provide, on request by the employer, any other material that has a bearing on the tender offer, the tenderer's commercial position (including notarized joint venture agreements), preferencing arrangements, or samples of materials, considered necessary by the employer for the purpose of a full and fair risk assessment. Should the tenderer not provide the material, or a satisfactory reason as to why it cannot be provided, by the time for submission stated in the employer's request, the employer may regard the tender offer as non-responsive.

F.2.18.2 Dispose of samples of materials provided for evaluation by the employer, where required.

#### F.2.19 Inspections, tests and analysis

Provide access during working hours to premises for inspections, tests and analysis as provided for in the tender data.

#### F.2.20 Submit securities, bonds, policies, etc.

If requested, submit for the employer's acceptance before formation of the contract, all securities, bonds, guarantees, policies and certificates of insurance required in terms of the conditions of contract identified in the contract data.

#### F.2.21 Check final draft

Check the final draft of the contract provided by the employer within the time available for the employer to issue the contract.

#### F.2.22 Return of other tender documents

If so instructed by the employer, return all retained tender documents within 28 days after the expiry of the validity period stated in the tender data.

#### F.2.23 Certificates

Include in the tender submission or provide the employer with any certificates as stated in the tender data.

#### F.3 The employer's undertakings

#### The employer undertakes to:

#### F.3.1 Respond to clarification

Respond to a request for clarification received up to five working days prior to the tender closing time stated in the Tender Data and notify all tenderers who drew procurement documents.

#### F.3.2 Issue Addenda

If necessary, issue addenda that may amend or amplify the tender documents to each tenderer during the period from the date of the Tender Notice until seven days before the tender closing time stated in the Tender Data. If, as a result a tenderer applies for an extension to the closing time stated in the Tender Data, the Employer may grant such extension and, will then notify it to all tenderers who drew documents.

#### F.3.3 Return late tender offers

Return tender offers received after the closing time stated in the Tender Data, unopened, (unless it is necessary to open a tender submission to obtain a forwarding address), to the tenderer concerned.

#### F.3.4 Opening of tender submissions

- **F.3.4.1** Unless the two-envelope system is to be followed, open valid tender submissions in the presence of tenderers' agents who choose to attend at the time and place stated in the tender data. Tender submissions for which acceptable reasons for withdrawal have been submitted will not be opened.
- **F.3.4.2** Announce at the opening held immediately after the opening of tender submissions, at a venue indicated in the tender data, the name of each tenderer whose tender offer is opened, the total of his prices, preferences claimed and time for completion, if any, for the main tender offer only.
- F.3.4.3 Make available the record outlined in F.3.4.2 to all interested persons upon request.

Tender T20 of T71 T1.3

SENIONISNE SIGNAGE IN EMILION OF THOUSE

#### F.3.5 Two-envelope system

**F.3.5.1** Where stated in the tender data that a two-envelope system is to be followed, open only the technical proposal of valid tenders in the presence of tenderers' agents who choose to attend at the time and place stated in the tender data and announce the name of each tenderer whose technical proposal is opened.

**F.3.5.2** Evaluate the quality of the technical proposals offered by tenderers, then advise tenderers who remain in contention for the award of the contract of the time and place when the financial proposals will be opened. Open only the financial proposals of tenderers, who score in the quality evaluation above the minimum number of points for quality stated in the tender data, and announce the score obtained for the technical proposals and the total price and any preferences claimed. Return unopened financial proposals to tenderers whose technical proposals failed to achieve the minimum number of points for quality.

#### F.3.6 Non-disclosure

Not disclose to tenderers, or to any other person not officially concerned with such processes, information relating to the evaluation and comparison of tender offers, the final evaluation price and recommendations for the award of a contract, until after the award of the contract to the successful tenderer.

#### F.3.7 Grounds for rejection and disqualification

Determine whether there has been any effort by a tenderer to influence the processing of tender offers and instantly disqualify a tenderer (and his tender offer) if it is established that he engaged in corrupt or fraudulent practices.

#### F.3.8 Test for responsiveness

Determine, on opening and before detailed evaluation, whether each tender offer properly received:

- a) meets the requirements of these Conditions of Tender,
- b) has been properly and fully completed and signed, and
- c) is responsive to the other requirements of the tender documents.

A responsive tender is one that conforms to all the terms, conditions, and specifications of the tender documents without material deviation or qualification. A material deviation or qualification is one which, in the Employer's opinion, would:

- detrimentally affect the scope, quality, or performance of the works, services or supply identified in the Scope of Work,
- change the Employer's or the tenderer's risks and responsibilities under the contract, or
- affect the competitive position of other tenderers presenting responsive tenders, if it were to be rectified.

Reject a non-responsive tender offer, and not allow it to be subsequently made responsive by correction or withdrawal of the non-conforming deviation or reservation.

#### F.3.9 Arithmetical errors

Check responsive tender offers for arithmetical errors, correcting them in the following manner:

- Where there is a discrepancy between the amounts in figures and in words, the amount in words shall govern.
- If a bill of quantities (or schedule of rates) apply and there is an error in the line item total resulting from the product of the unit rate and the quantity, the line item total shall govern and the rate shall be corrected. Where there is an obviously gross misplacement of the decimal point in the unit rate, the line item total as quoted shall govern, and the unit rate will be corrected.
- Where there is an error in the total of the prices either as a result of other corrections required by this checking process or in the tenderer's addition of prices, the total of the prices shall govern and the tenderer will be asked to revise selected item prices (and their rates if a bills of quantities applies) to achieve the tendered total of the prices.

Consider the rejection of a tender offer if the tenderer does not correct or accept the correction of his arithmetical errors in the manner described above.

#### F.3.10 Clarification of a tender offer

Obtain clarification from a tenderer on any matter that could give rise to ambiguity in a contract arising from the tender offer.

Tender T21 of T71 T1.3

#### F.3.11 Evaluation of tender offers

#### F.3.11.1 General

Appoint an evaluation panel of not less than three persons. Reduce each responsive tender offer to a comparative offer and evaluate it using the tender evaluation method that is indicated in the Tender Data and described below:

Method 1:	1) Rank tender offers from the most favorable to the least favorable comparative offer.
Financial offer	2) Recommend highest ranked tenderer for the award of the contract, unless there are compelling and justifiable reasons not to do so.
Method 2:	1) Score tender evaluation points for financial offer.
Financial offer and preferences	2) Confirm that tenderers are eligible for the preferences claimed and if so, score tender evaluation points for preferencing.
preferences	3) Calculate total tender evaluation points.
	4) Rank tender offers from the highest number of tender evaluation points to the lowest.
	5) Recommend tenderer with the highest number of tender evaluation points for the award of the contract, unless there are compelling and justifiable reasons not to do so.
Method 3: Financial offer	1) Score quality, rejecting all tender offers that fail to score the minimum number of points for quality stated in the Tender data.
and quality	2) Score tender evaluation points for financial offer.
	3) Calculate total tender evaluation points.
	4) Rank tender offers from the highest number of tender evaluation points to the lowest.
	5) Recommend tenderer with the highest number of tender evaluation points for the award of the contract, unless there are compelling and justifiable reasons not to do so.
Method 4: Financial offer,	1) Score quality, rejecting all tender offers that fail to score the minimum number of points for quality stated in the Tender data.
quality and preferences	2) Score tender evaluation points for financial offer.
proferences	3) Confirm that tenderers are eligible for the preferences claimed, and if so, score tender evaluation points for preferencing.
	4) Calculate total tender evaluation points.
	5) Rank tender offers from the highest number of tender evaluation points to the lowest.
	6) Recommend tenderer with the highest number of tender evaluation points for the award of the contract, unless there are compelling and justifiable reasons not to do so.

Score financial offers, preferences and quality, as relevant, to two decimal places.

#### F.3.11.2 Scoring Financial Offers

Score the financial offers of remaining responsive tender offers using the following formula:

 $N_{FO} = W_1 \times A$  where:

 $N_{\text{FO}}$  = the number of tender evaluation points awarded for the financial offer.

W<sub>1</sub> = the maximum possible number of tender evaluation points awarded for the financial offer as stated in the Tender Data.

A = a number calculated using either formulas 1 or 2 below as stated in the Tender Data.

Formula	Comparison aimed at achieving	Option 1	Option 2
1	Highest price or discount	A = (1 + (P - Pm))	A = P / Pm
		Pm	
2	Lowest price or percentage commission /	A = (1 - (P - Pm))	A = Pm / P
	fee	Pm	

where:

Pm = the comparative offer of the most favorable tender offer.
P = the comparative offer of tender offer under consideration.

#### F.3.11.3 Scoring quality (functionality)

Score quality in each of the categories stated in the Tender Data and calculate total score for quality.

THE COMPLETION OF THE FISH PROCESSING PLANT AT TOMPI SELEKA AGRICULTURAL COLLEGE IN THE EPHRAIM MOGALE MUNICIPALITY OF THE SEKHUKHUNE DISTRICT IN LIMPOPO PROVINCE

\_\_\_\_\_

#### F.3.12 Insurance provided by the employer

If requested by the proposed successful tenderer, submit for the tenderer's information the policies and / or certificates of insurance which the conditions of contract identified in the contract data, require the employer to provide.

#### F.3.13 Acceptance of tender offer

F.3.13.1 Accept tender offer only if the tenderer satisfies the legal requirements stated in Clause F.2.1 of the Tender Data.

**F.3.13.2** Notify the successful tenderer of the employer's acceptance of his tender offer by completing and returning one copy of the form of offer and acceptance before the expiry of the validity period stated in the tender data, or agreed additional period. Providing the form of offer and acceptance does not contain any qualifying statements, it will constitute the formation of a contract between the employer and the successful tenderer as described in the form of offer and acceptance.

#### F.3.14 Notice to unsuccessful tenderers

After the successful tenderer has acknowledged the employer's notice of acceptance, notify other tenderers that their tender offers have not been accepted.

#### F.3.15. Prepare contract documents

If necessary, revise documents that shall form part of the contract and that were issued by the employer as part of the tender documents to take account of:

- a) addenda issued during the tender period,
- b) inclusion of some of the returnable documents,
- c) other revisions agreed between the employer and the successful tenderer, and
- d) the schedule of deviations attached to the form of offer and acceptance, if any.

#### F.3.16 Issue final contract

Prepare and issue the final draft of contract documents to the successful tenderer for acceptance as soon as possible after the date of the employer's signing of the form of offer and acceptance (including the schedule of deviations, if any). Only those documents that the conditions of tender require the tenderer to submit, after acceptance by the employer, shall be included.

#### F.3.17 Complete adjudicator's contract

Unless alternative arrangements have been agreed or otherwise provided for in the contract, arrange for both parties to complete formalities for appointing the selected adjudicator at the same time as the main contract is signed.

#### F.3.18 Provide copies of the contracts

Provide to the successful tenderer the number of copies stated in the Tender Data of the signed copy of the contract as soon as possible after completion and signing of the form of offer and acceptance.

Tender T23 of T71 T1.3

# **PART T2: RETURNABLE SCHEDULES**

TABLE C	OF CONTENTS	Page	Colour
T2.1:	LIST OF RETURNABLE DOCUMENTS	T.23	Yellow
T2.2:	RETURNABLE SCHEDULES TO BE COMPLETED		
	BY TENDERER	T.24	Yellow

Tender T24 of T71 T2

#### T2.1 List of Returnable Documents

The Tenderer must complete the following Returnable Documents:

#### 1 Returnable Schedules required only for Tender Evaluation purposes

- B: Record of Addenda to Tender Documents
- C: Certificate of Authority for Joint Ventures / Close Corporation/ Partnership/ Company/ Sole Proprietor (Certified copies of Identity Documents for all members of Joint Ventures / Close Corporation / Partnership / Company / Sole Proprietor)
- D: Registration Certificates of entities Joint Ventures / Close Corporation/ Partnership/ Company/ Sole Proprietor
- E: Compulsory Enterprise Questionnaire
- F: Schedule of the Tenderer's Experience
- G: Schedule of Key Personnel
- H: Format of Curriculum Vitae
- I: Proposed Amendments, Qualifications and Alternatives
- J: Schedule of Subcontractors
- K: Schedule of Plant and Equipment available for this contract
- L: Copy of the Workmen's Compensation Registration Certificate (or proof of payment of contributions in terms of the Compensation for Occupational Injuries and Diseases Act No. 130 of 1993)
- M: Company profile, including track record
- N: Construction Industries Development Board (CIBD) Registration 4CE/ ME or higher.

#### 2 Other Documents required only for Tender Evaluation purposes

- O: BBBEE Status Level Verification Certificate or original sworn affidavit
- P: Financial Standing Attach Letter of Intent

### 3 Returnable Schedules that will be incorporated into the Contract

- Q: Preferencing Schedule (Direct Preferences) SBD Forms
- R: Other SBD Forms (SBD1, SBD3.1, SBD4, SBD 6.1)
- S: Execution Programme/ Program of Works
- T: Detailed Method Statement
- U: Contractor's Health and Safety Declaration

#### 4 Other Documents that will be incorporated into the Contract

- V: Contractor's Safety Plan
- W: Proforma Notification form in terms of the Occupational Health and Safety Act 1993, Construction Regulations, 2003
- X: Monthly Labour Report

#### 5 The Offer portion

Part C1 Agreement and Contract Data

Part C2 Pricing Data

Part C3 Scope of Work

Part C4 Site Information

ANNEXURE A: BIDDER'S DETAILED EXPERIENCE REPORT – REFERENCE SHEETS (Duplicate the reference sheet for more reference reports)

Tender T25 of T71 T2

THE COMPLETION OF THE FISH PROCESSING PLANT AT TOMPI SELEKA AGRICULTURAL COLLEGE IN THE EPHRAIM MOGALE MUNICIPALITY OF THE SEKHUKHUNE DISTRICT IN LIMPOPO PROVINCE

# T2.2 Returnable Schedules to be completed by Tenderer

## A. CERTIFICATE OF ATTENDANCE AT A TENDER SITE MEETING

This is to certify that (Tenderer)	
of (address)	
below at the compulsory meeting held for all Tend	was represented by the person(s) named erers at TOMPI SELEKA COLLEGE OF AGRICULTURE IN EKHUKHUNE DISTRICT IN LIMPOPO PROVINCE for Tender No
	ng was to acquaint myself / ourselves with the Site of the Works ified in the Tender Documents in order for me / us to take our rates and prices included in the Tender.
Particulars of person(s) attending the meeting:	
Name:	Signature:
Capacity:	
Name:	Signature:
Capacity:	
Attendance of the above person(s) at the n namely:	neeting is confirmed by the Employer's representative,
Name:	Signature:
Capacity:	Date and Time:

Tender T27 of T71 T2.2

## B. RECORD OF ADDENDA TO TENDER DOCUMENTS

		nications received from the Employer before the submission of this Tender ofts, have been taken into account in this Tender Offer:
1.		
1.		
2.		
3.		
4.		
5.		
Attach	additional pages if more sp	pace is required.
Signed		Date
Name		Position
Tende	rer	

Tender T28 of T71 T2.2

C. CERTIFICATE OF AUTHORITY OF AN ENTITY

# icate the status of the Tanderer by ticking the appropriate box berounder. The Tanderer must comple

Indicate the status of the Tenderer by ticking the appropriate box hereunder. The Tenderer must complete the Certificate set out below for the relevant category.

(I) Company	(II) Close Corporation	(III) Partnership	(IV) Joint Venture	(V) Sole Proprietor

(I) <u>CERTIFICATE FOR COMPANY</u>	
I	, chairperson of the Board of Directors of
	, hereby confirm that by resolution of the Board (copy attached)
taken on 20,	
Mr/Ms	, acting in the capacity of
	, was authorised to sign all Documents in
connection with this Tender and any Contract	ct resulting from it on behalf of the Company.
As Witnesses:	
1	Name in Block Letters
2	Name in Block Letters
Date:	

Tender T29 of T71 T2.2

(II) CERTIFICATE FOR CLOSE CORPORA	ATION
	the business trading as
acting in the capacity ofin connection with the Tender for Contract No a	nd any Contract resulting from it on our behalf.
Signature of Signatory:As Witnesses:	
1	Name in Block Letters
2	Name in Block Letters

NAME	ADDRESS	SIGNATURE	DATE

Note: This Certificate is to be completed and signed by all of the key Members upon whom rests the Direction of the Affairs of the Close Corporation as a whole.

Tender T30 of T71 T2.2

Date: .....

DISTRICT IN LIMPOPO PROVINCE

(III) <u>CERTIFICATE FOR PARTNERSHIP</u>	
We, the undersigned, being the key Partners in	the business trading as,
	hereby authorise Mr/Ms
acting in the capacity of	, to sign all Documents in connection
with the Tender for Contract No and any Contra	ct resulting from it on our behalf.
Signature of Signatory:	
1	Name in Block Letters
2	Name in Block Letters
Date:	

NAME	ADDRESS	SIGNATURE	DATE

Note: This Certificate is to be completed and signed by all of the key Partners upon who rests the Direction of the Affairs of the Partnership as a whole.

Tender T31 of T71 T2.2

NAME OF FIRM	ADDRESS	AUTHORISING SIGNATURE, NAME AND CAPACITY
Lead Partner		

Note: This Certificate is to be completed and signed by all of the key Partners upon who rests the Direction of the Affairs of the Partnership as a whole.

Tender T32 of T71 T2.2

Date: .....

LIMPOPO DEPARTMENT OF AGRICULTURE AND RURAL DEVELOPMENT:
TENDER NO. ACDP 21/22
THE COMPLETION OF THE FISH PROCESSING PLANT AT TOMPI SELEKA AGRICULTURAL COLLEGE IN THE EPHRAIM MOGALE MUNICIPALITY OF THE SEKHUKHUNE DISTRICT IN LIMPOPO PROVINCE

V) CERTIFICATE FOR SOLE PROPR	RIETOR
I	, hereby confirm that I am the Sole Owner of the
business trading as:	
Signature of Sole Owner:	
1	Name in Block Letters
2	Name in Block Letters
Date:	

LIMPOPO DEPARTMENT OF AGRICULTURE AND RURAL DEVELOPMENT:
TENDER NO. ACDP 21/22
THE COMPLETION OF THE FISH PROCESSING PLANT AT TOMPI SELEKA AGRICULTURAL COLLEGE IN THE EPHRAIM MOGALE MUNICIPALITY OF THE SEKHUKHUNE DISTRICT IN LIMPOPO PROVINCE

#### D. REGISTRATION CERTIFICATE OF AN ENTITY

[Important note to Tenderer: Registration Certificates for Companies, Close Corporations, Partnerships and ID Documents for Sole Proprietors must be inserted here. In the case of a Joint Venture, a copy of a duly signed Joint Venture Agreement must be included]

Tender T34 of T71 T2.2

E. COMPULSORY ENTERPRISE QUESTIONNAIRE

## The following particulars must be furnished. In the case of a Joint Venture, separate Enterprise questionnaires in respect of each Partner must be completed and submitted. Name of Enterprise: ..... Section 1: Section 2: Section 3: Particulars of Sole Proprietors and Partners in Partnerships Section 4: Name\* Identity number\* Personal income tax number\* \* Complete only if Sole Proprietor or Partnership and attach separate page if more than 3 Partners Section 5: Particulars of Companies and Close Corporations Section 6: Record in the service of the State Indicate by marking the relevant boxes with a cross, if any Sole Proprietor, Partner in a Partnership or Director, Manager, Principal Shareholder or Stakeholder in a Company or Close Corporation is currently or has been within the last 12 months in the service of any of the following: □ a Member of any Municipal Council an employee of any Provincial Department, National □ a Member of any Provincial Legislature or Provincial Public entity or Constitutional Institution within the meaning of the Public Finance □ a Member of the National Assembly or the Management Act, 1999 (Act 1 of 1999) National Council of Province □ a Member of the Board of Directors of any a Member of an Accounting Authority of any National or Provincial Public Entity Municipal entity an employee of Parliament or a Provincial Legislature an Official of any Municipality or Municipal entity If any of the above boxes are marked, disclose the following: Name of Sole Proprietor, Name of Institution, Public Office, board Status of service Partner, Director, Manager, or organ of State and position held (tick appropriate column) Principal Shareholder Current Within last Stakeholder 12 months \*insert separate page if necessary

### Section 7: Record of spouses, children and parents in the service of the State

Indicate by marking the relevant boxes with a cross, if any spouse, child or parent of a Sole Proprietor, Partner in a Partnership or Director, Manager, Principal Shareholder or Stakeholder in a Company or Close Corporation is currently or has been within the last 12 months been in the service of any of the following:

Tender T35 of T71 T2.2

<ul><li>□ a Membe</li><li>□ a Membe</li><li>the Nation</li><li>□ a Membe</li><li>any Munic</li></ul>		Legislature or Provincial Public Entity or Within the meaning of Management Act, 1999 (Act	Constitution the Pub 1 of 1999) Authority of	nal Institution lic Finance any National
Name of spouse, child or parent	Name of Institution, Public Office, Board or Organ of State and position held	Status of service (tick appropriate column)		
		Current	Within last 12 months	
	page if necessary			
authorizes to our tax mat our tax mat person, where the confirms the control over two offers and work that control that control over the confirms that confirms that confirms and work that control over that control over that confirms and work that control our tax materials.	the Employer to obt tters are in order; nat the neither the no wholly or partly e faulters established at no Partner, Men or the Enterprise app at I / we are not as have no other relat could cause or be in at the contents of th	at he / she is duly authorised to do so on behalf of ain a tax clearance Certificate from the South Africane of the Enterprise or the name of any Paxercises, or may exercise, control over the Enterin terms of the Prevention and Combating of Comber, Director or other Person, who wholly or prears, has within the last five years been convicted sociated, linked or involved with any other Tentionship with any of the Tenderers or those response questionnaire are within my personal knowledges.	rtner, Mana erprise appe rrupt Activition eartly exercised of fraud of dering entitionsible for co	ager, Director or cars on the Regist es Act of 2004; ses, or may exert or corruption; lies submitting Tecompiling the Scop
Signed		Date		
Name		Position		
nterprise Name				

Tender T36 of T71 T2.2

## F. SCHEDULE OF THE TENDERER'S EXPERIENCE

The following is a Statement of Work of similar nature recently successfully executed by myself / ourselves (attach completion certificate for all completed projects as proof):

Employer: Contact Person and Telephone Number	Consulting Engineer: Contact Person and Telephone Number	Nature of Work	Value of Work (inclusive of VAT)	Date Completed or Expected to be Completed

SIGNATURE:	DATE:
(of person authorised to sign on behalf of the Tenderer)	

Tender T37 of T71 T2.2

#### **G. KEY PERSONNEL**

In terms of the Project Specification and the Conditions of Tender, unskilled Workers may only be brought in from outside the Local Community if such personnel are not available locally.

The Tenderer shall list below the personnel which he intends to utilize on the Works, including key personnel which may have to be brought in from outside if not available locally.

All technical works must be done by qualified artisans with applicable experience. Bidders must

provide curriculum vitae of the key personnel who will be performing the works.

	Number of Persons		
Category of Employee	Key Personnel, Part of the Contractors Organisation	Key Personnel to be imported if not locally available	Unskilled Personnel to be recruited from the local community
Site Agent/Project Managers, 3 years experience			
Foremen, 3 years experience			
Civil Technician, 2 years experience			
Quality Control and Safety Personnel, 3 years experience			
Surveyors, 2 years experience			
Electrician, 3 years experience			
Plumber, 2 years experience			
Plant Operators, 1 year experience			

SIGNATURE:	DATE:
(of person authorised to sign on behalf of the Tenderer)	

Tender T38 of T71 T2.2

## H. CURRICULUM VITAE FORMAT OF KEY PERSONNEL

Name:	Date of birth:	
Profession:	Nationality:	
Qualifications:		
Professional Registration Number:		
Name of Employer (firm):		
Current position:	Years with firm:	
Employment Record:		
Experience Record Pertinent to Required service:		
Certification:		
I, the undersigned, certify that, to the best of my knowledge and belief, this data correctly describes me, my qualifications and my experience.		
Signature of person named in the Schedule Date		

Tender T39 of T71 T2.2

Name:	Date of birth:
Profession:	Nationality:
Qualifications:	
Professional Registration Number:	
Name of Employer (firm):	
Current position:	Years with firm:
Employment Record:	
Experience Record Pertinent to Required service:	
Certification:	
I, the undersigned, certify that, to the best of my knowledge and belief, this qualifications and my experience.	s data correctly describes me, my
Signature of person named in the Schedule Date	

Tender T40 of T71 T2.2

Name:	Date of birth:	
Profession:	Nationality:	
Qualifications:		
Professional Registration Number:		
Name of Employer (firm):		
Current position:	Years with firm:	
Employment Record:		
Experience Record Pertinent to Required service:		
Certification:		
I, the undersigned, certify that, to the best of my knowled qualifications and my experience.	ge and belief, this data correctly describes me, my	
Signature of person named in the Schedule	Date	

Tender T41 of T71 T2.2

Name:	Date of birth:
Profession:	Nationality:
Qualifications:	
Professional Registration Number:	
Name of Employer (firm):	
Current position:	Years with firm:
Employment Record:	
Experience Record Pertinent to Required service:	
Certification:	
I, the undersigned, certify that, to the best of my knowledge and belief, t qualifications and my experience.	his data correctly describes me, my
Signature of person named in the Schedule Date	

Tender T42 of T71 T2.2

Name:	Date of birth:	
Profession:	Nationality:	
Qualifications:		
Professional Registration Number:		
Name of Employer (firm):		
Current position:	Years with firm:	
Employment Record:		
Experience Record Pertinent to Required service:		
Certification:		
I, the undersigned, certify that, to the best of my knowled qualifications and my experience.	ge and belief, this data correctly describes me, my	
Signature of person named in the Schedule	Date	

Tender T43 of T71 T2.2

## I. AMENDMENTS, QUALIFICATIONS AND ALTERNATIVES

(This is not an invitation for amendments, deviations or alternatives, but should the Tenderer desire to make any departures from the Provisions of this Contract he shall set out his proposals clearly hereunder. The Employer will not consider any amendment, unless form (a), has been completed to the satisfaction of the Employer). The Tenderer is referred to Tender Data paragraph F.2.12, where it is clearly stated that no Alternative Offers will be accepted.

I / We herewith propose the amendments, as set out in the table below:

## (a) AMENDMENTS

PAGE, CLAUSE OR ITEM NO	PROPOSED AMENDMENT

Notes: (1) Amendments to the General and Special Conditions of Contract are not acceptable;

(2) The Tenderer must give full details of all the financial implications of the amendments and qualifications in a covering letter attached to his Tender.

Tender T44 of T71 T2.2

## J. SCHEDULE OF PROPOSED SUB-CONTRACTORS

We notify you that it is our intention to employ the following Subcontractors for Work in this Contract.

If we are awarded a Contract we agree that this notification does not change the requirement for us to submit the names of proposed Subcontractors in accordance with requirements in the Contract for such appointments. If there are no such requirements in the Contract, then your written acceptance of this list shall be binding between us.

We confirm that all Subcontractors who are Contracted to construct a house are registered as Home Builders with the National Home Builders Registration Council.

	Name and address of proposed Subcontractor	Nature and extent of Work	Previous experience with Subcontractor.
1.			
2.			
3.			
4.			
5.			
	Signed	Date	
	Name	Position	
	Tenderer		

Tender T45 of T71 T2.2

K. SCHEDULE OF PLANT AND EQUIPMENT	

he following are lists or this Contract or will	of major items of relevant equipment that I / we presently own or lease and will have available acquire or hire for this Contract if my / our Tender is accepted.
) Details of maj	or equipment that is owned by and immediately available for this Contract.
Quantity	Description, size, capacity, etc.
Attach additional	pages if more space is required.
Attach additional	sages ii more space is required.
	equipment that will be hired, or acquired for this Contract if my / our Tender is acceptable.
Quantity	Description, size, capacity, etc.
ach additional pages if	more space is required.
Signed	Date
Signed	Date
Name	Position
Tenderer	

Proof of ownership and/or rental agreement should form part of tender document.

Tender T46 of T71 T2.2

L. COPY OF WORKMEN'S COMPENSATION REGISTRATION CERTIFICATE (OR PROOF OF PAYMENT OF CONTRIBUTIONS IN TERMS OF THE COMPENSATION FOR OCCUPATIONAL INJURIES AND DISEASES ACT NO. 130 OF 1993)

[Certified Copy of the Certificate or Proof of Payment thereof obtained from the Workmen's Compensation Commissioner to be inserted here]

Tender T47 of T71 T2.2

## M. COMPANY PROFILE, INCLUDING TRACK RECORD

[Abbreviated company profile, giving history, status, activities, staff and track record of the tendering entity, to be inserted here. In case of a Joint Venture, a separate profile for each partner must be submitted]

Tender T48 of T71 T2.2

## N. CONSTRUCTION INDUSTRIES DEVELOPMENT BOARD (CIDB) REGISTRATION

[Certified copy of the Tenderer's CIDB registration indicating the Contractor grading designation, to be inserted here. For a Joint Venture, each partner's CIDB certificate is to be included, as applicable].

**NOT A REQUIREMENT** 

Tender T49 of T71 T2.2

#### O. TAX COMPLIANCE STATUS

#### **IMPORTANT NOTES:**

- 1. The Central Supplier Database and tax compliance status PIN are approved methods that will be used to verify tax compliance as SARS does not issue tax clearance certificate any more but has made an online provision available via eFiling for bidders to print their own tax clearance certificates which can be submitted with this bid.
- 2. Tax Clearance submitted by bidders will be verified on eFiling and/or Central Supplier database.
- 3. Bidders must provide a tax compliance status PIN and Central Supplier Database Number to access their records and verify tax compliance status

Tender T50 of T71 T2.2

#### **APPLICATION FORM FOR TAX CLEARANCE CERTIFICATE**

(In respect of Tender see note at bottom)

1. NAME OF TAXPAYER/TEN	DERE	R:
2. TRADE NAME:		
3. IDENTIFICATION No. (if app	olicable	e):
4. COMPANY/CLOSE CORPO	RATIO	ON REG No:
5. INCOME TAX REFERENCE	No:	
6. VAT REGISTRATION No:		
7. PAYE EMPLOYERS REG N	o. (if a	pplicable):
NB: Copy of the Tender requ	iest m	ust be attached to this application.
CONTACT PERSON REQUIRI	NG TA	X CLEARANCE CERTIFICATE:
SIGNATURE:		
NAME :		
TELEPHONE NUMBER	:	CODE: NUMBER:
ADDRESS	:	
DATE	:	20/
discretionary powers in favour	of an	for the South African Revenue Service (SARS) will not exercise his y person with regard to any interest, penalties and/or additional tax ent of taxes, duties or levies or the rendition of returns by any person.
NAME OF PERSON RESPONS	SIBLE	FOR CONTRACT:

(ST 5.1) March 1999

NB: This is a pro forma application form that has to be submitted to SARS to enable them to issue the required Tax Clearance Certificate. The original and valid Tax Clearance Certificate furnished by the Receiver of Revenue must be submitted with the Tender (to be attached to the next page).

## TAX CLEARANCE CERTIFICATE

[Valid Original Tax Clearance Certificate obtained from SARS to be inserted here after OR CSD SUMMARY]

Tender T51 of T71 T2.2

## P. TENDERER'S FINANCIAL STANDING

In terms of Clause F.2.18.1 of the Contract-specific Tender Data the Tenderer shall provide information about his commercial position, which includes information necessary for the Employer to evaluate the Tenderer's financial standing.

To that end the Tenderer must provide with his tender a bank rating, certified by his banker, to the effect that he will be able to successfully complete the contract at the tendered amount within the specified time for completion.

However, should the Tenderer be unable to provide a bank rating with his tender, he shall state the reasons as to why he is unable to do so, and in addition provide the following details of his banker and bank account that he intends to use for project:

Name of account holder:	
Name of Bank: Branch	n:
Account number: Type of	of account:
Telephone number: Facsin	nile number:
Name of contact person (at bank):	
•	ails or a certified bank rating with his tender, will not have the necessary financial resources at his within the specified time for completion.
The Employer undertakes to treat the information evaluation of the tender submitted by the Tenderer	n thus obtained as confidential, strictly for the use of .
SIGNATURE:	

Tender T52 of T71 T2.2

## P1 FINANCIAL INFORMATION OF TENDERER

This information sheet has to be filled in by the financier of the Tenderer, duly signed and stamped on behalf of the financial institution he represents.

Tenderer / Tender Details	
Tender Description:	
Contract Period:	
Name of Tenderer:	
Bank Account Number:	
Tender Amount:	
Demand Guarantee will be provided by this Bank: YES	$\square$ NO $\square$
If yes, state amount of Demand Guarantee: R	
Financial Institution	
Name of Commercial Bank:	
Branch:	
Name of Bank Manager:	
Telephone Number:	
We acting on behalf of the above Commercial Bank confirm that	
	(Tenderer)
has operated an account with us for the last years.	

We have been requested to provide a bank rating based in relation to the financial capability of the Tenderer, taking into account directives set out in the following two tables.

## **FINANCIAL CAPABILITY**

Maximum value of contract that	Value on which Bank Rating must
the Tenderer is considered	be used
capable of	
Up to R300 000	R24 000
R1 000 000	R78 000
R3 000 000	R240 000
R5 000 000	R480 000
R10 000 000	R900 000
R30 000 000	R2 400 000
R100 000 000	R7 800 000

Tender T53 of T71 T2.2

## **BANK RATING**

Bank Code	Description of Bank Code
Α	Undoubted for the amount of enquiry
В	Good for the amount of enquiry
С	Good for the amount quoted if strictly in the way of business
D	Fair trade risk for amount of enquiry
E	Figures considered too high
F	Financial position unknown
G	Occasional dishonours
Н	Frequent dishonours

The value on which our Bank Rating of the Te	nderer is based is R	
In words	oı	nly)
The Bank Rating is code:		
Signature: Manager Financial Institution	Print Name	 Date
RUBBER STAMP OF INSTITUTION		

Tender T54 of T71 T2.2

## Q: OTHER SBD FORMS REQUIRED TO BE COMPLETED

SBD1 - Invitation to Bid (Revised 2023)

SBD 3.1 - Pricing Schedule - Firm Price

SBD 4 – Declaration of Interest by bidders.

**SBD 6.1 - Preference Point Claim Form** 

Tender T55 of T71 T2.2

SBD1

## PART A

## **INVITATION TO BID**

		REQUIREMENTS OF TH				
BID NUMBER: ACDP		CLOSING DATE:		PTEMBER 2023		OSING TIME: 11H00
		THE FISH PROCESSING Y OF THE SEKHUKHUNI				RAL COLLEGE IN THE EPHRAIM
BID RESPONSE DOCUM						
67/69 BICCARD STREE	Γ DEPARTMENT					
DEPARTMENT OF AGR	CULTURE AND R	URAL DEVELOPMENT				
POLOKWANE						
0699						
BIDDING PROCEDURE	ENQUIRIES MAY	BE DIRECTED TO	TECHNICA	L ENQUIRIES MAY I	BE DIRE	CTED TO:
CONTACT PERSON			CONTACT	PERSON		
TELEPHONE NUMBER			TELEPHON	IE NUMBER		
FACSIMILE NUMBER			FACSIMILE	NUMBER		
E-MAIL ADDRESS			E-MAIL ADI	DRESS		
SUPPLIER INFORMATION	ON					
NAME OF BIDDER						
POSTAL ADDRESS						
STREET ADDRESS			1		T	
TELEPHONE NUMBER	CODE		NUMI	BER		
CELLPHONE NUMBER			1		T	
FACSIMILE NUMBER	CODE		NUMI	BER		
E-MAIL ADDRESS						
VAT REGISTRATION NUMBER						
SUPPLIER COMPLIANCE STATUS	TAX COMPLIANCE SYSTEM PIN:		OR	CENTRAL SUPPLIER DATABASE No:	MAAA	
ARE YOU THE				•		
ACCREDITED REPRESENTATIVE IN			ARE YOU	A FOREIGN E	BASED	
SOUTH AFRICA FOR	□Yes	∏No	SUPPLIER		OODS	☐Yes ☐No
THE GOODS		_	/SERVICES	OFF	ERED?	[IF YES, ANSWER THE
/SERVICES OFFERED?	[IF YES ENCLO	SE PROOFJ				QUESTIONNAIRE BELOW]
QUESTIONNAIRE TO BI	DDING FOREIGN	SUPPLIERS				
IS THE ENTITY A RESID	ENT OF THE REP	UBLIC OF SOUTH AFRIC	CA (RSA)?			☐ YES ☐ NO
DOES THE ENTITY HAV	E A BRANCH IN T	HE RSA?				☐ YES ☐ NO
DOES THE ENTITY HAV	E A PERMANENT	ESTABLISHMENT IN TH	E RSA?			☐ YES ☐ NO
DOES THE ENTITY HAV	E ANY SOURCE C	OF INCOME IN THE RSA?	?			☐ YES ☐ NO
IF THE ANSWER IS "NO	" TO ALL OF TH	ANY FORM OF TAXATION E ABOVE, THEN IT IS N FRICAN REVENUE SER	OT A REQUI			☐ YES ☐ NO R A TAX COMPLIANCE STATUS PER 2.3 BELOW.

Tender T56 of T71 T2.2

#### PART B

#### TERMS AND CONDITIONS FOR BIDDING

#### 1. BID SUBMISSION:

- 1.1. BIDS MUST BE DELIVERED BY THE STIPULATED TIME TO THE CORRECT ADDRESS. LATE BIDS WILL NOT BE ACCEPTED FOR CONSIDERATION.
- 1.2. ALL BIDS MUST BE SUBMITTED ON THE OFFICIAL FORMS PROVIDED (NOT TO BE RE-TYPED) OR IN THE MANNER PRESCRIBED IN THE BID DOCUMENT.
- 1.3. THIS BID IS SUBJECT TO THE PREFERENTIAL PROCUREMENT POLICY FRAMEWORK ACT, 2000 AND THE PREFERENTIAL PROCUREMENT REGULATIONS, THE GENERAL CONDITIONS OF CONTRACT (GCC) AND, IF APPLICABLE, ANY OTHER SPECIAL CONDITIONS OF CONTRACT.
- 1.4. THE SUCCESSFUL BIDDER WILL BE REQUIRED TO FILL IN AND SIGN A WRITTEN CONTRACT FORM (SBD7).

#### 2. TAX COMPLIANCE REQUIREMENTS

- 2.1 BIDDERS MUST ENSURE COMPLIANCE WITH THEIR TAX OBLIGATIONS.
- 2.2 BIDDERS ARE REQUIRED TO SUBMIT THEIR UNIQUE PERSONAL IDENTIFICATION NUMBER (PIN) ISSUED BY SARS TO ENABLE THE ORGAN OF STATE TO VERIFY THE TAXPAYER'S PROFILE AND TAX STATUS.
- 2.3 APPLICATION FOR TAX COMPLIANCE STATUS (TCS) PIN MAY BE MADE VIA E-FILING THROUGH THE SARS WEBSITE WWW.SARS.GOV.ZA.
- 2.4 BIDDERS MAY ALSO SUBMIT A PRINTED TCS CERTIFICATE TOGETHER WITH THE BID.
- 2.5 IN BIDS WHERE CONSORTIA / JOINT VENTURES / SUB-CONTRACTORS ARE INVOLVED; EACH PARTY MUST SUBMIT A SEPARATE TCS CERTIFICATE / PIN / CSD NUMBER.
- 2.6 WHERE NO TCS PIN IS AVAILABLE BUT THE BIDDER IS REGISTERED ON THE CENTRAL SUPPLIER DATABASE (CSD), A CSD NUMBER MUST BE PROVIDED.
- 2.7 NO BIDS WILL BE CONSIDERED FROM PERSONS IN THE SERVICE OF THE STATE, COMPANIES WITH DIRECTORS WHO ARE PERSONS IN THE SERVICE OF THE STATE, OR CLOSE CORPORATIONS WITH MEMBERS PERSONS IN THE SERVICE OF THE STATE."

ND. I ALEKE TO I NOVIDE / ON COMIL ET WITH ANT OF THE A	BOVE I ANTICOLANO MAT NEMDEN THE BID INVALID.
SIGNATURE OF BIDDER:	
CAPACITY UNDER WHICH THIS BID IS SIGNED: (Proof of authority must be submitted e.g. company resolution)	
DATE:	

NR. FAILURE TO DROVIDE LOR COMPLY WITH ANY OF THE AROVE DARTICULARS MAY RENDER THE RID INVALID

Tender T57 of T71 T2.2

\_\_\_\_\_

**SBD 3.1** 

# PRICING SCHEDULE – FIRM PRICES (PURCHASES)

NOTE:

ONLY FIRM PRICES WILL BE ACCEPTED. NON-FIRM PRICES (INCLUDING PRICES SUBJECT TO RATES OF EXCHANGE VARIATIONS) WILL NOT BE CONSIDERED

IN CASES WHERE DIFFERENT DELIVERY POINTS INFLUENCE THE PRICING, A SEPARATE PRICING SCHEDULE MUST BE SUBMITTED FOR EACH DELIVERY POINT

Name	e of bidder	Bid number <b>ACDP 21/22</b>
Closi	ng Time 11:00	Closing date: 12 SEPTEMBER 2023
OFFEF	R TO BE VALID FORDAYS FROM THE CI	LOSING DATE OF BID.
ITEM NO.	QUANTITY DESCRIPTION	BID PRICE IN RSA CURRENCY ** (ALL APPLICABLE TAXES INCLUDED)
-	Required by:	
-	At:	
-	Brand and model	
-	Country of origin	
-	Does the offer comply with the specification(s)?	*YES/NO
-	If not to specification, indicate deviation(s)	
-	Period required for delivery	*Delivery: Firm/not firm
-	Delivery basis	
Note:	All delivery costs must be included in the bid pri	ce, for delivery at the prescribed destination.
	applicable taxes" includes value- added tax, pay a utions and skills development levies.	as you earn, income tax, unemployment insurance fund
*Delete	e if not applicable	
Signatu	ure of Bidder	Date

Tender T58 of T71 T2.2

SBD4

## **BIDDER'S DISCLOSURE**

#### 1. PURPOSE OF THE FORM

Any person (natural or juristic) may make an offer or offers in terms of this invitation to bid. In line with the principles of transparency, accountability, impartiality, and ethics as enshrined in the Constitution of the Republic of South Africa and further expressed in various pieces of legislation, it is required for the bidder to make this declaration in respect of the details required hereunder.

Where a person/s are listed in the Register for Tender Defaulters and / or the List of Restricted Suppliers, that person will automatically be disqualified from the bid process.

#### 2. Bidder's declaration

2.1 Is the bidder, or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest1 in the enterprise, employed by the state?

YES/NO

2.1.1 If so, furnish particulars of the names, individual identity numbers, and, if applicable, state employee numbers of sole proprietor/ directors / trustees / shareholders / members/ partners or any person having a controlling interest in the enterprise, in table below.

Full Name	Identity Number	Name of State institution

2.2	Do you, or any person connected with the bidder, have a relationship with any person who is employed by the procuring institution? <b>YES/NO</b>
2.2.1	If so, furnish particulars:
2.3	Does the bidder or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest in the enterprise have any interest in any other related enterprise whether or not they are bidding for this contract? <b>YES/NO</b>
2.3.1	If so, furnish particulars:

- 3.1 I have read and I understand the contents of this disclosure;
- 3.2 I understand that the accompanying bid will be disqualified if this disclosure is found not to be true and

Tender T59 of T71 T2.2

<sup>1</sup> the power, by one person or a group of persons holding the majority of the equity of an enterprise, alternatively, the person/s having the deciding vote or power to influence or to direct the course and decisions of the enterprise.

complete in every respect;

- 3.3 The bidder has arrived at the accompanying bid independently from, and without consultation, communication, agreement or arrangement with any competitor. However, communication between partners in a joint venture or consortium 2 will not be construed as collusive bidding.
- 3.4 In addition, there have been no consultations, communications, agreements or arrangements with any competitor regarding the quality, quantity, specifications, prices, including methods, factors or formulas used to calculate prices, market allocation, the intention or decision to submit or not to submit the bid, bidding with the intention not to win the bid and conditions or delivery particulars of the products or services to which this bid invitation relates.
- 3.4 The terms of the accompanying bid have not been, and will not be, disclosed by the bidder, directly or indirectly, to any competitor, prior to the date and time of the official bid opening or of the awarding of the contract.
- 3.5 There have been no consultations, communications, agreements or arrangements made by the bidder with any official of the procuring institution in relation to this procurement process prior to and during the bidding process except to provide clarification on the bid submitted where so required by the institution; and the bidder was not involved in the drafting of the specifications or terms of reference for this bid.
- I am aware that, in addition and without prejudice to any other remedy provided to combat any restrictive practices related to bids and contracts, bids that are suspicious will be reported to the Competition Commission for investigation and possible imposition of administrative penalties in terms of section 59 of the Competition Act No 89 of 1998 and or may be reported to the National Prosecuting Authority (NPA) for criminal investigation and or may be restricted from conducting business with the public sector for a period not exceeding ten (10) years in terms of the Prevention and Combating of Corrupt Activities Act No 12 of 2004 or any other applicable legislation.

#### I CERTIFY THAT THE INFORMATION FURNISHED IN PARAGRAPHS 1, 2 and 3 ABOVE IS CORRECT.

I ACCEPT THAT THE STATE MAY REJECT THE BID OR ACT AGAINST ME IN TERMS OF PARAGRAPH 6 OF PFMA SCM INSTRUCTION 03 OF 2021/22 ON PREVENTING AND COMBATING ABUSE IN THE SUPPLY CHAIN MANAGEMENT SYSTEM SHOULD THIS DECLARATION PROVE TO BE FALSE.

Signature	Date
Position	Name of bidder

Tender T60 of T71 T2.2

<sup>2</sup> Joint venture or Consortium means an association of persons for the purpose of combining their expertise, property, capital, efforts, skill and knowledge in an activity for the execution of a contract.

**SBD 6.1** 

## PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2022

This preference form must form part of all tenders invited. It contains general information and serves as a claim form for preference points for specific goals.

NB: BEFORE COMPLETING THIS FORM, TENDERERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF THE TENDER AND PREFERENTIAL PROCUREMENT REGULATIONS, 2022

#### 1. GENERAL CONDITIONS

- 1.1 The following preference point systems are applicable to invitations to tender:
  - the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included); and

### 1.2 To be completed by the organ of state

- a) The applicable preference point system for this tender is the **80/20** preference point system.
- 1.3 Points for this tender (even in the case of a tender for income-generating contracts) shall be awarded for:
  - (a) Price; and
  - (b) Specific Goals.

#### 1.4 To be completed by the organ of state:

The maximum points for this tender are allocated as follows:

	POINTS
PRICE	80
SPECIFIC GOALS	20
Total points for Price and SPECIFIC GOALS	100

- 1.5 Failure on the part of a tenderer to submit proof or documentation required in terms of this tender to claim points for specific goals with the tender, will be interpreted to mean that preference points for specific goals are not claimed.
- 1.6 The organ of state reserves the right to require of a tenderer, either before a tender is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the organ of state.

## 2. **DEFINITIONS**

(a) "tender" means a written offer in the form determined by an organ of state in response to an invitation to provide goods or services through price quotations, competitive tendering process or any other method envisaged in legislation;

Tender T61 of T71 T2.2

- (b) "price" means an amount of money tendered for goods or services, and includes all
- (c) "rand value" means the total estimated value of a contract in Rand, calculated at the time of bid invitation, and includes all applicable taxes:
- (d) "tender for income-generating contracts" means a written offer in the form determined by an organ of state in response to an invitation for the origination of income-generating contracts through any method envisaged in legislation that will result in a legal agreement between the organ of state and a third party that produces revenue for the organ of state, and includes, but is not limited to, leasing and disposal of assets and concession contracts, excluding direct sales and disposal of assets through public auctions; and
- (e) "the Act" means the Preferential Procurement Policy Framework Act, 2000 (Act No. 5 of 2000).

#### 3. FORMULAE FOR PROCUREMENT OF GOODS AND SERVICES

applicable taxes less all unconditional discounts:

#### 3.1. POINTS AWARDED FOR PRICE

#### 3.1.1 THE 80/20 PREFERENCE POINT SYSTEMS

A maximum of 80 points is allocated for price on the following basis:

80/20

$$Ps = 80\left(1 - \frac{Pt - Pmin}{Pmin}\right)$$

Where

Ps = Points scored for price of tender under consideration

Pt = Price of tender under consideration

Pmin = Price of lowest acceptable tender

# 3.2. FORMULAE FOR DISPOSAL OR LEASING OF STATE ASSETS AND INCOME GENERATING PROCUREMENT

#### 3.2.1. POINTS AWARDED FOR PRICE

A maximum of 80 points is allocated for price on the following basis:

80/20

$$Ps = 80\left(1 + \frac{Pt - Pmax}{Pmax}\right)$$

Where

Ps = Points scored for price of tender under consideration

Pt = Price of tender under consideration

Pmax = Price of highest acceptable tender

Tender T62 of T71 T2.2

\_\_\_\_\_

#### 4. POINTS AWARDED FOR SPECIFIC GOALS

- 4.1. In terms of Regulation 4(2); 5(2); 6(2) and 7(2) of the Preferential Procurement Regulations, preference points must be awarded for specific goals stated in the tender. For the purposes of this tender the tenderer will be allocated points based on the goals stated in table 1 below as may be supported by proof/documentation stated in the conditions of this tender:
- 4.2. In cases where organs of state intend to use Regulation 3(2) of the Regulations, which states that, if it is unclear whether the 80/20 or 90/10 preference point system applies, an organ of state must, in the tender documents, stipulate in the case of—
  - (a) an invitation for tender for income-generating contracts, that either the 80/20 or 90/10 preference point system will apply and that the highest acceptable tender will be used to determine the applicable preference point system; or
  - (b) any other invitation for tender, that either the 80/20 or 90/10 preference point system will apply and that the lowest acceptable tender will be used to determine the applicable preference point system, then the organ of state must indicate the points allocated for specific goals for both the 90/10 and 80/20 preference point system.

Table 1: Specific goals for the tender and points claimed are indicated per the table below.

80/20 preference point system is applicable, corresponding points must also be indicated as such.

Note to tenderers: The tenderer must indicate how they claim points for each preference point system.

The specific goals allocated points in terms of this tender	Number of points allocated (80/20 system) (To be completed by the organ of state)	Number of points claimed (80/20 system) (To be completed by the tenderer)
Black People ownership > 51%	5	
Women Ownership > 51%	7	
Persons with Disability Ownership >51%	2	
Youth Ownership >51%	6	
TOTAL	20	

#### **DECLARATION WITH REGARD TO COMPANY/FIRM**

4.3.	Name of company/firm			
4.4.	Company registration number:			
4.5.	TYPE OF COMPANY/ FIRM			
	<ul> <li>□ Partnership/Joint Venture / Consortium</li> <li>□ One-person business/sole propriety</li> <li>□ Close corporation</li> <li>□ Public Company</li> <li>□ Personal Liability Company</li> <li>□ (Pty) Limited</li> <li>□ Non-Profit Company</li> <li>□ State Owned Company</li> <li>[TICK APPLICABLE BOX]</li> </ul>			

Tender T63 of T71 T2.2

- 4.6. I, the undersigned, who is duly authorised to do so on behalf of the company/firm, certify that the points claimed, based on the specific goals as advised in the tender, qualifies the company/ firm for the preference(s) shown and I acknowledge that:
  - i) The information furnished is true and correct;
  - ii) The preference points claimed are in accordance with the General Conditions as indicated in paragraph 1 of this form;
  - iii) In the event of a contract being awarded as a result of points claimed as shown in paragraphs 1.4 and 4.2, the contractor may be required to furnish documentary proof to the satisfaction of the organ of state that the claims are correct;
  - iv) If the specific goals have been claimed or obtained on a fraudulent basis or any of the conditions of contract have not been fulfilled, the organ of state may, in addition to any other remedy it may have
    - (a) disqualify the person from the tendering process;
    - (b) recover costs, losses or damages it has incurred or suffered as a result of that person's conduct;
    - (c) cancel the contract and claim any damages which it has suffered as a result of having to make less favourable arrangements due to such cancellation;
    - (d) recommend that the tenderer or contractor, its shareholders and directors, or only the shareholders and directors who acted on a fraudulent basis, be restricted from obtaining business from any organ of state for a period not exceeding 10 years, after the *audi alteram partem* (hear the other side) rule has been applied; and
    - (e) forward the matter for criminal prosecution, if deemed necessary.

	SIGNATURE(S) OF TENDERER(S)
SURNAME AND NAME:	
DATE:	
ADDRESS:	

Tender T64 of T71 T2.2

\_\_\_\_\_

#### S. EXECUTION PROGRAMME / PROGRAM OF WORKS

The Tenderer shall detail below or attach a preliminary programme reflecting the proposed sequence and tempo of execution of the various activities comprising the Work for this Contract. The programme shall be in accordance with the information supplied in the Contract, requirements of the Project Specifications and with all other aspects of his Tender.

The Execution Programme must be based on the completion time as specified in the Contract Data. The activities identified and filled in below, are specifically to be carried forward to Schedule T, the contractor's Method Statement.

**PLEASE NOTE**: the cash flow projections from the Contractor (to be submitted before commencement of the execution of the Contract) must be in accordance with this execution plan in order to ensure proper Cash flow management by the Department and to minimise delayed payments.

		PROG	RAMM	E			
ACTIVITY				MON	ITHS		
_							

Tender T65 of T71 T2.2

\_\_\_\_\_

#### T. DETAILED METHOD STATEMENT

[The adjudication of the responsiveness of a bid also relies on the extent to which a tenderer can prove an understanding of the scope of works. The tenderer should describe below the methods and procedures he will employ to successfully complete the various activities as identified for the foregoing Schedule S, the Execution Programme]

ACTIVITY	DESCRIPTION

[Add more pages as required]

Tender T66 of T71 T2.2

## U. CONTRACTOR'S HEALTH AND SAFETY DECLARATION

In terms of Clause 4(4) of the OHSA 1993 Construction Regulations 2003 (referred to as "the Regulations" hereafter), a Contractor may only be appointed to perform construction Work if the Employer is satisfied that the Contractor has the necessary competencies and resources to carry out the Work safely in accordance with the Occupational Health and Safety Act No 85 of 1993 and the OHSA 1993 Construction Regulations 2003.

To that effect a person duly authorised by the Tenderer must complete and sign the declaration hereafter in detail.

#### **Declaration by Tenderer**

- 1. I the undersigned hereby declare and confirm that I am fully conversant with the Occupational Health and Safety Act No 85 of 1993 (as amended by the Occupational Health and Safety Amendment Act No 181 of 1993), and the OHSA 1993 Construction Regulations 2003.
- 2. I hereby declare that my Company has the competence and the necessary resources to safely carry out the construction Work under this Contract in compliance with the Construction Regulations and the Employer's Health and Safety Specifications.
- 3. I propose to achieve compliance with the Regulations by one of the following:

(\* = delete whatever is not applicable)

Details of resources I propose:

(Note: Competent resources shall include safety personnel such as a construction supervisor and Construction Safety Officer as defined in Regulation 6, and Competent Persons as defined in Regulations 7, 8, 10, 11, 12, 14, 15, 18, 21(1), 22, 26 and 27, as applicable to this Contract)

(a) Details of the competent and qualified key persons from my Company's own resources, who will form part of the Contract team:

NAMES OF COMPETENT PERSONS	POSITIONS TO BE FILLED BY COMPETENT PERSONS

Tender T67 of T71 T2.2

(b)		ils of training of persons from my Company's own resources (or to be hired) who still have to be ed to achieve the necessary competency:
	(i)	By whom will training be provided?
	(ii)	When will training be undertaken?
	(iii)	List the positions to be filled by persons to be trained or hired:
(c)		s of competent resources to be appointed as Subcontractors if Competent Persons cannot be supplied wn Company:
	Name	of proposed Subcontractor:
	Qualifi	cations or details of competency of the Subcontractor:
5.	Contra of the	by undertake, if my Tender is accepted, to provide, before commencement of the Works under the lict, a suitable and sufficiently Documented Health and Safety Plan in accordance with Regulation 5(1) Construction Regulations, which plan shall be subject to approval by the Employer.
6.	Specif all time	irm that copies of my Company's approved Health and Safety Plan, the Employer's Safety ications as well as the OHSA 1993 Construction Regulations 2003 will be provided on Site and will at es be available for inspection by the Contractor's personnel, the Employer's personnel, the Engineer, s, and Officials and Inspectors of the Department of Labour.
7.	Quanti in the applied	by confirm that adequate provision has been made in my Tendered rates and prices in the Schedule of ties to cover the cost of all resources, actions, training and all health and safety measures envisaged OHSA 1993 Construction Regulations 2003, and that I will be liable for any penalties that may be d by the Employer in terms of the said Regulations (Regulation 30) for failure on the Contractor's part apply with the Provisions of the Act and the Regulations.
8.	that I	e that my failure to complete and execute this declaration to the satisfaction of the Employer will mean am unable to comply with the requirements of the OHSA 1993 Construction Regulations 2003, and that my Tender will be prejudiced and may be rejected at the discretion of the Employer.
		::

Tender T68 of T71 T2.2

LIMPOPO DEPARTMENT OF AGRICULTURE AND RURAL DEVELOPMENT:	TENDER NO. ACDP 21/22
THE COMPLETION OF THE FISH PROCESSING PLANT AT TOMPI SELEKA AGRICULTURAL C	COLLEGE IN THE EPHRAIM MOGALE MUNICIPALITY OF THE SEKHUKHUNE
DISTRICT IN LIMPOPO PROVINCE	

-

## V. CONTRACTOR'S SAFETY PLAN

[The Contractor shall submit the Contractor's <u>Health and Safety Plan</u> as required in terms of Regulation 5 of the Occupational Health and Safety Act 1993 Construction Regulations 2003, and referred to in T2.1, before commencement of the Works.]

Tender T69 of T71 T2.2

# W. PRO FORMA NOTIFICATION FORM IN TERMS OF THE OCCUPATIONAL HEALTH AND SAFETY ACT 1993, CONSTRUCTION REGULATIONS 2003

[This form must be completed and forwarded, <u>prior to commencement</u> of Work on Site, by all Contractors that qualify in terms of Regulation 3 of the Construction Regulations 2003, to the Office of the Department of Labour]

1.	(a)	Name and postal address of Contractor:
	(b)	Name of Contractor's contact person:
		Telephone number:
2.	Con	tractor's Workman's compensation registration number:
3.	(a)	Name and postal address of Client:
	(b)	Name of Client's contact person or Agent:
		Telephone number
4.	(a)	Name and postal address of designer(s) for the Project:
	(b)	Name of Designer's contact person:
	(-)	Telephone number
5.		ne of Contractor's Construction Supervisor on Site appointed in terms of
	_	ulation 6(1): Telephone number:
6.	Nan	ne/s of Contractor's sub-ordinate supervisors on Site appointed in terms of Regulation 6(2).
7.	Exa	ct physical address of the construction Site or Site Office:
8.	Nati	ure of the construction Work:
9.	Evn	ected Commencement Date:
9. 10.		ected Completion Date:
11.		mated maximum number of persons on the construction Site:
12.		nned number of Subcontractors on the construction Site accountable to Contractor:
		ne(s) of Subcontractors already chosen:
13.	INali	
SIG	NED	BY:
CO	NTRA	ACTOR: DATE:
CLI	ENT:	DATE:

Tender T70 of T71 T2.2

Die Hite III Elim di e i Hevillez

## X. MONTHLY LABOUR REPORT

MONTHLY LABOUR REPORT FOR CERTIFICATE OF PAYMENT NO
JOBS CREATED
AS PER BUSINESS PLAN

Α	В	С	D	E	F	G	Н	I	J
Category	Number	Rate	Local P-	Non-	Total P-	Amount	P-days	P-days	P-days
	of	(R/d)	days	local P-	days	expended	by	by youth	by
	persons			Days	(D+E)	on labour	women		disabled
	employed					(C x F)			
	in								
	category								
Clerical									
Managerial									
Supervisory									
Skilled									
Semi-									
skilled									
Unskilled									
All									
operations									

## **ACTUAL TO DATE**

Α	В	С	D	E	F	G	Н	1	J
Category	Number of persons employed in category	Rate (R/d)	Local P- days	Non- local P- Days	Total P- days (D+E)	Amount expended on labour (C x F)	P-days by women	P-days by youth	P-days by disabled
Clerical									
Managerial									
Supervisory									
Skilled									
Semi- skilled									
Unskilled									
All operations									

## **SUMMARY**

Planned person-days target
Tendered construction period (months):
Overall person-days target per month:
Months represented by this report:
Person-day target for this month:
Achieved person-days to date:
Person-days ahead/behind target:

Tender T71 of T71 T2.2

## THE CONTRACT

PART C1: AGREEMENTS AND CONTRACT DATA

PART C2: PRICING DATA

PART C3: SCOPE OF WORK

**PART C4: SITE INFORMATION** 

Contract C1 of C86 Index

Part C1: Agreement and Contract Data

#### LIMPOPO DEPARTMENT OF AGRICULTURE AND RURAL DEVELOPMENT

# THE COMPLETION OF THE FISH PROCESSING PLANT AT TOMPI SELEKA AGRICULTURAL COLLEGE IN THE EPHRAIM MOGALE MUNICIPALITY OF THE SEKHUKHUNE DISTRICT IN LIMPOPO PROVINCE

#### **TABLE OF CONTENTS**

PART C1: AGREEMENTS AND CONTRACT DATA (YELLOW COLOUR)

C1.1: FORM OF OFFER AND ACCEPTANCE

C1.2: CONTRACT DATA

**C1.2.1: CONDITIONS OF CONTRACT** 

C1.2.2: PART A: CONTRACT DATA PROVIDED BY THE EMPLOYER
PART B: CONTRACT DATA PROVIDED BY THE CONTRACTOR

**C1.3: FORM OF GUARANTEE** 

C1.4: AGREEMENT IN TERMS OF SECTION 37(2) OF THE OCCUPATIONAL HEALTH AND SAFETY ACT No 85 OF 1993

PART C2: PRICING DATA (YELLOW COLOUR)

**C2.1: PRICING INSTRUCTIONS** 

**C2.2: BILL OF QUANTITIES** 

**C2.3: PAYMENT DATA** 

PART C3: SCOPE OF WORK (BLUE COLOUR)

**TABLE OF CONTENTS** 

C3.1: STANDARD SPECIFICATIONS
C3.2: PROJECT SPECIFICATIONS
C3.3: PARTICULAR SPECIFICATIONS

PART C1: AGREEMENTS AND CONTRACT DATA

C1.1: FORM OF OFFER AND ACCEPTANCE

C1.2: CONTRACT DATA

C1.2.1: CONDITIONS OF CONTRACT

C1.2.2: PART A: CONTRACT DATA PROVIDED BY THE EMPLOYER
PART B: CONTRACT DATA PROVIDED BY THE CONTRACTOR

C1.3: FORM OF GUARANTEE (NOT A REQUIREMENT)

C1.4: AGREEMENT IN TERMS OF SECTION 37(2) OF THE OCCUPATIONAL HEALTH AND SAFETY ACT (No 85 OF 1993)

Contract C3 of C86 C1.1

#### LIMPOPO DEPARTMENT OF AGRICULTURE AND RURAL DEVELOPMENT

#### THE COMPLETION OF THE FISH PROCESSING PLANT AT TOMPI SELEKA AGRICULTURAL COLLEGE IN THE EPHRAIM MOGALE MUNICIPALITY OF THE SEKHUKHUNE DISTRICT IN LIMPOPO PROVINCE

#### C1.1 Form of Offer and Acceptance

#### Offer

The Employer, identified in the Acceptance Signature block, has solicited Offers to enter into a Contract for the procurement of:

: THE COMPLETION OF THE FISH PROCESSING PLANT AT TOMPI Contract No ACDP 21/22 SELEKA AGRICULTURAL COLLEGE IN THE EPHRAIM MOGALE MUNICIPALITY OF THE SEKHUKHUNE DISTRICT IN LIMPOPO PROVINCE

The Tenderer, identified in the Offer Signature block, has examined the Documents listed in the Tender Data and addenda thereto as listed in the Returnable Schedules, and by submitting this Offer has accepted the Conditions of Tender.

By the representative of the Tenderer, deemed to be duly authorized, signing this part of this Form of Offer and Acceptance, the Tenderer Offers to perform all of the obligations and liabilities of the Contractor under the Contract including compliance with all its Terms and Conditions according to their true intent and meaning for an amount to be determined in accordance with the Conditions of Contract identified in the Contract Data.

THE OFFERED TOTAL OF THE PRICES INCLUSIVE OF VALUE ADDED TAX IS:

	Rand (in words);
₹	(in figures)
his Offer may be accepted by the Employer by signing the Accepturning one copy of this Document to the Tenderer before the hereupon the Tenderer becomes the Party named as the Coontract Data.	end of the period of validity stated in the Tende
Signature Block: Tenderer	
Signature	Date
Name	
Capacity	
Name of organization	
Address of organization	
Signature of witness	Date
Name of witness	
1	

Contract C4 of C86 C1.1

#### **Acceptance**

By signing this part of this Form of Offer and Acceptance, the Employer identified below accepts the Tenderer's Offer. In consideration thereof, the Employer shall pay the Contractor the amount due in accordance with the conditions of Contract identified in the Contract Data. Acceptance of the Tenderer's Offer shall Form an Agreement between the Employer and the Tenderer upon the Terms and Conditions contained in this Agreement and in the Contract that is the subject of this Agreement.

The terms of the Contract, are contained in:

Part C1: Agreements and Contract Data, (which includes this Agreement)

Part C2: Pricing Data
Part C3: Scope of work.

Part C4: Site Information and Drawings and Documents or parts thereof, which may be incorporated by

reference into Parts C1 to C4 above.

Deviations from and amendments to the Documents listed in the Tender Data and any addenda thereto as listed in the Tender Schedules as well as any changes to the Terms of the Offer agreed by the Tenderer and the Employer during this process of Offer and Acceptance, are contained in the Schedule of Deviations attached to and Forming part of this Agreement. No amendments to or deviations from said Documents are valid unless contained in this schedule.

The Tenderer shall within two weeks after receiving a completed copy of this Agreement, including the Schedule of Deviations (if any), contact the Employer's agent (whose details are given in the Contract Data) for delivery of any Bonds, Guarantees, proof of Insurance and any other Documentation to be provided in terms of the Conditions of Contract Identified in the Contract Data. Failure to fulfil any of these Obligations in accordance with those terms shall constitute a repudiation of this Agreement.

Notwithstanding anything contained herein, this Agreement comes into effect on the date when the Tenderer receives one fully completed original copy of this Document, including the Schedule of Deviations (if any). Unless the Tenderer (now Contractor) within five working days of the date of such receipt notifies the Employer in writing of any reason why he cannot accept the Contents of this Agreement, this Agreement shall constitute a binding Contract between the Parties.

Signature Block: Employer						
Signature	Date					
Name						
Capacity						
for the Employer Limpopo Department of Agriculture and Rural Development						
Signature of witness	Date					
Name of witness						

Contract C5 of C86 C1.1

LIMPOPO DEPARTMENT OF AGRICULTURE AND RURAL DEVELOPMENT:
TENDER NO. ACDP 21/22
THE COMPLETION OF THE FISH PROCESSING PLANT AT TOMPI SELEKA AGRICULTURAL COLLEGE IN THE EPHRAIM MOGALE MUNICIPALITY OF THE SEKHUKHUNE DISTRICT IN LIMPOPO PROVINCE

Schedul	le of Deviations
•	
Dotalis	
2 Subject	
•	
3 Subject .	
Details	
4 Subject .	
•	
•	
Details	

By the duly Authorised Representatives signing this Agreement, the Employer and the Tenderer agree to and accept the foregoing Schedule of Deviations as the only deviations from and amendments to the Documents listed in the Tender Data and addenda thereto as listed in the Tender Schedules, as well as any confirmation, clarification or changes to the terms of the Offer agreed by the Tenderer and the Employer during this process of Offer and Acceptance.

It is expressly agreed that no other matter whether in writing, oral communication or implied during the period between the issue of the Tender Documents and the receipt by the Tenderer of a completed signed copy of this Agreement shall have any meaning or effect in the Contract between the parties arising from this Agreement.

Contract C6 of C86 C1.1

LIMPOPO DEPARTMENT OF AGRICULTURE AND RURAL DEVELOPMENT:
THE COMPLETION OF THE FISH PROCESSING PLANT AT TOMPI SELEKA AGRICULTURAL COLLEGE IN THE EPHRAIM MOGALE MUNICIPALITY OF THE SEKHUKHUNE DISTRICT IN LIMPOPO PROVINCE

[ONLY TO BE COMPLETED UPON ACCEPTANCE OF A TENDER]

For the Tenderer	r:		
Signature(s)			
Name(s)			
Capacity			
	(Name and address	of organisation)	
Name & Signature of Witness		Date	
For the Employe	r:		
Signature(s)			
Name(s)			
Capacity			
	(Name and address	of organisation)	

Contract C7 of C86 C1.1

### LIMPOPO DEPARTMENT OF AGRICULTURE AND RURAL DEVELOPMENT

#### THE COMPLETION OF THE FISH PROCESSING PLANT AT TOMPI SELEKA AGRICULTURAL COLLEGE IN THE EPHRAIM MOGALE MUNICIPALITY OF THE SEKHUKHUNE DISTRICT IN LIMPOPO PROVINCE

#### C1.2 CONTRACT DATA

Section 1.01 The General Conditions of Contract for Construction Works (2010) published by the South African Institution of Civil Engineering, is applicable to this Contract. Copies of these Conditions of Contract may be obtained from the South African Institution of Civil Engineering (Tel: 011-805 5947).

The General Conditions of Contract for Construction Works make several references to the Contract Data for Specific Data, which together with these Conditions collectively describe the risks, liabilities and obligations of the Contracting parties and the procedures for the administration of the Contract. The Contract Data shall have precedence in the interpretation of any ambiguity or inconsistency between it and the General Conditions of Contract.

Each item of Data given below is cross-referenced to the clause in the General Conditions of Contract for Construction Works to which it mainly applies.

Contract C8 of C86 C1.2 Contract Data \_

#### LIMPOPO DEPARTMENT OF AGRICULTURE AND RURAL DEVELOPMENT

# THE COMPLETION OF THE FISH PROCESSING PLANT AT TOMPI SELEKA AGRICULTURAL COLLEGE IN THE EPHRAIM MOGALE MUNICIPALITY OF THE SEKHUKHUNE DISTRICT IN LIMPOPO PROVINCE

#### **C1.2.1: CONDITIONS OF CONTRACT**

**GENERAL CONDITIONS OF CONTRACT** 

**SPECIAL CONDITIONS OF CONTRACT** 

- 1. GENERAL
- 2. AMENDMENTS TO THE GENERAL CONDITIONS OF CONTRACT
- 3. TRANSFER OF RIGHTS

Contract C9 of C86 C1.2

#### **GENERAL CONDITIONS OF CONTRACT**

C1.2.1 CONDITIONS OF CONTRACT

This Contract will be based on the "General Conditions of Contract for Construction Works - 1st Edition 2010", issued by the South African Institution of Civil Engineering (Short title: "General Conditions of Contract 2010") and can be obtained from:

#### SAICE

Waterfall Park
Howick Gardens
Vorna Valley Half way House
Becker Street
MIDRAND
1685
Gauteng Province

Tel: (011) 805-5947/8 Fax: (011) 805-5971

It is agreed that the only variations from the General Conditions of Contract 2010 are those set out hereafter under "Special Conditions of Contract".

#### SPECIAL CONDITIONS OF CONTRACT

#### 1. GENERAL

These Special Conditions of Contract (SCC) form an integral part of the Contract. The Special Conditions shall amplify, modify or supersede, as the case may be, the General Conditions of Contract 2010 to the extent specified below, and shall take precedence and shall govern.

The clauses of the Special Conditions hereafter are numbered "SCC" followed in each case by the number of the applicable clause or sub clause in the General Conditions of Conditions 2010, and the applicable heading, or (where a new special condition that has no relation to the existing clauses is introduced) by a number that follows after the last clause number in the General Conditions, and an appropriate heading.

## 2. FOR CONTRACT ABOVE R3M (THREE MILLION RAND), THE FOLLOWING SPECIAL CONDITIONS APPLY

- (a) (i) All bidders from outside the province must enter into a Consortium or Joint Venture with local SMMEs or suppliers.
  - (ii) Preference must be given to local bidders entering into Joint Ventures with local SMME's or suppliers.
  - (iii) The members of consortium or Joint Venture, formed in response to preferential procurement conditions, must share in the control and management of such consortium.
  - (iv) The percentage of the contract value managed or executed by the local partner must not be less than 40% of the project value.
  - (v) All white owned bidders must enter into join venture with black owned local contractor and percentage of management and control for equity owned by black must not be less than 25% in the venture arrangement.
- (b) The AO/AA may, after consulting the departmental or public entities demand management unit, in the bid documentation, exempt bidders from complying with the provisions of clause (a), if there are no SMME's or suppliers in Limpopo with the skills or knowledge required to execute the project.
- (c) In the case of construction works, applicable to the construction industry;
- (d) (i) The Consortium or Joint Venture that benefits from the preference system, must within 30 days of receiving notice of the contract ,must organize themselves into legal entity or provide with a working agreement between members of the Joint venture or consortium. Successful suppliers, both from in and outside the province, must upon

Contract C10 of C86 C1.2

DISTRICT IN LIMPOPO PROVINCE

- implementation of the project, establish fully fledged office, branch or plant in the province. The department reserves the right to retain a percentage of contract value to ensure that the above condition is complied with.
- (ii) The retained fee must be paid to the supplier or service provider on successfully completing the contract and after having complied with the special conditions.
- (iii) Where the supplier or service provider fails to successfully complete the contract or comply with any condition, such supplier or service provider will forfeit the retained percentage.
- (iv) Notwithstanding the forfeiture of the retained percentage of the contract value, if the failure to comply with conditions in clause (i) amounts to breach of the contract, the department or public entity may invoke any remedy available to it in law.
- (v) A performance guarantee of 10% is applicable to all contracts above R2 000 000.00 and must be obtained from either commercial bank or insurance company prior to award of bids. The performance security shall be dominated in the currency of the contract and shall be in the form of a bank guarantee or an irrevocable letter of credit issued by a reputable bank located in South Africa. The accounting officer reserves the right to cancel the award of the bid when the bidder fails to present the required security as stipulated in the special conditions.
- (e) In all labour intensive projects, at least 70% of the labourers must be employed from the local community where the project will be executed.

#### 3. AMENDMENTS TO THE GENERAL CONDITIONS OF CONTRACT

Clause no.	Description
SCC 4.5.2	Replace the term "Safety" with "Occupational Health and Safety"
SCC 42.2	Add the following to the sub-clause: Extension of time in respect of abnormal rainfall shall be calculated using the rainfall (Formula 1) for each calendar month or part thereof.
SCC 49.6.1 to 4.9.6.3	Replace the term "Bank" with "Bank or Insurance Company"
SCC 55.1.8	Replace sub-clause with: The Contractor or anyone on his behalf or in his employ would pay, offer or offer as payment to any person in the employ of the Employer, or in the employ of the Engineer, a gratuity or reward or commission.
SCC 50	Replace the Heading with "VARIATIONS EXCEEDING 20 PERCENT"
SCC 50.1	Replace the wording: "greater than 15 percent" with "greater than 20 percent".
	The following additional clauses to the General Conditions of Contract shall apply:

Contract C11 of C86 C1.2

#### SCC 59 LABOUR INTENSIVE WORKS

#### SCC 59.1 Payment for the labour-intensive component of the works

Payment for works identified in the Scope of Work as being labour-intensive shall only be made in accordance with the provisions of the Contract if the works are constructed strictly in accordance with the provisions of the scope of work. Any non-payment for such works shall not relieve the Contractor in any way from his obligations either in Contract or in delict.

#### SCC 59.2 Applicable labour laws

The Ministerial Determination, Special Public Works Programmes, issued in terms of the Basic Conditions of Employment Act of 1997 by the Minister of Labour in Government Notice No R63 of 25 January 2002, as reproduced below, shall apply to work which are undertaken by unskilled or semi-skilled workers.

#### SCC 59.3.1 Introduction

- (a) This document contains the Standard Terms and Conditions for workers employed in elementary occupations on a Special Public Works Programme (SPWP). These terms and Conditions do NOT apply to persons employed in the supervision and management of a SPWP.
- (b) In this document -
  - (i) "Department" means any department of State, implementing Agent or Contractor:
  - (ii) "Employer" means any Municipality, implementing Agency or Contractor that hires workers to work in elementary occupations on a SPWP;
  - (iii) "worker" means any person working in an elementary occupation on a SPWP.;
  - (iv) "elementary occupation" means any occupation involving unskilled or semi-skilled work;
  - (v) "Management" means any person employed by a Municipality or implementing Agency to administer or execute an SPWP;
  - (vi) "task" means a fixed quantity of work;
  - (vii) "task-based work" means work in which a worker is paid a fixed rate for performing a task;
  - (viii) "task-rated worker" means a worker paid on the basis of the number of tasks completed:
  - (ix) "time-rated worker" means a worker paid on the basis of the length of time worked.

#### SCC 59.3.2 Terms of Work

- (a) Workers on a SPWP are employed on a temporary basis.
- (b) A worker may NOT be employed for longer than 24 months in any five year cycle on a SPWP.
- (c) Employment on a SPWP does not qualify as employment as a contributor for the purpose of the Unemployment Insurance Act 30 of 1966.

Contract C12 of C86 C1.2

#### SCC 59.3.3 **Normal Hours of Work** An Employer may not set tasks or hours of work that require a worker to work-(a) (i) more than forty hours in any week (ii) on more than five days in any week: and (iii) for more than eight hours on any day. (b) An Employer and worker may agree that a worker will work four days per week. The worker may then work up to ten hours per day. A task-rated worker may not work more than a total of 55 hours in any week to complete the tasks allocated (based on a 40-hour week) to that worker. SCC 59.3.4 **Meal Breaks** (a) A worker may not work for more than five hours without taking a meal break of at least thirty minutes duration. An Employer and worker may agree on longer meal breaks. (b) A worker may not work during a meal break. However, an Employer may require a worker to perform duties during a meal break if those duties cannot be left unattended and cannot be performed by another worker. An Employer must take reasonable steps to ensure that a worker is relieved of his or her duties during the meal break. (d) A worker is not entitled to payment for the period of a meal break. However, a worker who is paid on the basis of time worked must be paid if the worker is required to work or to be available for work during the meal break. SCC 59.3.5 **Special Conditions for Security Guards** A security guard may work up to 55 hours per week and up to eleven hours per (a) A security guard who works more than ten hours per day must have a meal break of at least one hour or two breaks of at least 30 minutes each. SCC 59.3.6 **Daily Rest Period** Every worker is entitled to a daily rest period of at least eight consecutive hours. The daily rest period is measured from the time the worker ends work on one day until the time the worker starts work on the next day. SCC 59.3.7 **Weekly Rest Period** Every worker must have two days off every week. A worker may only work on their day off to perform work which must be done without delay and cannot be performed by workers during their ordinary hours of work ("emergency work"). **SCC 59.3.8 Work on Sundays and Public Holidays** A worker may only work on a Sunday or Public holiday to perform emergency or security work. (b) Work on Sundays is paid at the ordinary rate of pay. A task-rated worker who works on a public holiday must be paid -

Contract C13 of C86 C1.2

- (i) the worker's daily task rate, if the worker works for less than four hours;
- (ii) double the worker's daily task rate, if the worker works for more than four hours.
- (d) A time-rated worker who works on a public holiday must be paid
  - (i) the worker's daily rate of pay, if the worker works for less than four hours on the public holiday:
  - (ii) double the worker's daily rate of pay, if the worker works for more than four hours on the public holiday.

#### SCC 59.3.9 Sick Leave

- (a) Only workers who work four or more days per week have the right to claim sickpay in terms of this clause.
- (b) A worker who is unable to work on account of illness or injury is entitled to claim one day's paid sick leave for every full month that the worker has worked in terms of a Contract.
- (c) A worker may accumulate a maximum of twelve days' sick leave in a year.
- (d) Accumulated sick-leave may not be transferred from one Contract to another Contract.
- (e) An Employer must pay a task-rated worker the worker's daily task rate for a day's sick leave.
- (f) An Employer must pay a time-rated worker the worker's daily rate of pay for a day's sick leave.
- (g) An Employer must pay a worker sick pay on the worker's usual payday.
- (h) Before paying sick-pay, an Employer may require a worker to produce a certificate stating that the worker was unable to work on account of sickness or injury if the worker is—
  - (i) absent from work for more than two consecutive days; or
  - (ii) absent from work on more than two occasions in any eight-week period.
- (i) A medical certificate must be issued and signed by a Medical Practitioner, a qualified Nurse or a Clinic staff member authorised to issue medical certificates indicating the duration and reason for incapacity.
- (j) A worker is not entitled to paid sick-leave for a work-related injury or occupational disease for which the worker can claim compensation under the Compensation for Occupational Injuries and Diseases Act.

#### SCC 59.3.10 Maternity Leave

- (a) A worker may take up to four consecutive months' unpaid maternity leave.
- (b) A worker is not entitled to any payment or employment-related benefits during maternity leave.
- (c) A worker must give her Employer reasonable notice of when she will start maternity leave and when she will return to work.

Contract C14 of C86 C1.2

- (d) A worker is not required to take the full period of maternity leave. However, a worker may not work for four weeks before the expected date of birth of her child or for six weeks after the birth of her child, unless a medical practitioner, midwife or qualified nurse certifies that she is fit to do so.
- (e) A worker may begin maternity leave -
  - (i) four weeks before the expected date of birth; or
  - (ii) on an earlier date -
    - (1) if a medical Practitioner, Midwife or Certified Nurse certifies that it is necessary for the health of the worker or that of her unborn child; or
    - (2) if agreed to between Employer and worker; or
  - (iii) on a later date, if a medical Practitioner, Midwife or Certified nurse has certified that the worker is able to continue to work without endangering her health.
- (f) A worker who has a miscarriage during the third trimester of pregnancy or bears a stillborn child may take maternity leave for up to six weeks after the miscarriage or stillbirth.
- (g) A worker who returns to work after maternity leave has the right to start a new cycle of twenty-four months employment, unless the SPWP on which she was employed has ended.

#### SCC 59.3.11 Family responsibility leave

Workers, who work for at least four days per week, are entitled to three days paid family responsibility leave each year in the following circumstances –

- (a) when the employee's child is born;
- (b) when the employee's child is sick;
- (c) in the event of a death of -
  - (i) the employee's spouse or life partner;
  - (ii) the employee's parent, adoptive parent, grandparent, child, adopted child, grandchild or sibling.

#### SCC 59.3.12 Statement of Conditions

- (a) An Employer must give a worker a statement containing the following details at the start of employment
  - (i) the Employer's name and address and the name of the SPWP;
  - (ii) the tasks or job that the worker is to perform; and
  - (iii) the period for which the worker is hired or, if this is not certain, the expected duration of the Contract;
  - (iv) the worker's rate of pay and how this is to be calculated;
  - (v) the training that the worker will receive during the SPWP.
- (b) An Employer must ensure that these terms are explained in a suitable language to any employee who is unable to read the statement.
- (c) An Employer must supply each worker with a copy of these Conditions of employment.

Contract C15 of C86 C1.2

#### SCC 59.3.13 Keeping Records

- (a) Every Employer must keep a written record of at least the following -
  - (i) the worker's name and position;
  - (ii) in the case of a task-rated worker, the number of tasks completed by the worker:
  - (iii) in the case of a time-rated worker, the time worked by the worker;
  - (iv) payments made to each worker.
- (b) The Employer must keep this record for a period of at least three years after the completion of the SPWP.

#### SCC 59.3.14 Payment

- (a) An Employer must pay all wages at least monthly in cash or by cheque or into a bank account.
- (b) A task-rated worker will only be paid for tasks that have been completed.
- (c) An Employer must pay a task-rated worker within five weeks of the work being completed and the work having been approved by the manager or the Contractor having submitted an invoice to the Employer.
- (d) A time-rated worker will be paid at the end of each month.
- (e) Payment must be made in cash, by cheque or by direct deposit into a bank account designated by the worker.
- (f) Payment in cash or by cheque must take place -
  - (i) at the workplace or at a place agreed to by the worker;
  - (ii) during the worker's working hours or within fifteen minutes of the start or finish of work;
  - (iii) in a sealed envelope which becomes the property of the worker.
- (g) An Employer must give a worker the following information in writing
  - (i) the period for which payment is made;
  - (ii) the numbers of tasks completed or hours worked;
  - (iii) the worker's earnings;
  - (iv) any money deducted from the payment;
  - (v) the actual amount paid to the worker.
- (h) If the worker is paid in cash or by cheque, this information must be recorded on the envelope and the worker must acknowledge receipt of payment by signing for it
  - (i) If a worker's employment is terminated, the Employer must pay all monies owing to that worker within one month of the termination of employment.

Contract C16 of C86 C1.2

#### SCC 59.3.15 Deductions

- (a) An Employer may not deduct money from a worker's payment unless the deduction is required in terms of a law.
- (b) An Employer must deduct and pay to the SA Revenue Services any income tax that the worker is required to pay.
- (c) An Employer who deducts money from a worker's pay for payment to another person must pay the money to that person within the time period and other requirements specified in the agreement law, court order or arbitration award concerned.
- (d) An Employer may not require or allow a worker to -
  - (i) repay any payment except an overpayment previously made by the Employer by mistake;
  - (ii) state that the worker received a greater amount of money than the Employer actually paid to the worker; or
  - (iii) pay the Employer or any other person for having been employed.

#### SCC 59.3.16 Health and Safety

- (a) Employers must take all reasonable steps to ensure that the working environment is healthy and safe.
- (b) A worker must -
  - (i) work in a way that does not endanger his/her health and safety or that of any other person;
  - (ii) obey any health and safety instruction;
  - (iii) obey all health and safety rules of the SPWP;
  - (iv) use any personal protective equipment or clothing issued by the Employer;
  - (e) report any accident, near-miss incident or dangerous behaviour by another person to their Employer or manager.

#### SCC 59.3.17 Compensation for Injuries and Diseases

- (a) It is the responsibility of the Employers (other than a Contractor) to arrange for all persons employed on a SPWP to be covered in terms of the Compensation for Occupational Injuries and Diseases Act, 130 of 1993.
- (b) A worker must report any work-related injury or occupational disease to their Employer or manager.
- (c) The Employer must report the accident or disease to the Compensation Commissioner.
- (d) An Employer must pay a worker who is unable to work because of an injury caused by an accident at work 75% of their earnings for up to three months. The Employer will be refunded this amount by the Compensation Commissioner. This does NOT apply to injuries caused by accidents outside the workplace such as road accidents or accidents at home.

Contract C17 of C86 C1.2

#### SCC 59.3.18 Termination

- (a) The Employer may terminate the employment of a worker for good cause after following a fair procedure.
- (b) A worker will not receive severance pay on termination.
- (c) A worker is not required to give notice to terminate employment. However, a worker who wishes to resign should advise the Employer in advance to allow the Employer to find a replacement.
- (d) A worker who is absent for more than three consecutive days without informing the Employer of an intention to return to work will have terminated the Contract. However, the worker may be re-engaged if a position becomes available for the balance of the 24-month period.
- (e) A worker who does not attend required training events, without good reason, will have terminated the Contract. However, the worker may be re-engaged if a position becomes available for the balance of the 24-month period.

#### SCC 59.3.19 Certificate of Service

On termination of employment, a worker is entitled to a certificate stating -

- (i) the worker's full name;
- (ii) the name and address of the Employer;
- (iii) the SPWP on which the worker worked;
- (iv) the work performed by the worker;
- (v) any training received by the worker as part of the SPWP;
- (vi) the period for which the worker worked on the SPWP;
- (vii) any other information agreed on by the Employer and worker.

#### SCC 59.3.20 Reporting

The Contractor shall report the breakdown of each payment certificate into the broad categories of:

- a) Overheads,
- b) Supervision,
- c) Materials,
- d) Plant, and
- e) Labour.

The Contractor shall further report for each payment certificate the person-days of employment as set out in the Pro Forma, Schedule X: Monthly Labour Report.

In the calculation of person-days, a day shall be taken as 8 hours and no time over and above 8 hours per day shall be used to contribute to the number of person-days reported.

#### SCC 59.3.21 Source of Labour

The Contractor shall source his labour from the local area through the services of an appropriate Councillor or Community Liaison Officer or another appointed person who has contact with a labour pool in the area.

Contract C18 of C86 C1.2

\_\_\_\_\_

#### 4. TRANSFER OF RIGHTS

The successful tenderer should complete and submit a Transfer of Rights Form to claim for materials on site with every progress payment for the project. No payment for materials on site would be granted if this Document is not submitted with the progress payment being considered.

#### TRANSFER OF RIGHTS

TRANSFER OF RIGHTS A Tenderer only)	ND INDEM	NITY (To be o	completed	during cons	struction by success	iful
Claim for materials on sit	e, Paymen	Certificate N	lo	Date:		
Contract No:		For (Co	ontract title)			
I, the undersigned (name or					in my canaci	
r, the undersigned (name o					•	•
		`		,		
duly authorised hereto on be and interest in and to the neand in favour of (name of Contractor retains actual of by constitutum possessorium	naterials an Employer) ontrol of the	d goods, for w	vhich evide	nce of bona	fide ownership is atta	ched hereto, unto
I herewith indemnify the Emsequestration or liquidation materials on site will be materials on the said materials of the said materials.	or of any olde by the E	lefect in the C Employer until	ontractor's	title to the m	naterials and agree th	at no payment for
This transfer shall become any other person on behalf money thereon excluded.						
I further confirm that I am f they have been insured ad permanent works and taker	equately ag	gainst all risks				
This certificate of Transfe	er of Rights	applies only	to the ma	terials and g	goods as listed in the	following table.
Description of Item	Unit	Quantity	Rate	Amount	Supplier	
Total Value of Materials	and goods					
Total Value of Materials	and goods					
Signed by: for and on behalf of the Cor					Date:	
Witnessed by:					Date:	
NOTE: This form, together wit accompany the Contractor's cl. 2004.	h the docum aim for paym	entary proof of ent for materials	ownership o s on site in te	or proof of payi erms of Clause	ment by the Contractor t 49.1.5 of the General Co	o the supplier, shall anditions of Contract

Contract C19 of C86 C1.2
Part C1: Agreement and Contract Data Contract Data

#### C1.2.2 PART A: DATA PROVIDED BY THE EMPLOYER

The following Contract Specific Data are applicable to this Contract.

REFERENCE CONTRACT SPECIFIC DATA BY THE EMPLOYER

Clause 1.1.14: Name of Employer: Limpopo Department of Agriculture & Rural Development,

Polokwane

Clause 1.2.2: Address of Employer:

Physical: Postal:

Limpopo Department of Agriculture Limpopo Department of Agriculture

& Rural Development & Rural Development 69 Biccard Street P Bag X9487

Polokwane Polokwane 0700 0700

E-Mail:

Telephone No: (015) 294 3000 Fax No: (015) 294 4535

Clause 1.1.15: Name of Engineer: Ms T Ngoepe

Clause 1.2.2: Address of Engineer:

Physical: Postal:

Limpopo Department of Agriculture Limpopo Department of Agriculture

& Rural Development & Rural Development

69 Biccard Street P Bag X9487
Polokwane Polokwane 0700 0700

E-Mail: tumisongoepe@gmail.com

Telephone No: (015) 632 7052 Fax No: (015) 632 4387 Cell: 066 079 3405

Clause 1.6 & 38.1: Special non-working days are Sundays and the following statutory public holidays as

declared by National or Regional Government:

New Year's Day, Human Rights Day, Good Friday, Family Day, Freedom Day, Workers day, Youth Day, National Women's Day, Heritage Day, Day of Reconciliation, Christmas

Day and the Day of Goodwill including the construction industry year end break.

Clause 1.6: The year-end break commences on the first working day after 15 December and ends on

the first working day after 5 January of the next year.

Clause 2.3: The Engineer is required to obtain the specific approval of the Employer for the following:

The Engineer requires Departmental approval in order to authorise any expenditure in

excess of the Tender Sum plus 15% Contingencies.

Clause 7: Performance Guarantee to be delivered within 14 days of the Commencement Day.

The total liability under the guarantee should not be less than 10% of the tender amount,

excluding VAT.

Clause 10.1: The Contractor shall commence executing the work within 14 days of the Commencement

Contract C20 of C86 C1.2

DISTRICT IN LIMPOPO PROVINCE

Clause 12.2: The Contractor shall deliver his programme of work within 14 days of the Commencement

date.

Clause 35.1.1.2.2: The value of material to be supplied by the Employer is nil.

Clause 35.1.1.2.3: The amount to cover Professional fees for repairing damage and loss to be included in the

Insurance sum is R 150 000.00

Clause 35.1.3: The limit of indemnity for Liability Insurance is R 5 000 000.00 for any single liability claim.

Liability insurance shall include spread of fire risk.

Clause 37.2.2.3: The percentage allowance to cover overhead charges is 15%.

Clause 42.1: The Works shall be completed within **6 MONTHS** including special non-working days and the

year-end break.

Clause 43.1: The penalty for failing to complete the works is 0.05% of the Total Tender Sum per Calendar

Day.

Clause 46: No Contract Price Adjustment will be allowed for this Contract.

Clause 49.1.5: The percentage advance on materials not yet built into the Permanent Works is: 80%

Clause 49.3: The percentage retention on the amounts due to the Contractor is 10 %, excluding Contract

Price Adjustment, Contingencies and VAT, and limited to 5% of the Contract amount,

excluding Contract Price Adjustment, Contingencies and VAT.

Clause 49.6: A Retention money Guarantee will **not** be permitted.

Clause 53.1: The Defects Liability Period is 12 months measured from the date of the Certificate of

Completion. And a guarantee of 12 months.

Clause 58.1.4 Dispute resolution shall be by Adjudication.

Clause 58.3: Dispute Resolution shall be by Adjudication.

Contract C21 of C86 C1.2

\_\_\_\_\_

#### C1.2.2: PART B: DATA PROVIDED BY THE CONTRACTOR

The following Contract Specific Data are applicable to this Contract:

REFERENCE	CONTRACT SPECI	FIC DATA BY THE CO	NTRACTOR	
Clause 1.1.8:	Name of Contractor	··		
Clause 1.2.2:	Address of the Con	tractor:		
	Physical:		Postal:	
	E-Mail:			
	Telephone No:		Fax No:	
Clause 46.3:	The variation in cost materials.	of all special materials	is to be provided in	the table SM 1 for specia
	rates and prices shal		nall include all other o	ed by the Tenderer, which obligatory taxes and levies. ose of tender.
	TABLE: SM1			
	Special material	Unit on which va	ariation will be	Price for base month ex factory, excluding transport, labour or any other costs.
		Containers	Delivered in bulk	

\* Contractor to indicate the type, unit and rate of special material to be listed. When called upon to do so, the Contractor shall substantiate the above rates or prices with acceptable documentary evidence. Contractor to provide any other Special Materials if deemed necessary

Contract C22 of C86 C1.2

#### C1.3 FORM OF GUARANTEE - PRO FORMA

WH Em	ntract No. IEREAS <b>The Limpopo Department of Agriculture and Rural Development</b> (hereinafter referred to as the ployer") entered into, a Contract with:
	ereinafter called "the Contactor") on the day of
for	THE COMPLETION OF THE FISH PROCESSING PLANT AT TOMPI SELEKA AGRICULTURAL COLLEGE IN EPHRAIM MOGALE MUNICIPALITY OF THE SEKHUKHUNE DISTRICT IN LIMPOPO PROVINCE
	D WHEREAS it is provided by such Contract that the Contractor shall provide the Employer with security by way a Guarantee for the due and faithful fulfilment of such Contract by the Contractor;
	D WHEREAS has / have at the uest of the Contractor, agreed to give such Guarantee;
Gua ren	W THEREFORE WE
1.	The Employer shall, without reference and / or notice to us, have complete liberty of action to act in any manner authorized and/or contemplated by the terms of the said Contract, and/or to agree to any modifications, variations, alterations, directions or extensions of the completion date of the works under the said Contract, and that its rights under this Guarantee shall in no way be prejudiced nor our liability hereunder be affected by reason of any steps which the Employer may take under such Contract, or of any modification, variation, alterations of the completion date which the Employer may make, give, concede or agree to under the said Contract.
2.	This Guarantee shall be limited to the payment of a sum of money.
3.	The Employer shall be entitled, without reference to us, to release any Guarantee held by it, and to give time to or compound or make any other arrangement with the Contractor.
4.	This Guarantee shall remain in full force and effect until the issue of the Certificate of Completion in terms of the Contract, unless we are advised in writing by the Employer before the issue of the said Certificate of his intention to institute claims, and the particulars thereof, in which event this Guarantee shall remain in full force and effect until all such claims have been paid or liquidated.
5.	Our total liability hereunder shall not exceed the Guaranteed Sum of:
	Den d (inanda).
	R (in figures)
6.	The Guarantor reserves the right to withdraw from this Guarantee by depositing the Guaranteed Sum with the beneficiary, whereupon our liability hereunder shall cease.
7.	We hereby choose our address for the serving of all notices for all purposes arising here from as

Contract C23 of C86 C1.2 Part C1: Agreement and Contract Data

# C1.4: AGREEMENT IN TERMS OF SECTION 37(2) OF THE OCCUPATIONAL HEALTH AND SAFETY ACT NO 85 OF 1993

THIS AGREEMENT is made between The Limpopo Department of Agriculture and Rural Development

(hereinafter called the EMPLOYER of the one part, herein represented by:
in his capacity as:
AND:
(hereinafter called the CONTRACTOR) of the other part, herein represented by
in his capacity as:
duly authorised to sign on behalf of the Contractor.

WHEREAS the CONTRACTOR is the Mandatory of the EMPLOYER in consequence of an Agreement between the CONTRACTOR and the EMPLOYER in respect of

CONTRACT No: ACDP 21/22 THE COMPLETION OF THE FISH PROCESSING PLANT AT TOMPI SELEKA AGRICULTURAL COLLEGE IN THE EPHRAIM MOGALE MUNICIPALITY OF THE SEKHUKHUNE DISTRICT IN LIMPOPO PROVINCE

AND WHEREAS the EMPLOYER and the CONTRACTOR have agreed to enter into an agreement in terms of the provisions of Section 37(2) of the Occupational Health and Safety Act No 85 of 1993, as amended by OHSA Amendment Act No 181/1993 (hereinafter referred to as the ACT);

**NOW THEREFORE** the parties agree as follows:

- 1. The CONTRACTOR undertakes to acquaint the appropriate officials and employees of the CONTRACTOR with all relevant provisions of the ACT and the regulations promulgated in terms thereof.
- 2. The CONTRACTOR undertakes to fully comply with all relevant duties, obligations and prohibitions imposed in terms of the ACT and Regulations: Provided that should the EMPLOYER have prescribed certain arrangements and procedures that same shall be observed and adhered to by the CONTRACTOR, his officials and employees. The CONTRACTOR shall bear the onus of acquainting himself/herself/itself with such arrangements and procedures.
- 3. The CONTRACTOR hereby accepts Sole Liability for such due compliance with the relevant duties, obligations, prohibitions, arrangements and procedures, if any, imposed by the ACT and Regulations, and the CONTRACTOR expressly absolves the EMPLOYER and the Employer's CONSULTING ENGINEERS from being obliged to comply with any of the aforesaid duties, obligations, prohibitions, arrangements and procedures in respect of the work included in the Contract.
- 4. The CONTRACTOR agrees that any duly authorised officials of the EMPLOYER shall be entitled, although not obliged, to take such steps as may be necessary to ensure that the CONTRACTOR has complied with his undertakings as more fully set out in paragraphs 1 and 2 above, which steps may include, but shall not be limited to, the right to inspect any appropriate site or premises occupied by the CONTRACTOR, or to take such steps it may deem necessary to remedy the default of the CONTRACTOR at the cost of the CONTRACTOR.
- 5. The CONTRACTOR shall be obliged to report forthwith to the EMPLOYER any investigation, complaint or criminal charge which may arise as a consequence of the provisions of the ACT and Regulations, pursuant to work performed in terms of this agreement, and shall, on written demand, provide full details in writing of such investigation, complaint or criminal charge.

Contract C25 of C86 C1.2

LIMPOPO DEPARTMENT OF AGRICULTURE AND RURAL DEVELOPMENT:
TENDER NO. ACDP 21/22
THE COMPLETION OF THE FISH PROCESSING PLANT AT TOMPI SELEKA AGRICULTURAL COLLEGE IN THE EPHRAIM MOGALE MUNICIPALITY OF THE SEKHUKHUNE DISTRICT IN LIMPOPO PROVINCE

Contract C26 of C86 C1.2

**PART C2: PRICING DATA** 

**C2.1: PRICING INSTRUCTIONS** 

**C2.2: BILL OF QUANTITIES** 

#### LIMPOPO DEPT OF AGRICULTURE AND RURAL DEVELOPMENT

#### THE COMPLETION OF THE FISH PROCESSING PLANT AT TOMPI SELEKA AGRICULTURAL COLLEGE IN THE EPHRAIM MOGALE MUNICIPALITY OF THE SEKHUKHUNE DISTRICT IN LIMPOPO PROVINCE

#### **C2.1 Pricing Instructions**

- 1. Measurement and payment shall be in accordance with the relevant provisions of the General Conditions of Contract (2010 edition) as amended in the Scope of Works.
- The units of measurement described in this Bill of Quantities are metric units. Abbreviations used in the Bill 2. of Quantities are as follows:

% percent = h hour = hectare ha = kilogram kg = kilolitre kΙ = kilometre km = km-pass = kilometre-pass kPa = kilopascal kW kilowatt litre metre m = millimetre mm = square metre m<sup>2</sup> = square metre-pass m<sup>2</sup>-pass = cubic metre  $m^3$ =

cubic metre-kilometre m³-km =

MN = meganewton MN.m = meganewton-metre

MPa = megapascal number No. =

Prov sum Provisional sum = PC sum Prime Cost sum = R/only Rate only =

lump sum sum = ton (1000 kg) = t W/day Work day

3. For the purpose of this Bill of Quantities, the following words shall have the meanings hereby assigned to them:

Unit: The unit of measurement for each item of work as defined in the Specifications

The number of units of work for each item. Quantity: The agreed payment per unit of measurement. Rate:

Amount: The product of the quantity and the agreed rate for an item.

An agreed amount for an item, the extent of which is described in the Bills of Quantities but Lump sum:

the quantity of work of which is not measured in any units.

- 4. Unless otherwise stated, items are measured net in accordance with the Drawings, and no allowance is made for waste.
- 5. The prices and rates in this Bill of Quantities are fully inclusive prices for the Work described under the items. Such prices and rates cover all costs and expenses that may be required in and for the execution of the Work described in accordance with the provisions of the Scope of Work, and shall cover the cost of all general risks, liabilities, and obligations set forth or implied in the Contract Data, as well as overhead charges and profit. These prices will be used as a basis for assessment of payment for additional Work that may have to

DISTRICT IN LIMPOPO PROVINCE

be carried out.

- 6. It will be assumed that prices included in the Bill of Quantities are based on Acts, Ordinances, Regulations, By-laws, International Standards and National Standards that were published 28 days before the closing date for Tenders. (Refer to <a href="www.stanza.org.za">www.stanza.org.za</a> or <a href="www.iso.org">www.iso.org</a> for information on Standards)
- 7. Where the Scope of Work requires detailed Drawings and designs or other information to be provided, all costs associated therewith are deemed to have been provided for and included in the unit rates and sum amount Tendered such items
- 8. An item against which no price is entered will be considered to be covered by the other prices or rates in the Bill of Quantities. A single Lump Sum will apply should a number of items be grouped together for pricing purposes.
- 9. The quantities set out in this Bill of Quantities are approximate and do not necessarily represent the actual amount of Work to be done. The quantities of work accepted and Certified for Payment will be used for determining payments due and not the quantities given in this Bill of Quantities.
- 10. The short descriptions of the items of payment given in this Bill of Quantities are only for the purposes of identifying the items. More details regarding the extent of the work entailed under each item appear in the Scope of Work.
- 11. The item numbers appearing in the Bills of Quantities refer to the corresponding item numbers in the Specifications were applicable.
- 12. Those parts of the contract to be constructed using labour-intensive methods have been marked in the Bills of Quantities with the letters "LI" in a separate column filled in against every item so designated. The works, or parts of the works so designated are to be constructed using labour-intensive methods only. The use of plant to provide such works, other than plant specifically provided for in the scope of work, is a variation to the contract. The items marked with the letters LI are not necessarily an exhaustive list of all the activities which must be done by hand, and this clause does not over-ride any of the requirements in the generic labour intensive specification in the Scope of Works.
- Payment for items which are designated to be constructed labour-intensively (either in this schedule or in the Scope of Works) will not be made unless they are constructed using labour-intensive methods. Any unauthorised use of plant to carry out work which was to be done labour-intensively will not be condoned and any works so constructed will not be certified for payment.

\_\_\_\_\_

# LIMPOPO DEPT OF AGRICULTURE AND RURAL DEVELOPMENT THE COMPLETION OF THE FISH PROCESSING PLANT AT TOMPI SELEKA AGRICULTURAL COLLEGE IN THE EPHRAIM MOGALE MUNICIPALITY OF THE SEKHUKHUNE DISTRICT IN LIMPOPO PROVINCE

C2.2 Bill of Quantities

#### SUMMARY BILL OF QUANTITIES

Section No	Description		Total Amount
Α	Preliminary and General	R	
В	Earthworks	R	
С	Water Supply and Sewer	R	
D	Building	R	
Е	Electricity Supply	R	
F	Security Fencing	R	
	Sub-total A	R	
	Add 10% of above Sub-total A for Contigencies	R	
	Sub-total B	R	
	Add 15% VAT to Sub-total B	R	
	GRAND TOTAL CARRIED TO FORM OF OFFER & ACCEPTANCE	R	

Item No	Payment ref.	Description	Unit	Quantity	Rate	Amount
	SABS 1200A	SECTION A: PRELIMINARY & GENERAL				
A1.1		Fixed-Charge Items				
A1.1.1		Insurance of Works	sum	1		
A1.1.2		Provide Surety	sum	1		
A1.1.3		Contractual Requirements	sum	1		
A1.1.4		All survey and site control requirements, including setting out and establishing supplementary benchmarks	sum	1		
A1.1.5		Establish facilities on site for Contractor				
A1.1.5.1		Storage shed	sum	1		
A1.1.5.2		Furnished 20m² site office	sum	1		
A1.1.5.3		Living accommodation	sum	1		
A1.1.5.4		Ablution and latrine facilities	sum	1		
A1.1.5.5		Tools and equipment (Including Hoists and Scaffolding)	sum	1		
A1.1.5.6		Water supply, electric power and communications	sum	1		
A1.1.6	PSAA 8.4.3	Provisioning and Complying with all Operational Health and Safety regulations and obligations for construction purposes, including and not limited to safety file, full time safety officer, PPE, medical kit, health and safety reporting, covid19 respiratory protection gear, noncontact thermometers, hand sanitizer stands, etc.	sum	1		
A1.1.7		Supply Operation and Maintenance Manual	no	3		
A1.1.8		Provision training to beneficiaries and operators (incl. lecturers) by an approved specialist complete with compilation of operational and maintenance manual	PC Sum	1	15 000,00	15 000,00
A1.1.9		Mark up of item above	%	15 000		
A1.1.10		Construction sign boards c/w health and safety signages	sum	1		
A2.1		Time-Related Items				
A2.1.1		Contractual Requirements	Month	5		
A2.2		Operate & maintain facilities on site for Contractor	IVIO I III			
A2.2.1		Storage shed	Month	5		
A2.2.2		Furnished 20m² site office	Month	5		
A2.2.3		Living accommodation	Month	5		
A2.2.4		Ablution and latrine facilities	Month	5		
A2.2.5		Tools and equipment	Month	5		
A2.2.6		Water supply, electric power and communications	Month	5		
A2.3	8.4.3	General Responsibilities and other Time-related Obligations				
A2.3.1	PSAA 8.4.3	Provisioning and Complying with all Operational Health and Safety regulations and obligations for construction purposes, including and not limited to safety file, full time safety officer, PPE, medical kit, health and safety reporting, covid19 respiratory protection gear, noncontact thermometers, hand sanitizer stands, etc.	Month	5		
A2.3.2		Provision and conduct of COVID19/medical screening of all site visits and labors.	Month	5		
A2.3.3		Provision of Covid19 preventive kit including face mask, hands washing station/sanitizing.	Month	5		
A2.4	PSAA 8.4.4	Insurance	sum	1		
A2.5	8,5	Sums Stated Provisionally by the Engineer				
	5,5	Provide a sum for printing of construction drawings and	DC C		D E 000 00	E 000 00
A2.5.1		lamination for site office; and site stationery	PC Sum	1	R 5 000,00	5 000,00
A2.5.2		Charges and profit on item A2.5.1 above	%	5000		
A2.5.3		Compensation to CLO appointed from local community	PC Sum	1	22500	22 500,00
A2.5.4		Charges and profit on item A2.5.3 above	%	22500		
A2.6.5		Provision for conducting professional tests when			10000	10 000,00
A2.6.6		instructed by the Engineer Charges and profit on item A2.6.5 above	PC Sum	1 10000	10000	10 000,00
AZ.U.U		Onarges and profit of item Az.0.5 above	/0	10000		
A2.6		Occupational Health & Safety Auditor				
A2.6.1		Provisional Sum for Appointment of Occupational Health and Safety Auditor on behalf of the LDA. Auditor to conduct 3 visits as well as present report at monthly	PC Sum	1	35000	35 000,00
712.0.1		meeting.				
A2.6.2		meeting. % Mark-up on Item B2.8.1 (Not above 5%)	%	35000		

Item No	Payment ref.	Description	Unit	Quantity	Rate	Amount
	SABS 1200A	SECTION A: PRELIMINARY & GENERAL				
		TOTAL BROUGHT FORWARD				
A3.1		Exisiting Services				
A3.1.1		- Excavate in soft material to expose existing services	m³	50		
A3.2		Electricity Related				
A3.2.1		Engraved labels on each DB and Kiosk	Sum	1		
A3.2.2		As-Built drawings for electrical installation	Sum	1		
A3.2.3		Certificates of Compliance for complete installation and for each DB	Sum	1		
A3.2.4		Certificate of building earthing and all test results	Sum	1		
A3.3		Allowance for Aquaculture Specialist consultations by the engineer and contractor during construction	Prov Sum	1	50 000,00	50 000,00
A3.4		Overheads, charges and profit on item A3.5.4.9 (max 2.5%)	%	50 000		
A3.5	8.2.9	Site clearance and transportation of materials and debris to unspecified sites and dump	m³.km	15		
A3.6		Rehabilitation of the borrow pit according to the Environmental Management Plan	sum	1,00		
A4	SANS 1200A	DAYWORKS				
A4.1		Labour Rates				
A4.1.1		Daywork Labour				
A4.1.2		Contractor's Representative	hour	1		Rate On
A4.1.3		Qualified Artisans	hour	1		Rate On
A4.1.4		Plumber	hour	1		Rate On
A4.1.5		Boilermaker	hour	1		Rate On
A4.1.6		Bricklayer	hour	1		Rate Or
A4.1.7		Plasterer	hour	1		Rate Or
A4.1.8		Welder with API 1104 Certificate	hour	1		Rate Or
A4.1.9		Electrician	hour	1		Rate Or
A4.1.10 A4.1.11		Semi-skilled labourer Labourer	hour hour	1		Rate Or Rate Or
A4.2		Equipment Rates				
A4.2.1		Plant hire: Work Rates on Site				
A4.2.2		Crane 20 t - 35 t capacity	hour	1		Rate Or
A4.2.3		TLB 60 kW - 70 kW	hour	1		Rate Or
A4.2.4		Bulldozer 160 kW - 170 kW	hour	1		Rate Or
A4.2.5		Motor graders 150 kW - 160 kW	hour	1		Rate Or
A4.2.6		Wheel excavators 0,4 - 1,25m³ bucket size  Water tankers 4 000 - 20 000 litre	hour	1		Rate Or
A4.2.7 A4.2.8	-	6m³ Tip trucks	hour hour	1 1		Rate Or Rate Or
A4.2.6 A4.2.9		Plate compactors & tampers	hour	1		Rate Or
A4.2.10		Dumpers 0,5m³ (Hydraulic tip)	hour	1		Rate Or
A4.2.11		Mono pump with 80mm DN outlet (diesel driven) 2.2 - 7.5 kW	hour	1		Rate Or
A4.2.12		Arc-welding unit (300 A)	hour	1		Rate Or
A4.2.13	1	10 kVA (petrol) 220V Generator	hour	1		Rate On
A4.2.14		30 kVA (diesel) 380V - 3ph Generator	hour	1		Rate On
	l	l .				

<b>31</b> 31.1	SABS 1200C, DA & DE				
_		SECTION B: EARTHWORKS			
_		Site Preparation			
		Prepare site to be accessible for excavation, installation and construction works	sum	1	
32		Earthworks			
32.1		Remove and stockpile 100mm layer of topsoil	m³	150	
32.2		Excavate and use to backfill foundations for flush channels and flush pits	m³	90	
32.3		Excavate and use to backfill all wall foundations	m³	90	
32.4		Backfilling and compaction of excavated material into foundation wall void	m³	255	
33		Effluent and Stormwater handling			
33.1		Excavate and stockpile for backfill of effluent handling canals	m³	220	
33.2		Excavate and use for backfill of Fat Trap sump	m³	5	
33.3		Construction of stormwater handling berm and compact to 95% MOD AASHTO	m³	135	
34		Pipe and Power Supply			
34.1		Excavate and use for backfill (excess to spoil) of power supply trench from TF to plant (900mm)	m	150	
34.2		Excavate in soft and intermediate material and use for backfill (excess to spoil) for trenches, compact for HDPE pipes up to 900mm deep.	m	265	
34.3		Excavate and use for backfill (excess to spoil) of water supply trenches on site	m	75	
34.4		Provision of bedding cradle and blanket available and place in trench.	m	125	
34.5		Excavate and use for backfill (excess to spoil) of water supply trenches on site	m	75	
					-
<u>35</u> 35.1		Excess Topsoil Material Levelling of excess stockpile material	3	450	-
33.1		Levelling of excess stockpile material	m³	150	
36		Extra over for			
36.1		Excavation of intermediate material conditions	m³	50	
36.2		Excavation of hard rock conditions	m³	20	
37		Load and haul Import material from borrow pit on site. Total distance is measured as free haul	m³.km	250	
38		Termite treatment by safe and effective specialist application of soil insecticide beneath floors for protection from sub-terranean wood destroying termites, all in accordance with SABS 0124-1977	m²	750	
					-
					-
					-
		TOTAL: SECTION B CARRIED TO SUMMARY			

No	Payment ref.	Description	Unit	Quantity	Rate	Amount
	SABS 1200DB, L, LB, LD & LF	SECTION C: WATER SUPPLY & SEWER				
С		Supply material, equipment and accessories according to plan, SABS & project specifications.				
<u>C1</u>		Water reticulation				
C1.1		Supply, deliver and install 32mm HDPE class 6 pipe	m	100		
C1.2		Supply, deliver and install 32mm x 110mm saddle	no	1		
C1.3		Supply, deliver and install 32mm compression elbow	no	2		
C1.4		Supply, deliver and install 32mm x 25mm compression male adaptor	no	2		
C1.5		Supply, deliver and install 32mm ball valve Provision for the supply, deliver and install all other	no	2		
C1.6		fittings necessary to connect main supply pipe to processing plant complete with all water reticulation systems intallation and water meter		1	25 000,00	25 000,00
C1.7		Overheads, charges and profit on item C1.6 above	%	25 000,00		
00		Detter Efficient Direc (Drewing 47007 004)				
<u>C2</u> C2.1		Bottom Effluent Pipe (Drawing 17027-024)  Manufacture, deliver and install Bottom Effluent pipe as per drawing.	no	2		
		pipe as per drawing.				-
<u>C3</u>		Water and Sewer lines				-
C3.1		Supply, deliver and install Stainless underground Floor Trap and drain as per the engineer's instruction	Prov Sum	1	100 000,00	100 000,00
C3.2		Overheads, charges and profit on Items C3.1 to C3.3 above (max 10%)	%	R 100 000		
C3.3		Supply, deliver and install PVC pipe: 110 mm diameter	m	180		
C3.4		Supply, deliver and install PVC elbow: 110 mm diameter	no	10		
C3.5		Supply, deliver and install PVC pipe: T-piece Horisontal 110 mm diameter	no	6		
C3.6		Supply, deliver and install RAS Drain Assembly	no	4		
C3.7		Supply, deliver and install Trench Drain-end Precasted with Gri: Fibre Grating 400 x 700mm	no	2		
C3.8		Supply, deliver and install all plumbing from WC's and kitchen to existing network	Prov Sum	1	10 000,00	10 000,00
C3.9		Overheads, charges and profit on Items C3.1 to C3.3 above (max 10%)	%	10 000,00		
C3.10		Water meter c/w necessary connectors	No	1		
	•					

No	Payment ref.	Description	Unit	Quantity	Rate	Amount
	SABS 1200GA,	SECTION D: BUILDING				
	GB & HB					
)		Supply material, equipment and accessories				
		according to plan, SABS & project				
		specifications. See Drawing No. 17027-021				
		See Drawing No. 17027-021				
<u>)1</u>		Foundation: Construction and Finishes				
<u> </u>		Touridation: Construction and Finishes				
		Supply, deliver, install and construct 10 x Pyramid-Box				
01.1		Anchor Foundation : 400 x 500 x 550 mm	m³	2		
1.2		Supply, deliver, install and construct 10 x Foundation	m³	2		
		Footing - Rectangular : 800 x 400 x 500 mm				
20.4		W. II. C. II. D. I. E. II. 050 000				
02.1 02.1.1		Wall foundation: Bearing Footing - 850 x 300 mm Formwork	m²	50		
02.1.1		Concrete 25/19	m³	35		
2.1.2		Wood Floated finish	m²	120		
2.1.0		Wood i loated lillish	- ""	120		
02.2		Wall foundation: Bearing Footing - 400 x 300 mm				
2.2.1		Formwork	m²	5		
2.2.2		Concrete 25/19	m³	3		
2.2.3		Wood Floated finish	m²	10		
02.3		Wall foundation: Bearing Footing - 600 x 300 mm				
02.3.1		Formwork	m²	15		
02.3.2		Concrete 25/19	m³	8		
02.3.3		Wood Floated finish	m²	30		
02.4		Floors: Construction and Finishes (Dwg 17027-004)				
		Supply, deliver and install paving complete with				
02.4.1		compaction to 90% MOD AASHTO and layered ground	m²	250		
		material, levelling sand, 250 micron PVC/HDPE sheeting and paving blocks				
		and paving blocks				
		Supply, deliver, install / construct 150mm Generic				
02.4.2		Concrete floor complete with expansion joints and sealant				
		' ' '				
02.4.2.1		Formwork	m²	2		
02.4.2.2		Concrete 30/19	m³	5		
02.4.2.3		Wood Floated finish	m²	5		
		Supply, deliver, install/ construct 150mm Structural				
02.4.3		Concrete floor with 30mm layer PratliperI insulation or similar approved and Industrial tile finish complete with				
		expansion joints and sealant				
20.4.0.4			2			
02.4.3.1		Excavation	m³	45		
02.4.3.2		Formwork Concrete 25/19	m²	60		
2.4.3.4		Steel Floated finish	m³ m²	30 157		-
		30mm self levelling screed ( <i>Pratliperl</i> or similar approved)		157		
02.4.3.5		Johnn sen levelling screed (Framper of similar approved)	m²	157		
		Supply, deliver, install / construct 150mm High Quality				
02.4.4		Non Slip Screeded Concrete floor with 30mm layer				
12.4.4		Pratliperl insulation or similar approved self levelling				1
		screed finish complete with expansion joints and sealant				
2.4.4.1		Excavation	m³	45		
2.4.4.2		Formwork	m²	90		
02.4.4.3		Concrete 25/19	m³	45		
02.4.4.4		Steel Floated finish	m²	209		
2.4.4.5		30mm self levelling screed (Pratliperl or similar approved)	m²	200		1
2.4.4.6		High Quality Non Slip Screed	m²	209 209		-
/L.7.4.U		g Quality 14011 Only Outcod	111	208		
		Supply, deliver, install / construct 80mm Structural				
2.4.5		Concrete floor complete with expansion joints and sealant				1
						<u> </u>
2.4.5.1		Excavation	m³	1		
2.4.5.2		Formwork	m²	2		
2.4.5.3		Concrete 30/19	m³	2		
2.4.5.4		Wood Floated finish	m²	12		
	I					I
		- I				

Item No	Payment ref.	Description	Unit	Quantity	Rate	Amount
Item No	Payment ref.	Description	Unit	Quantity	Rate	Amount
NO	SABS 1200GA, GB & HB	SECTION D: BUILDING				
		BROUGHT FORWARD				
D2.4.6		Supply, deliver, install / construct 80mm Concrete apron around structure, 1m wide complete with expansion joints and sealant				
D2.4.6.1		Excavation	m³	8		
D2.4.6.2		Formwork	m²	160		
D2.4.6.3		Concrete 20/19	m³	8		
D2.4.6.4		Wood Floated finish	m²	100		
D2.5		Walls: Construction and Finishes (Dwg 17027-020)				
D2.5.1		Supply, deliver and install / construct Brickwork 260mm cavity wall (Masonry brick/Paint) complete with mortar, ties etc. Clay bricks to SABS 227-1986	m²	150		
D2.5.2		Supply, deliver and install / construct Brickwork 260mm cavity wall (Masonry brick/Stocks) complete with mortar, ties etc. Clay bricks to SABS 227-1986	m²	25		
D2.5.3		Supply, deliver and install / construct Brickwork 260mm cavity wall (Masonry brick/Tiles) complete with mortar, ties etc. Clay bricks to SABS 227-1986	m²	125		
D2.5.4		Supply, deliver and install / construct Brickwork 260mm cavity wall (Masonry paint both wall sides) complete with mortar, ties etc. Clay bricks to SABS 227-1986	m²	35		
D2.5.5		Supply, deliver and install / construct Brickwork 260mm cavity wall (Masonry paint / Tiles) complete with mortar, ties etc. Clay bricks to SABS 227-1986	m²	85		
D2.5.6		Supply, deliver and install / construct Brickwork 260mm cavity wall (Masonry paint both sides) complete with mortar, ties etc. Clay bricks to SABS 227-1986	m²	35		
D2.5.8		Supply, deliver and install / construct 115mm internal walling (Tiles/Tiles) with clay bricks to SABS 227-1986	m²	90		
D2.5.9		Supply, deliver and install / construct 130mm (Masonry Paint/Paint) with clay bricks to SABS 227-1986	m²	15		
D2.5.10		Supply, deliver and install / construct Brickwork 230 mm Clay Brick both Side. Clay bricks to SABS 227-1986	m²	25		
D2.5.11		Supply, deliver and install / construct Brickwork 230 mm Masonry Brick / Clay Brick. Clay bricks to SABS 227-1986	m²	35		
D2.5.12		Supply, deliver and install / construct 240mm (Masonry - Paint both sides) with clay bricks to SABS 227-1986	m²	25		
D2.5.14		Supply, deliver and install / construct 260mm (Masonry Brick / - Paint) with clay bricks to SABS 227-1986	m²	45		
D2.5.15		Supply, deliver and install / construct 130 mm 25/19 Concrete Wall	m³	2		
D2.5.16		One Coat cement plaster (1:5 plaster mix) a) on Brick walls (20mm thick)				
		i) external	m²	615		
		ii) internal	m²	615		

# LIMPOPO DEPARTMENT OF AGRICULTURE AND RURAL DEVELOPMENT TOMPI SELEKA AGRICULTURAL COLLEGE - FISH PROCESSING PLANT

Item No	Payment ref.	Description	Unit	Quantity	Rate	Amount
Item No		Description	Unit	Quantity	Rate	Amount
	SABS 1200GA, GB & HB	SECTION D: BUILDING				
		BROUGHT FORWARD				
D2.5.17		b) on Concrete walls (20mm thick)				
		i) external	m²	2		
		ii) internal	m²	2		
D2.6		Lintel: Construction and finishes				
		Supply, deliver, install / construct Precast - ER Lintel: ER1 x 5.3m	no	8		
D2.7		Supply, deliver and install / construct window frames complete with glazing and putty and 45 degree brick sills as well as burglar proofing, <i>Wispeco</i> or similar approved				
D2.7.1		600 high x 600 wide 340 casement PT66 window	no	4		
D2.7.2		600 high x 1800 wide 340 casement PTT186 window	no	1		
D2.7.3		600 high x 2400 wide 340 casement PTT246 window 1500 high x 2400 wide 340 casement PTT2415 window	no	1		
D2.7.4		Ů	no	1		
D2.7.5		900 high x 1800 wide HS189 window	no	1		
D2.7.6		1210 high x 1200 wide Plain Composite Fixed Pane window	no	2		
D2.8		Supply, deliver and install / construct door and door frames complete:				
D2.8.1		Create Opening 2134 high x 915 wide	no	3		
D2.8.2 D2.8.3		Industrial roller door 2100 high x 2000 wide Industrial roller door 2400 high x 3010 wide	no no	2		
D2.8.4		Supply, deliver and install / construct Hot dipped	no	1		
D2.8.5		Galvanised Security Gate 1460 x 2050  Hot Dipped Galvanised Security Gate 2050 high x 1460 wide fitting an opening of 2125 high x 1500 wide	no	2		
D2.8.6		Single Aluminium glass door with Push Bar - 1800mm				
		high door	no	3		
D2.8.7 D2.8.8		External Double Flush Door - 2032 high x 1613 wide.  Internal Double Flush Door - 2032 high x 1613 wide.	no no	1		
D2.8.9		Durowin Single Flush Interior Door or similar - 2032 high x 813 wide	no	4		
D2.8.10		Durowin Single Flush Exterior Door or similar - 2032 high x 813 wide	no	3		
D2.8.11		Durowin Single Flush Interior Door or similar - 2032 high x 1010 wide	no	1		
D2.9		Paintwork				
D2.9.1		Supply, deliver & apply Contractor's PVA	m²	450		
D2.9.2		Supply, deliver & apply Super Acrylic PVA	m²	250		
D2.9.3		Supply, deliver & apply Enamel Paint	m²	250		
D3.0		Sanitaryware: Construction and Finishes (Dwg 17027-004). Supply, deliver, install / fit complete:				
D3.0.1		Sink cabinet: Interglobal Products, SC1350, 1350 x 600mm or similar approved	no	1		
D3.0.2		Shower stall: Libra, COLA 90 (900 x 900) or similar	no	2		
D3.0.3		approved Toilet Domestic: Vaal Sanitaryware - Ecoline cc or similar approved	no	2		
D3.0.4		Urinal: Vaal Sanitaryware - Trento Urinal - Code 5422720IV or similar approved	no	1		
D3.0.5		Toilet Roll Dispenser: Franke 4 roll dispenser, RODX674 or similar approved	no	2		
		TOTAL: SECTION D CARRIED FORWARD				
		TOTAL. SECTION D CARRIED FORWARD				

## LIMPOPO DEPARTMENT OF AGRICULTURE AND RURAL DEVELOPMENT TOMPI SELEKA AGRICULTURAL COLLEGE - FISH PROCESSING PLANT

Item No	Payment ref.	Description	Unit	Quantity	Rate	Amount
Item No		Description	Unit	Quantity	Rate	Amount
110	SABS 1200GA, GB & HB	SECTION D: BUILDING				
		BROUGHT FORWARD				
D3.1		Supply, deliver and install / construct ceiling complete.				
D3.1.1		Compound ceiling - Iso-Lam 1200 x 4800 grid or similar approved	m²	375		
D3.1.2		Supply, deliver and install / construct Expanded Polystyrene Cornice complete	m	550		
D3.2		Structure, Cladding & Sheeting: Construction and finishes. (Drawing 17027-018)				
D3.2.1		Supply, deliver, install and construct Pre-fabricated, light weight Galvanized steel roof structure complete with Columns, trusses, purlins and fasteners including Engineers Certificate.	Prov Sum	1	80 000,00	80 000,00
D3.2.2		Supply, deliver, install and construct roofing sheets as instructed by the engineer and Chromadek Fascia to match colour of Insulated Chromadek roof sheet, including measuring and cutting on site, complete with fasteners, rivets and sealing as required as per manufacturers specifications.	Prov. Sum	1	80 000,00	80 000,00
		Overheads, charges and profit on item D3,2,1 and D3,2,2 above	%	160 000		
D3.2.3		Supply, deliver, install and construct Industrial Gutters with down pipes complete.	m	75		
D3,3						
D3,3,1		Provision for the delivery and installation of existing	Prov Sum	1	30 000,00	30 000,00
D3,3,2		equipment stored in storage (Polokwane)  Overheads, charges and profit on item D3,3 above	%	30 000,00		
D3,3,3		2-way distance travelled for the delivery of equipment and materials from Polokwane (Ladanna) for up to 1000kg	km	520		
	·	TOTAL: SECTION D CARRIED TO SUMMARY				
		TOTAL. SECTION D CARRIED TO SUMMARY				

## LIMPOPO DEPARTMENT OF AGRICULTURE AND RURAL DEVELOPMENT TOMPI SELEKA AGRICULTURAL COLLEGE - FISH PROCESSING PLANT

Item No	Payment ref.	Description	Unit	Quantity	Rate	Amount
		SECTION E: ELECTRICITY SUPPLY				
E		Supply material, equipment & accessories according to plan. SABS & project specifications.				
		See Drawing No. 17027 - 019				
<u>E1</u>		Main power supply				
E1.1		Supply, deliver and install 4 Core 25mm² PVC SWA electric cable from ESKOM transformer to the processing plant	m	400		
E1.2		Supply, deliver and install Distribution boxes	sum	2		
<u>E2</u>		Processing Plant				
E2.1		Supply, deliver and install Double pole interior switch, PVC Conduits, wiring and connect to wiring complete per point.	no	3		
E2.2		Supply, deliver and install Waterproof Double pole switch, PVC Conduits, wiring and connect to wiring complete per	no	7		
E2.3		point.  Supply, deliver and install Waterproof Single pole switch, PVC Conduits, wiring and connect to wiring complete per	no	3		
E2.4		point.  Supply, deliver and install Triple pole interior switch, PVC Conduits, wiring and connect to wiring complete per point.	no	2		
E2.5		Supply, deliver and install Switched double socket interior, PVC Conduits, wiring and connect to wiring complete per point.	no	9		
E2.6		Supply, deliver and install Switched double socket exterior, PVC Conduits, wiring and connect to wiring complete per point.	no	1		
E2.7		Supply, deliver and install Switched double socket waterproof, PVC Conduits, wiring and connect to wiring complete per point.	no	13		
E2.8		Supply, deliver and install Touchless Hand Dryer: PHT Air Wolf V720 or similar approved, PVC Conduits, wiring and connect to wiring complete per point.	No	2		
E2.9		Supply, deliver and install distribution board and electrical wiring complete, PVC Conduits, wiring and connect to wiring complete per point.	no	3		
E2.10		Supply, deliver and install Side Channel Blower: CR Elec S.A HB529 or similar approved, PVC Conduits, wiring and connect to wiring complete per point.	no	1		
E2.11		Supply, deliver and install Dual Eectricty/ Solar Water Heater: Kwikot 250 litre or similar approved, PVC Conduits, wiring and connect to wiring complete per point.	no	3		
E3		Lighting Fittings				
E3.1		Supply, deliver and install Industrial Flood Light (FL1002) controlled by Day & Night Switch or similar [One light per switch], PVC Conduits, wiring and connect to wiring complete per point.	no	4		
E3.2		Supply, deliver and install Industrial type 4 foot Fluorescent Light Fitting. Weatherproof YZ-8236-ELC 240V ACDC or similar, PVC Conduits, wiring and connect to wiring complete per point.	no	11		
E3.3		Supply, deliver and install Industrial type 5 foot Fluorescent Light Fitting. Weatherproof YZ-8258-ELC 240V ACDC or similar, PVC Conduits, wiring and connect to wiring complete per point.	no	21		
E3.4		Supply, deliver and install wall mounted Insect light: Viper II 2 x 15W - 380 x 560 x 180 mm , PVC Conduits, wiring and connect to wiring complete per point.	no	12		
E3.5		Supply, deliver and install Industrial light bulkhead, controlled by Day & Night switch (Max two per switch), PVC Conduits, wiring and connect to wiring complete per point.	no	6		
E3.6		Supply, deliver and install Industrial type spot light FL1001, controlled by Day & Night switch (Max two per switch), PVC Conduits, wiring and connect to wiring complete per point.	no	2		
		TOTAL: SECTION E CARRIED TO SUMMARY				

## LIMPOPO DEPARTMENT OF AFRICULTURE AND RURAL DEVELOPMENT TOMPI SELEKA AFRICULTURAL COLLEFE - FISH PROCESSINF PLANT

Item No	Payment ref.	Description	Unit	Quantity	Rate	Amount
		SECTION G : SECURITY FENCING				
<u>F</u>		Supply material, equipment & accessories according to plan. SABS & project specifications.				
		See Drawing No. 17027 - 001 & (SD)022				
<b>F1</b> F1.1		Fence Erect security fence, complete as per detail				
F1.2		drawing  Diamond mesh anchoring - 20 Mpa/19mm	m m³	350 15		
F2		Car Ports: Construction and finishes		10		
F2.1		Manufacture / Supply, deliver and install Car ports - Arched type	sum	3		
F3		Provision for supply and install gates as per engineer's instruction	Prov Sum	1	5 000,00	5 000,00
		Overheads, charges and profit on item D3,3,1 and D3,3,2 above	%	5 000,00		
		TOTAL: SECTION G CARRIED TO SUMMARY				

PART C3: SCOPE OF WORK

**C3.1: STANDARD SPECIFICATIONS** 

**C3.2: PROJECT SPECIFICATIONS** 

**C3.3: PARTICULAR SPECIFICATIONS** 

## LIMPOPO DEPARTMENT OF AGRICULTURE AND RURAL DEVELOPMENT

# THE COMPLETION OF THE FISH PROCESSING PLANT AT TOMPI SELEKA AGRICULTURAL COLLEGE IN THE EPHRAIM MOGALE MUNICIPALITY OF THE SEKHUKHUNE DISTRICT IN LIMPOPO PROVINCE

C2.	CC		$\triangle$ E	MIC	DV
C3:	ろし	OPE	UF	W	אאי

## C3.1 STANDARD SPECIFICATIONS

## **C3.2 PROJECT SPECIFICATIONS**

PARTA:	GENERAL
PS-1	Project Description
PS-2	Description of the Site and Access
PS-3	Details of the Works
PS-4	Construction Programme
PS-5	Site Facilities Available
PS-6	Facilities Required on site
PS-7	Management and Disposal of Water
PS-8	Rainfall Figures
PS-9	Security Clearance of Personnel
PS-10	Health and Safety
PS-11	Subcontractors
PS-12	Deviation from Construction Programme
PS-13	Delay in Completion
PS-14	Supply of Materials
PS-15	Execution of Works
PS-16	Existing Services
PS-17	Labour Intensive Specification

PART B: AMENDMENTS TO THE STANDARD SPECIFICATIONS

## **C3.3 PARTICULAR SPECIFICATIONS**

PART C: MECHANICAL

PART D: ENVIRONMENTAL MANAGEMENT SPECIFICATION

PART E: OHSA 1993 HEALTH AND SAFETY

Contract C43 of C86 Index

STOTAL CHARGE CONTROL

## LIMPOPO DEPARTMENT OF AGRICULTURE AND RURAL DEVELOPMENT

# THE COMPLETION OF THE FISH PROCESSING PLANT AT TOMPI SELEKA AGRICULTURAL COLLEGE IN THE EPHRAIM MOGALE MUNICIPALITY OF THE SEKHUKHUNE DISTRICT IN LIMPOPO PROVINCE

## C3.1 STANDARD SPECIFICATIONS

The standard specifications on which this contract is based are the SANS Standardised Specifications for Civil Engineering Works.

The following SANS specifications are also referred to in this document and the Contractor is advised to obtain them from Standards South Africa (a division of SABS) in Pretoria.

SABS 1200 A - General

SABS 1200 C - Site Clearance (amended 1982)

SABS 1200 DA - Earthworks (Small Works)

SABS 1200 DB: Pipe Trenches

SABS 1200 DB - Earthworks (Pipe Trenches)

SABS 1200 DE - Small Earth Dams
SABS 1200 GA - Concrete (Small Works)
SABS 1200 HA - Structural Steelwork
SABS 1200 HB - Cladding and Sheeting

SABS 1200 HC: Corrosion Protection of Structural Steelwork

SABS 1200 L - Medium Pressure Pipeline

SABS 1200 LB - Bedding (Pipes)

The following SANS specifications are also referred to in this document and the Contractor is advised to obtain them from Standards South Africa (a division of SABS) in Pretoria.

SANS 10049:2012 Edition 4.1: Food safety management for prerequisite programmes (PRPs)

SANS 10396: 2003: Implementing Preferential Construction Procurement Policies using Targeted

**Procurement Procedures** 

SANS 1914-1 to 6 (2002): Targeted Construction Procurement

SANS 1921 – 1 (2004): Construction and Management Requirements for Works Contracts

Part 1: General Engineering and Construction Works

and where accommodation of traffic is involved:

SANS 1921-2 (2004): Construction and Management Requirements for Works Contracts

Part 2: Accommodation of Traffic on Public Roads Occupied by the Contractor.

Contract C44 of C86 C3.2
Part C3: Scope of Works Project Specifications

DISTRICT IN LIMIT OF OT ROVINGE

## **Mechanical**

The following standards shall apply, unless otherwise stated:

**BS 15** 

SABS 222 : Dimensions and properties of rolled carbon steel structure sections

(withdrawn) – see also SABS 1431 and the SA Steel Construction Handbook

SABS 763 : Hot- dip (galvanised) zinc coatings (other than on continuously zinc-coated

sheet and wire)

SABS 1431 : Weldable structural steels

BS 449 PART 5

BS 916

SABS 135 : ISO metric bolts, screws and nuts (hexagon and square) (coarse thread free

fit series)

BS 3382

BS 3410 PART 2 BS 3139 PART 1

The latest version of all standards shall be used.

## LIMPOPO DEPARTMENT OF AGRICULTURE AND RURAL DEVELOPMET

# THE COMPLETION OF THE FISH PROCESSING PLANT AT TOMPI SELEKA AGRICULTURAL COLLEGE IN THE EPHRAIM MOGALE MUNICIPALITY OF THE SEKHUKHUNE DISTRICT IN LIMPOPO PROVINCE

## **C3.2: PROJECT SPECIFICATIONS**

## **STATUS**

The Project Specification, consisting of two parts, forms an integral part of the contract and supplements the Standard Specifications.

Part A contains a general description of the works, the site and the requirements to be met.

Part B contains variations, amendments and additions to the Standardized Specifications and, if applicable, the Particular Specifications.

In the event of any discrepancy between a part or parts of the Standardized or Particular Specifications and the Project Specification, the Project Specification shall take precedence. In the event of a discrepancy between the Specifications, (including the Project Specifications) and the drawings and / or the Bill of Quantities, the discrepancy shall be resolved by the Engineer before the execution of the work under the relevant item.

The standard specifications which form part of this contract have been written to cover all phases of work normally required for road contracts, and they may therefore cover items not applicable to this particular contract.

Contract C46 of C86 C3.2
Part C3: Scope of Works Project Specifications

BIGHNOT IN CLIM OF OTHER MADE

## PART A: GENERAL

## PS 1 PROJECT DESCRIPTION

The works cover all civil, electrical and mechanical works required for the construction of a 76 ton per annum fresh water fish processing plant (abattoir) at Tompi Seleka, just east of the Flag Boshielo dam wall. The works will, amongst other, require the construction of:

- 1. a new Processing Plant according to the NRCS Compulsory specification for frozen fish, frozen marine molluscs and frozen products derived there from (VC 8017).
- 2. An Integrated Purge unit for live fish.
- 3. Waste treatment structures.
- 4. Bio-Security Facility that will consist of an office with storeroom, toilets and showers and a laundry.

## PS 2 DESCRIPTIONS OF THE SITE AND ACCESS

## 2.1 Location of site

Tompi Seleka falls within the Sekhukhune Local Municipality boundary approximately 30 km north-northeast of Marble Hall, on the Tompi Seleka (D4356) road, on the banks of the Olifants River. Tompi Seleka Fresh Water Fish Processing Plant is owned and guided by the Limpopo Department of Agriculture. The Tompi Seleka Processing Plant site can be located on the 1:50 000 topographical map 2429CD Marble Hall, at the following representative co-ordinates;

Latitude : 24°47.387' Longitude : 29°27.087'

## 2.2 Access to site

Tompi Seleka falls within the Sekhukhune Local Municipality boundary approximately 30 km north-northeast of Marble Hall, on the Tompi Seleka (D4356) road, on the banks of the Olifants River.

The contractor shall be responsible for the maintenance and re-instatement of damage caused by him or his agents / deliveries during the construction activities. No damage to flora or fauna located outside the limits of the site will be permitted in this contract.

The contractor should take cognisance of the aforementioned items concerning the environment and allow for any costs in his Tender under the relevant section in the Bill of Quantities.

## PS 3 DETAILS OF THE WORKS

## PS 3.1 Brief description of works

The brief description of the works to be carried out on this project are as discussed below:

## **Bulk Earthworks (Majority completed)**

The Bulk Earthworks section includes the construction of the platforms for the main building (processing plant), the generator room and the waste system (septic tanks) of the new infrastructure.

The section will consist of the following major items:

- Site clearance;
- Bulk excavation, cut to fill and cut to spoil;
- Restricted excavation for raft foundations;
- Storm-water structure and berms;
- 800mm wide by 550 deep trenches for Ring beam on building circumference; and
- 450mm deep drainage channels servicing each building. The dimensions for the channels are approximately 1m wide by 450mm deep sloping at 1%, or 2 channels of 1m wide by 450mm deep, each sloping at 1%.

## Concrete, reinforcing and brickwork (Majority completed)

Contract C47 of C86 C3.2
Part C3: Scope of Works Project Specifications

The Concrete and Brickwork sections for all buildings consist of the following major items:

- Raft foundation (including Surface bed with DPC), down-stand ring beam;
- Effluent drainage channels;
- Brickwork;
- Cavity walls with insulation;
- Ancillary items; and
- Access pathways.

## **Cold Storage and Freezers**

The cold storage section consists of the following major rooms:

- Chest Freezers:
- Installation of insulated panels and/or walls;
- Finishing-off of all insulation parts

## Roof Sheeting and Cladding (Only Roof structure is done)

The roof and sheeting section consist of the following major items:

- Roof Cladding using Chromadek with 80mm Expanded Polystyrene Insulation (EPS insulation);
- Supply and install ancillaries;
- Ceilings (PVC with 40mm EPS insulation);
- Complete the roof structure;
- Rodent/bird proof Chromadek fascia to match cladding; and
- Chromadek guttering.

## **Bulk water Supply**

The Bulk water supply section consists of the following major items:

- Excavation and backfilling for water and sewer pipelines;
- Installation of pipelines for clean water supply to the processing and purge units with relevant pumps for water conveyance; and
- Fish purge facilities.

## **Electrical Supply**

The Electrical section consist of the following major items

- Bulk electrical supply;
- Internal electrical reticulation which consist of the following:
  - Lights in the buildings;
  - Insect lights in the buildings:
  - Air-conditioners: and
  - Electrical points (plugs) in each unit and in the bio-security facility.
- Security lights with a day night switch to light up the area;
- Geysers;
- Sludge pump at waste water tank; and
- Blower to aerate purge unit.

## Processing Plant – Wet- & Dry sections (Some equipment is ordered and in storage and must be used during construction)

The work to be done shall consist of supply and installation of the following:

- aluminium and glass partitioning;
- stainless steel tables;
- water reticulation:
- waste bins:
- stainless steel floor traps;
- conveyer roller;
- store room for packaging material; and
- air-conditioning equipment.

## **Purge Unit**

The work to be done shall consist of supply and installation of the following:

Contract C48 of C86 C3.2 **Project Specifications**  7.6 THE IN C. O. THE PROPERTY.

- fish tanks/pools;
- effluent assembly;
- water reticulation;
- stainless steel floor traps;
- effluent canal:
- · effluent pipe to existing sewage system;
- · floor gratings; and
- · air-conditioning equipment.

## Office

The work to be done shall consist of supply and installation of the following:

- work tops;
- small store room; and
- · air-conditioning equipment.

## Bio Security (Some equipment is ordered and in storage and must be used during construction)

The work to be done shall consist of supply and installation of the following:

- complete showers;
- WC's:
- basins/sinks;
- soap dispensers;
- hands free towel and waste paper receptacle;
- locker room benches;
- lockers:
- footbath:
- a sewer line connected to the existing sewage system; and
- Finishes for floors, ceilings, windows, etc.

## **Waste System**

The work to be done shall consist of supply and installation of the following:

- stainless steel floor traps;
- · waste pipe reticulation;
- · stainless steel grease traps;
- concrete waste tank; and sludge pump.

## PS 3.3 Labour recruitment conditions

A Project Steering Committee (PSC) will be established and is a vital means of communication between all parties involved with the project. The composition of the PSC comprises representation by the Employer, the Engineer and formal structures within the community.

The contractor shall make use of these communication channels, and shall appoint from amongst his site personnel a responsible person to participate in the affairs of the PSC, and this representative may be also required to attend the monthly PSC meetings.

It is mandatory that the Contractor shall interact with the community via proactive project liaison and project participation by its leaders and constituted organisations and forums, as well as through the employment of its people, and these activities shall constitute essential facets of the project.

Local labour is to be used and the employment of such labour is to be done in conjunction with the PSC.

PSC shall, if necessary, appoint a Community liaison officer (CLO). The duties of the CLO shall consist inter alias of the following:

- To be available on site daily between the hour of 07:00 and 17:00 and at other times as the need arises. His normal working day will extend from 07:00 in the morning until 17:00 in the afternoon.
- To communicate daily with regard to number and skills, to facilitate in labour disputes and to assist in their resolution.

Contract C49 of C86 C3.2
Part C3: Scope of Works Project Specifications

NOTING! IN CHIVIT OF OT NOVINGE

- To attend all meetings in which the community and/or labour are present or are required to be represented.
- To attend all PSC meeting to report on labour.
- To assist in the identification and screening of labourers from the community in accordance with the contractor's requirements.
- To advise and inform temporary labourers of their conditions of employment and to inform temporary labourers as early as possible when their period of employment will be terminated.
- To attend disciplinary proceedings to ensure that hearings are fair and reasonable.
- To keep a daily written record of his interviews and community liaison, labour force etc.
- To attend monthly site meetings and report in writing on labour and contract matters.
- Keeping a data base of available labour.
- All such other duties as agreed upon between all parties concerned.
- Compile a list of available skills in the area (skills audit).

## PS 4 CONSTRUCTION PROGRAMME

### PS 4.1 General

The submission of a construction programme as stated per Clause 12 of the General Conditions of Contract is compulsory.

Before any work is to be commenced on the site (within a period as stated in Clause 12.2 of the General Conditions of Contract), the Contractor must submit a detailed project programme for the construction of the Works to the Engineer for his approval.

In preparation of the construction programme the Contractor must liaise with the Engineer and the programme must take into account the coordination of all activities. The programme must consist of a detailed schedule or block diagram covering all aspects of the Works and the planned time thereof must, with the Contract Period as time basis, be shown.

Rainfall conditions will be taken as abnormal when the average rainfall, as shown in Clause PS 8, is exceeded and the contractor must then apply in writing for extension of the contract period using Clause 48 of the Conditions of Contract.

The service provider is required to state in the Appendix to the Form of Tender the time in which he is prepared to undertake and complete the works.

The Contractor shall submit to the Engineer a realistic, detailed programme not later than 14 days after receipt of the Letter of Acceptance. The programme shall be in bar-chart format showing in detail how the Contractor proposes to complete the work covered by this contract by the Due Completion Date.

The following details must be stated:

- I. The quantity of work applicable to each bar item as well as the rate at which the work will be completed.
- II. A budget of the value of completed work, month by month, for the full contract period.
- III. The Contractor's plant commitment on the contract for every fortnight.
- IV. The critical path.

The programme shall be kept up to date. If a Contractor fails to maintain progress in terms of the programme, he shall produce a revised programme showing the modifications to the original programme necessary to ensure completion of the Works before the Due Completion Date.

The approval of any programme by the Engineer shall have no contractual significance, other than satisfying the Engineer that the Work is carried out according to such programme and that the Contractor undertakes to carry out the work in accordance with the programme. The Engineer will have the right to instruct the Contractor to revise the programme if necessitated by circumstances.

Contract C50 of C86 C3.2
Part C3: Scope of Works Project Specifications

## PS 4.2 Time for Completion

The maximum time allowed for the completion of the contract is <u>6 MONTHS</u> (excluding special non-working days and the yearend break) from the date of Letter of Acceptance / or Site Handover.

## **PS 5 SITE FACILITIES AVAILABLE**

## PS 5.1 Water Supply

The Contractor must make his own arrangements for provision of fresh water on site for domestic and construction purposes.

The rates Tendered for the relevant items in the Preliminary and General Section of the schedule shall include all costs for the establishment and maintenance of water supply to the works and the Contractor shall make his own arrangements for the possible conveyance and storage of water if necessary.

## PS 5.2 Power Supply

The Contractor must make his own arrangements for the provision of electricity on site. The rates Tendered for the relevant items in the Preliminary and General Section of the schedule shall include all costs for the establishment and maintenance of a power supply to the works.

## PS 6 FACILITIES REQUIRED ON SITE

## PS 6.1 Facilities for the Engineer

A site office for the Engineer is not required.

## PS 6.2 Facilities for the Contractor

## Site Establishment

The Contractor is responsible to provide a suitable site for his camp and to provide accommodation for his personnel and labourers. If the Employer can make any specific site available to the Contractor, such site will be pointed out to the Contractor. The site office should be user friendly, cleaned at all times and be equipped with office furniture such as printer, desk and chairs. As the area is hot during summer, a fan will be necessary for the site office.

The chosen site shall be subject to the approval of the beneficiary/Engineer and the Project Steering Committee (if available). Possible locations for a campsite shall be pointed out at the Site inspection. The Contractor shall conform to all beneficiary, local authority, environmental and industrial regulations.

The Contractor shall make his own arrangements concerning the supply of electrical power and all other services. No direct payment shall be made for the provision of electrical and other services. The cost thereof shall be deemed to be included in the rates and amounts Tendered for the various items of work for which these services are required.

The Contractor shall provide security watchmen for the contract as he deems fit at no extra cost for the Employer. The Contractor must ensure that all his employees as well as the employees of his subcontractors are able to identify themselves as members of the construction team.

## **Ablution and Sanitary Facilities:**

The Contractor shall erect and maintain on the site proper ablution facilities. The Contractor shall service and maintain the facilities in a clean and hygienic state for the duration of the contract period and on completion of the works remove it from the site to the satisfaction of the Employer/beneficiary.

## PS 6.3 Laboratory Facilities

Contract C51 of C86 C3.2
Part C3: Scope of Works Project Specifications

The contractor shall provide laboratory facilities at an SABS accredited laboratory to conduct tests as required or as specified/measured in the bills of quantity.

## PS 6.4 Construction Notice Board (Name Board)

1 Official Name Board per site (if necessary), as per C4.2 Site Information: Construction Notice Board, is required for this contract.

## PS 6.5 Housing for the Engineer and/or his Representative

No housing is required for the Engineer or his Representative.

## PS 6.6 Telephone Facilities

Items have been provided in the Bill of Quantities to cover for communication costs for the Engineer.

## PS 7 MANAGEMENT AND DISPOSAL OF WATER

The Contractor shall pay special attention to the management and disposal of water and stormwater on the site. It is essential that all completed works or parts thereof are kept dry and properly drained. Claims for delay and for repair of damage caused to the works as a result of the Contractor's failure to properly manage rain and surface water, will not be considered.

## PS 8 RAINFALL FIGURES

The following figures are applicable for Clause 50(5) of the Special Conditions of Contract.

INFORMATION SOURCE: WRC Report 1994

Rainfall station: Vaalwater: Elandsk							
Rainfall station: Vaalwater Elandsk							
Period: 1950 - 1999							
Month	Nn	Rn	Month	Nn	Rn		
January	14	121	July	0	5		
February	11	92	August	1	5		
March	10	88	September	2	18		
April	5	32	October	7	62		
May	2	15	November	11	98		
June	0	6	December	11	110		
Annual average:					652		

Nn = Average amount of days on which a rainfall of 10 mm or more has been recorded.

**Rn** = Average monthly rainfall in mm

The contractor will be expected to maintain on site a standard rain gauge for measurement of rainfall on day to day basis during the project implementation period.

Extensions of time in respect of Clause 42 in the General Conditions of Contract for Construction Works (2004) in respect of abnormal rainfall shall be calculated using the following formula for each calendar month or part thereof:

$$V = (Nw - Nn) + \frac{(Rw - Rn)}{X}$$

Where:

V = Extension of time in calendar days in respect of the calendar month under consideration.

Nw = Actual number of days during the calendar month on which a rainfall of 10 mm or more has been

Contract C52 of C86 C3.2
Part C3: Scope of Works Project Specifications

## recorded.

Nn = Average number of days in the relevant calendar month, as derived from existing rainfall records, on which a rainfall of 10mm or more has been recorded for the calendar month.

= Actual average rainfall in mm recorded for the calendar month under consideration. Rw

= Average rainfall in mm for the calendar month as derived from existing rainfall records as stated in Rn the Site Information.

Χ = 20 mm

For purposes of the Contract Nn, Rn and Nn shall have those values assigned to them in the table above based on figures from the WRC report 1994.

If V is negative and its absolute value exceeds Nn, then V shall be taken as equal to minus Nn.

The total extension of time shall be the algebraic sum of all monthly totals for the period under consideration, but if the total is negative the time for completion shall not be reduced due to subnormal rainfall. Extensions of time for part of a month shall be calculated using pro rata values of Nn and Rn.

This formula does not take account flood damage which could cause further or concurrent delays and will be treated separately as far as extension of time is concerned.

The factor (Nw - Nn) shall be considered to represent a fair allowance for variations from the average in the number of days during which rainfall exceeds 10 mm. The factor (Rw-Rn) shall be considered to represent a fair allowance for variations from the average in the number of days during which the rainfall did not exceed 10 mm but wet conditions prevented or disrupted work.

For the purpose of applying the formula, accurate rain gauging shall be taken at a suitable point on the Site and the Contractor shall at his own expense, take all necessary precautions to ensure that rain gauges cannot be interfered with by unauthorized persons.

#### PS 9 SECURITY CLEARANCE OF PERSONNEL

Service Providers to note that the Limpopo Department of Agriculture may require that Security Clearance investigations be conducted on any number of the service providers personnel.

If so required, by the Limpopo Department of Agriculture, the service provider must remove personnel as indicated immediately and ensure that they have no access to the works or documentation or any other information pertaining the site.

The Employer shall not be liable for any cost concerning the removal of personnel or the effect thereof on the execution of the work.

## PS 10 HEALTH AND SAFETY

#### PS 10.1 General statement

It is a requirement of this contract that the Contractor shall provide a safe and healthy working environment and to direct all his activities in such a manner that his employees and any other persons, who may be directly affected by his activities, are not exposed to hazards to their health and safety. To this end the Contractor shall assume full responsibility to conform to all the provisions of the Occupational Health and Safety Act (OHSA) No 85 and Amendment Act No 181 of 1993, and the OHSA 1993 Construction Regulations 2003 issued on 18 July 2003 by the Department of Labour.

For the purpose of this contract the Contractor is required to confirm his status as mandatory and employer in his own right for the execution of the contract by entering into an agreement with the Employer in terms of the Occupational Health and Safety Act in the form as included in section C1.5.

#### Health and Safety Specifications and Plans PS 10.2

## (a) Employer's Health and Safety Specification

The Employer's Health and Safety Specification is included in Section C3.3, Part E of the Tender

Contract C53 of C86 C3.2 Part C3: Scope of Works **Project Specifications** 

documents as part of the Particular Specifications.

## (b) Service Providers Health and Safety Plan

The service provider shall submit with the Tender his own documented Health and Safety Plan he proposes to be implement for the execution of the work under the contract. The Health and Safety Plan must at least cover the following:

- (i) a proper risk assessment of the works, risk items, work methods and procedures in terms of Regulations 7 to 28;
- (ii) pro-active identification of potential hazards and unsafe working conditions;
- (iii) provision of a safe working environment and equipment;
- (iv) statements of methods to ensure the health and safety of subcontractors, employees and visitors to the site, including safety training in hazards and risk areas (*Regulation 5*);
- (v) monitoring health and safety on the site of works on a regular basis, and keeping of records and registers as provided for in the Construction Regulations;
- (vi) details of the Construction Supervisor, the Construction Safety Officers and other competent persons he intends to appoint for the construction works in terms of Regulation 6 and other applicable regulations; and
- (vii) details of methods to ensure that his Health and Safety Plan is carried out effectively in accordance with the Construction Regulations 2003.

The Contractor's Health and Safety Plan will be subject to approval by the Employer, or amendment if necessary, before commencement of construction work. The Contractor will not be allowed to commence work, or his work will be suspended if he had already commenced work, before he has obtained the Employer's written approval of his Health and Safety Plan.

Time lost due to delayed commencement or suspension of the work as a result of the Contractor's failure to obtain approval for his safety plan, shall not be used as a reason to claim for extension of time or standing time and related costs

## PS 10.3 Cost of compliance with the OHSA Construction Regulations

The rates and prices Tendered by the Contractor shall be deemed to include all costs for conforming to the requirements of the Act, the Construction Regulations and the Employer's Health and Safety Specification as applicable to this contract.

Should the Contractor fail to comply with the provisions of the Construction Regulations, he will be liable for penalties as provided in the Construction Regulations and in the Employer's Health and Safety Specification.

## PS 11 SUBCONTRACTORS

The Contractor shall have the right to cede any sub-contract under this contract to a subcontractor of his/her choice.

## PS 12 DEVIATION FROM CONSTRUCTION PROGRAMME

The programme of work as required in terms of the "General Conditions of Contract 2nd edition (2010)" shall be submitted to the Engineer not later than fourteen days after the Commencement Date.

The Contractor shall take into account the requirements of the Occupational Health and Safety Act, as well as the Construction Regulations in the drafting of the programme.

The format shall not be in the form of a bar chart only, but shall also clearly indicate the anticipated quantity of work to be executed each month. The construction programme shall also clearly indicate the local and foreign labour to be utilised for the duration of the Contract.

If during the progress of the work, the quantities of the work performed per month fall below the expected

Contract C54 of C86 C3.2
Part C3: Scope of Works Project Specifications

DISTRICT IN LINUI OF OTTOVINGE

indicated in the Construction programme, or if the sequence of operation is altered, or if the programme is deviated from in any other way, the Contractor shall, within one week after being notified by the Engineer, submit a revised construction programme.

Such a revised construction programme shall be based on the tempo of work achieved by the Contractor up to the date of revision. Any proposal to increase the tempo of work must be accompanied by positive steps to increase production by providing more labour and plant on site or by using the available labour and plant in a more efficient manner.

Failure on the part of the Contractor to work according to the programme or revised programmes shall be sufficient reason for the Engineer to take steps as provided for in the "General Conditions of Contract – 2nd edition (2010)"

## **PS 13 DELAY IN COMPLETION**

The Contractor shall organise the Works in such a manner that no delays occur. Delay due to faulty organisation or lack or shortage of materials or labour or co-operation with other parties or to any other cause within the control of the Contractor will not be countenanced and full power is reserved by the Engineer to order the Contractor to expedite the work should the work, in the opinion of the Engineer, not progress in a satisfactory way.

## **PS 14 SUPPLY OF MATERIALS**

All material to be used in the Works is to be supplied by the Contractor.

The Contractor shall ensure that the work is not delayed due to the lack of materials on Site, by placing orders for material required under this Contract as soon as possible. No extension of time will be allowed for any delay due to the supply of materials.

Although the quantities have been carefully calculated, it must be considered as approximate only and the Contractor, before ordering any materials, should check the quantities required. The bill of quantities is provisional.

## **PS 15 EXECUTION OF THE WORKS**

## PS 15.1 Inspection by the Engineer

No portion of the work shall be proceeded with until the Engineer or his representative has examined and approved the previous stage. If any work is covered or hidden from view before the Engineer or his representative has inspected the work, the Contractor shall at his own cost expose the covered or hidden work for inspection. The Contractor shall also be responsible for making good any work damaged during the uncovering.

## PS 15.2 Certificate of Completion

When all the work under the Contract have been completed to the entire satisfaction of the Engineer, he will issue a certificate of completion to the Contractor informing the Contractor of the date the date at which the works are deemed to be completed and accepted by the Employer.

The sureties provided by the Contractor for the fulfilment and completion of the Contract in terms of the Form of Agreement will be released upon the issue of the Certificate of Completion.

## **PS 16 EXISTING SERVICES**

The Contractor shall make himself acquainted with the position of all existing services before any excavation or other work likely to affect the existing services is commenced.

The Contractor will be held responsible for any damage to known existing services caused by or arising out of his operations and any damage shall be made good at his own expense. Damage to unknown services

Contract C55 of C86 C3.2
Part C3: Scope of Works Project Specifications

shall be repaired as soon as possible and liability shall be determined on site when such damage should occur.

A provisional amount is included in the bill of quantities for the protection and/or shifting of services.

Two weeks prior to commencing construction activities in a particular area, the Contractor shall also diligently enquire of local landowners as to whether there are any other known services which have not been shown on the drawings but which may be affected by the construction activities in that area, and any such services shall be brought to the attention of the Engineer immediately. The contractor shall make provision in his programme for the location and/or shifting of services.

The Contractor shall take note of the requirements of the standard specifications with regard to services.

## PS 17 LABOUR INTENSIVE SPECIFICATION

## PS 17.1 Labour intensive competencies of supervisory and management staff

Contractors having a CIDB contractor grading designation of 2CE and higher shall only engage supervisory and management staff in labour intensive works who have either completed, or for the period 1 April 2004 to 30 June 2006, are registered for training towards, the skills programme outlined in Table 1.

The managing principal of the contractor, namely, a sole proprietor, the senior partner, the managing director or managing member of a close corporation, as relevant, having a contractor grading designation of 1CE and 2CE, shall have personally completed, or for the period 1 April 2004 to 30 June 2006 be registered on a skills programme for the NQF level 2. All other site supervisory staff in the employ of such contractors must have completed, or for the period 1 April 2004 to 30 June 2006 be registered on a skills programme for, the NQF level 2 unit standards or NQF level 4 unit standards.

Table 1: Skills programme for supervisory and management staff

Personnel	NQF level	Unit standard titles	Skills programme description
Team leader / supervisor	2	Apply Labour Intensive Construction Systems and Techniques to Work Activities	This unit standard must be completed, <b>and</b>
		Use Labour Intensive Construction Methods to Construct and Maintain Roads and Stormwater Drainage Use Labour Intensive Construction Methods to Construct and Maintain Water and Sanitation Services Use Labour Intensive Construction Methods to	any one of these 3 unit standards
Foreman/ supervisor	4	Construct, Repair and Maintain Structures Implement labour Intensive Construction Systems and	This unit standard must be
		Techniques  Use Labour Intensive Construction Methods to Construct and Maintain Roads and Stormwater Drainage  Use Labour Intensive Construction Methods to Construct and Maintain Water and Sanitation Services Use Labour Intensive Construction Methods to Construct, Repair and Maintain Structures	any one of these 3 unit standards
Site Agent / Manager (i.e. the contractor's most senior representative that is resident on the site)	5	Manage Labour Intensive Construction Processes	Skills Programme against this single unit standard

## PS 17.2 Employment of unskilled and semi-skilled workers in labour-intensive works

## PS 17.2.1 Requirements for the sourcing and engagement of labour.

Contract C56 of C86 C3.2
Part C3: Scope of Works Project Specifications

Unskilled and semi-skilled labour required for the execution of all labour intensive works shall be engaged strictly in accordance with prevailing legislation and SANS 1914-5, Participation of Targeted Labour.

The rate of pay set for a day task is 90% of the statutory daily wage applicable for the areas.

Tasks established by the contractor must be such that:

- a) the average worker completes 5 tasks per week in 40 hours or less; and
- b) the weakest worker completes 5 tasks per week in 55 hours or less.

The contractor must revise the time taken to complete a task whenever it is established that the time taken to complete a weekly task is not within the requirements of 5.2.1.3.

The Contractor shall, through all available community structures, inform the local community of the labour intensive works and the employment opportunities presented thereby. Preference must be given to people with previous practical experience in construction and / or who come from households:

- a) where the head of the household has less than a primary school education;
- b) that has less than one full time person earning an income;
- c) where subsistence agriculture is the source of income.
- d) those who are not in receipt of any social security pension income

The Contractor shall endeavour to ensure that the expenditure on the employment of temporary workers is in the following proportions:

- a) 60 % women
- b) 20% youth who are between the ages of 18 and 25; and
- c) 2% on persons with disabilities.

## PS 17.2.2 Specific provisions pertaining to SANS 1914-5

## Training of targeted labour

- a) The contractor shall provide all the necessary on-the-job training to targeted labour to enable such labour to master the basic work techniques required to undertake the work in accordance with the requirements of the contract in a manner that does not compromise worker health and safety.
- b) The cost of the formal training of targeted labour will be funded by the provincial office of the Department of Labour. This training should take place as close to the project site as practically possible. The contractor, must access this training by informing the relevant provincial office of the Department of Labour in writing, within 14 days of being awarded the contract, of the likely number of persons that will undergo training and when such training is required. The employer must be furnished with a copy of this request.
- c) The contractor shall be responsible for scheduling the training of workers and shall take all reasonable steps to ensure that each beneficiary is provided with a minimum of six (6) days of formal training if he/she is employed for 3 months or less and a minimum of ten (10) days if he she is employed for 4 months or more.
- d) The contractor shall do nothing to dissuade targeted labour from participating in training programmes.
- e) An allowance equal to 100% of the task rate or daily rate shall be paid by the contractor to workers who attend formal training, in terms of d above.
- f) Proof of compliance with the requirements of b to e must be provided by the Contractor to the Employer prior to submission of the final payment certificate.

Contract C57 of C86 C3.2
Part C3: Scope of Works Project Specifications

DOTAC WELLINGS

## PART B: AMENDMENTS TO THE STANDARD SPECIFICATIONS

## B1 PROJECT SPECIFICATIONS RELATING TO THE STANDARD SPECIFICATIONS AND OTHER ADDITIONAL SPECIFICATIONS

In certain clauses in the standard, standardised and particular specifications, allowance is made for a choice to be specified in the project specifications between alternative materials or methods of construction, and for additional requirements to be specified to suit a particular contract. Details of such alternative or additional requirements applicable to this contract are contained in this part of the project specifications. It also contains the necessary additional specifications required for this particular contract.

## VARIATIONS TO REQUIREMENTS OF SPECIFICATIONS LISTED IN C3.1

## PSAA SABS 1200 A: GENERAL (SMALL WORKS)

## PSA 4.2: Contractor's Camp

No housing is available for the Contractor's employees and the Contractor shall make his own arrangements to house his employees and transport them to site.

## PSA 6.2 Degree of Accuracy

A Degree of Accuracy II shall be applicable for the construction of the various portions of the Works.

## PSA 2.1.1 Replacing of Plot Beacons and Land Surveyors Reference Marks (Sub-Clause 5.1.2)

## Add the following:

Only where the destruction of the beacons was unavoidable according to the Engineer, will the Contractor receive repayment plus a commission of 5,0 % of the amount paid to the sub-contractor for the replacing of lost beacons, benchmarks and Land Surveyors Reference marks.

## PSA 2.2 Dealing with Water on Works (Sub-Clause 5.5)

## Add the following:

No separate or additional payment will be made keeping the Works dry nor for shoring and/or additional excavations and backfilling required as a result of trench walls and cutting sides collapsing. It will be assumed that the cost of these items are priced and included in the relevant Pay Items.

## PSA 2.3 Accommodation of Traffic (Clause 5.9)

Add the following sub-clauses.

## PSA 2.3.1 Accommodation of Traffic

The Contractor shall arrange his work so as to allow construction traffic to have free access to building sites and other contracts at all times during the construction period.

The Contractor shall provide adequate signs, barricades, lights and the necessary staff at his own cost to ensure a reasonable free flow of traffic throughout the entire period of construction.

## PSA 2.3.2 Access to properties

The Contractor shall provide and grant access to persons whose properties fall within or adjoin the area over which he is working. In this respect the contractor's attention is drawn to the General

Contract C58 of C86 C3.2
Part C3: Scope of Works Project Specifications

Conditions of Contract. No separate payment will be made for the provision and maintenance of such accesses and facilities, except where it may be required outside the road reserve.

#### **PSC SABC 1200 C: SITE CLEARANCE**

#### **PSC 3.1** Disposal of Material

Disposal areas are not available on site. The Contractor shall locate his own disposal areas and shall remove and cart away any accumulation of material generated by his construction activities and not required for further use in the Works. The cost of loading, carting away and disposing of material shall be deemed to have been included in the excavation rates.

Care should be taken during clearing that no significant amounts of topsoil are being removed and pushed into windrows. Should that be found, contractor will move such topsoil back at his own cost.

#### PSDA: SABS 1200 DA: EARTHWORKS (SMALL WORKS)

#### PSD 3 Classification for Excavation Purposes

Delete Sub-Clause 3.1 and substitute the following:

Excavation shall mean excavating in all kinds of material met with the exception only of "Rock" as hereinafter defined, and shall include for the grubbing up and clearing away of all old foundations. footings, manholes, drains, paving, etc, that may be encountered; and not claim by the Contractor in respect of such items will be allowed unless specified in the Schedules of Quantities.

#### PSD 3.1.3 Rock

"Rock" shall mean hard un-decomposed boulders exceeding one cubic meter each in volume and such hard stone occurring in bulk, banks or ledges, that practical excavation would require the use of explosives or drilling, wedging and splitting. Explosives may only be used if written permission has been obtained from the Engineer and there is no guarantee given or implied that this permission will be given.

Should the Contractor consider that any excavations encountered are in "rock" he shall immediately notify the Engineer in writing. Failing such notification the excavations will be assumed to be in accordance with Clause PSD1 and will be measured and paid for accordingly.

The Engineer shall be the sole judge as to the classification of materials encountered in the excavations.

#### PSDB: SABS 1200 DB: EARTHWORKS (PIPE TRENCHES)

#### PSDB 3 Classes of Excavation

Refer to Clauses PSD 3 and PSD 3.1.3 for excavation classification.

#### **PSDB 5.6 Backfilling**

In areas subject to road traffic loads and under structures, etc., backfill materials shall have a plasticity index not exceeding 12, a minimum grading modulus of 0,5 and a minimum CBR of 15 % at 93 % of Modified AASHTO maximum density (100 % Modified AASHTO maximum density for sands) if placed in the upper 150 mm of the sub-grade portion of the backfill and of 7 % if placed in the lower portion.

#### **PSDB 5.7** Compaction

The moisture content during compaction shall be the optimum moisture content for the construction plant employed.

Contract C59 of C86 C3.2 **Project Specifications** Part C3: Scope of Works

In unrestricted areas, the excavation shall be backfilled in layers not exceeding 150 mm compacted thickness up to 750 mm above the outer crown of the pipe and in layers not exceeding 300 mm in compacted thickness thereafter and the material shall be compacted to not less than 90 % of Modified AASHTO maximum density.

In areas subject to road traffic loads and under the structures excavations shall be backfilled in layers not exceeding 150 mm in compacted thickness, and the material shall be compacted to not less than 93 % of Modified AASHTO maximum density or 100 % in the case of non-plastic sand.

None

#### PSDM: SABS 1200 DM: EARTHWORKS (ROADS, SUBGRADE)

#### PSDM1: Gravel

Gravel for gravelling of the 3m and 5m roads is to be acquired from the existing quarry on the northeast corner of the project. Contractor to prove suitability of gravel before exploitation. Haulage from this or any other similarly positioned quarry to be considered as free haul.

#### **PSDM 7.1 Process Control**

The following tests shall be done on materials used in the different layers:

- Indicator tests a)
- b) Sieve analysis
- Relative compaction on OMC c)
- California bearing ratio (CBR) d)

#### SABS 1200 GA: CONCRETE (SMALL WORKS) PSGA:

#### PSGA 5.1.2: Welding

Welding of reinforcement and steel pipes is permitted.

## PSGA 5.4.1.6 Ready mixed concrete

Use of ready-mixed concrete is permitted and the manufacturer's quality control system will be acceptable.

#### **PSGA 5.4.7** Concrete Curing

Where suitable water for curing of the concrete is not readily available, the contractor is to allow for the use of an approved curing compound.

#### **PSH** SABS 1200 H: STRUCTURAL STEELWORKS

#### **PSH 3.1** Materials: Structural Steel

The various grades of steel to be used in the works are shown on the drawings.

#### PSH 5.1.2 **Drawings and Shop Details**

The Contractor shall be responsible to prepare shop drawings which will be issued to the Engineer for approval.

#### **PSHA** SABS 1200 HA: STRUCTURAL STEELWORKS (SUNDRY ITEMS)

None

Contract C60 of C86 C3.2 Part C3: Scope of Works

#### **PSHC** SABS 1200 HC: CORROSION PROTECTION OF STRUCTURAL STEELWORK

All structural steel, excluding purlins and girts shall receive the coating system specified below. All purlins and girts shall be hot dipped galvanized.

#### PSHC 5.4.3.1 Abrasive Blast Cleaning

Blast cleaning of steelwork shall be to SA2 minimum standard (commercial blast).

#### **PSHC 5.7** Coating System

The following coating system shall be applied by brush, roller or airless spray:

Primer: One Coat "Sigmacover ST", dry films thickness 75 microns.

<u>First Coat</u>: One coat "Sigmacover ST", dry film thickness 75 microns.

Finishing Coat: One coat "Sigmadur HS semigloss" dry film thickness 75 microns

#### **PSL SABS 1200 L: MEDIUM PRESSURE PIPELINES**

#### **PSL 7.3 Testing**

Confirm that the Contractor will be required to carry out the standard hydraulic pipe test with suitable testing equipment on all the pipelines.

#### **PSLB** SABS 1200 LB: BEDDING (PIPES)

#### PSLB 3 Materials

Materials for bedding shall be Class C to SABS 0102, free of organic materials and shall comprise "selected fill for bedding" or "fine granular" material.

"Selected fill for bedding" means a soil of granular nature with a PI less than 6 and shall not contain more than 10 % by dry mass of stones larger than the pipe wall thickness and shall be free of roots, vegetation and stones and lumps larger than 75 mm average dimension.

"Fine granular" means the same material except that at least 90 % by mass shall pass through a sieve having 4,5 mm square openings or a clean coarse sand as directed and not more than 10 % shall pass the 0,150 mm sieve.

#### **PSLB 3.4.2** Selective Excavation

It is expected that the selected granular material for the bedding, cradle and blanket are generally to be derived from the trench excavation, even if to be transported along the pipeline route. It is therefore important for the contractor to be selective during trench excavation, to ensure that suitable materials are not contaminated by unsuitable materials.

In addition, topsoil is to be stockpiled separately for later use in top soiling the trench route.

#### **PSM** SABS 1200 M: ROADS (GENERAL)

#### PSM 7 Testing

The costs of all prescribed testing must be included in the unit rate of the particular item to be tested.

#### **PSME SABS 1200 ME: SUBBASE**

#### **PSME 3.1** Materials

Contract Part C3: Scope of Works **Project Specifications**  Souther in Linit of a Free inter

## a) Segmented paved roads

Cemented natural gravel complying with the physical properties of C4 material shall be used. The subbase shall be compacted to 95 % Mod AASTHO and finished thickness shall not be less than 150 mm

## b) Segmented paved pedestrian areas

Natural gravel complying with the properties of category G6 material shall be used. The subbase shall be compacted to 93 % Mod AASTHO and finished thickness shall not be less than 100 mm.

Contract C62 of C86 C3.2
Part C3: Scope of Works Project Specifications

## **C3.3 PARTICULAR SPECIFICATIONS**

**PART C: Mechanical and Electrical** 

**PART D: Environmental Management** 

PART E: OHSA 1993 Health & Safety

## LIMPOPO DEPARTMENT OF AGRICULTURE AND RURAL DEVELOPMENT

# THE COMPLETION OF THE FISH PROCESSING PLANT AT TOMPI SELEKA AGRICULTURAL COLLEGE IN THE EPHRAIM MOGALE MUNICIPALITY OF THE SEKHUKHUNE DISTRICT IN LIMPOPO PROVINCE

## C3.3 PARTICULAR SPECIFICATIONS

In addition to the Standardised and Project Specifications the following Particular Specifications shall apply to this contract and are bound in hereafter.

PART C: Mechanical and Electrical
PART D: Environmental Management
PART E: OHSA 1993 Health & Safety

Contract C64 of C86 C3.3

## PART C: MECHANICAL and ELECTRICAL

## C1. PIPING AND FITTINGS

## C1.1 GENERAL

The piping and fittings shall conform to the requirements of the latest edition of the SABS or the BS referred to in the technical specifications. All materials shall be the best of their kinds and shall be suitable for working at the pressures and temperatures involved under all working conditions, without impairing the efficiency or reliability of the plant and the strength of its component parts.

The mild steel piping shall be fabricated and assembled in the workshop apart from selected on site work. Two coats of Epoxy pipe coating shall be applied internally and externally to a total minimum dry film thickness of 125 micron (if not galvanised).

Prefabricated piping sections shall be capable of being fitted into place without forcing. Loose flanges and cutting lengths shall be supplied to allow for minor alignment errors or plant location. All pipelines shall be cleaned internally.

The pipe sections shall be carried on suitably designed supports to ensure that no undue stresses are placed on adjoining pipe work and equipment. All flange bolt holes shall be spaced equally off centre, unless specified otherwise on arrangement drawings. Thread tape shall be used on all threaded fittings.

## C1.2 STEEL PIPES AND MALLEABLE IRON PIPES AND FITTINGS

The steel pipes and fabricated fittings shall comply with the requirements of SABS 719 and Butt weld fittings to ANSI B16.9 and BS 1640; or JIS B 2404-72 or SABS 62 and galvanised as required to SANS 121 (ISO 1461); where applicable.

## C1.3 FLANGES

Flanges shall comply with the requirements of SABS 1123 or BS10 latest edition.

Flanges designed for rated working pressures of less than 1600 kPa shall have flat flange faces and those for equal or greater working pressures raised flange faces.

It shall be the responsibility of the Contractor to ensure that the flanges on pumps, valves, fittings, specials and pipes, which shall be fitted together, are fully compatible. The flanges shall be drilled to the relevant Table or to match existing flange drilling if applicable.

Before the machined surfaces have become affected by rust, they shall be coated with a mixture of white lead and tallow or other approved protective composition.

## C1.4 FLEXIBLE COUPLINGS

Flexible couplings, where required, shall be approved type and manufactured and tested to the same pressure as the pipes with which they are to be used. Flexible suction pipelines should be able to withstand negative pressure of 80 kPa. Flexible couplings on the delivery side of the pumps should at least withstand a pressure equal to 1.5 times closed valve pump pressure in cases where that value exceeds the normal standard specification.

## C1.5 FLANGE JOINTING MATERIAL

All flange jointing material shall be approved by the Engineer before erection is commenced. Insertions for

Contract C65 of C86 C3.3
Part C3: Scope of Works Particular Specifications

flat flange faces shall be of the full flange diameter encompassing the bolts. Insertion for raised flanges shall fit neatly inside the bolt rings.

All packings must be cut from rubber insertions with a nominal thickness of 3,2 mm according to SABS 564-1973. The inside and outside diameters should be according to SABS 1123-1977.

## C1.6 BOLTS AND NUTS

All nuts, bolts, studs and washers shall comply with SABS 135:1985 and shall be Galvanized to SANS 121 (ISO 1461).

No bolts or studs of less than the required size shall be used. The length of each bolt shall be such that after tightening between one thread and one diameter in length projects through the nut and at least one full thread in addition to the thread run-out remains clear between the nut and the unthreaded shank. The threaded portion of bolts shall be clear of the shear plane.

## C1.7 GALVANISED PIPING AND FITTINGS EXPOSED TO SOIL AND AIR

All galvanising shall be done in accordance with SANS 121 (ISO 1461).

All galvanised surfaces which suffer damage during transport or erection, shall be made good with Zincfix paint. These coatings are to be applied strictly in accordance with the manufacturer's instructions and specially qualified painters are to be employed for this work.

Exposed galvanised piping is to be primed with a self-etching primer, followed by one coat of universal undercoating and two coats of high gloss enamel paint. Other galvanised surfaces are to be left unpainted. Coatings at joints and coatings that have been repaired shall be tested in the same manner as the first applied coatings over 100% of the area and shall in every way be to the satisfaction of the Engineer.

All galvanised piping and fittings exposed to the soil and air especially all exposed threads (i.e. air valve and lateral control valve manifolds) shall be painted with two coats of Bituprime.

## C1.8 THRUST AND ANCHOR BLOCKS

If there is any doubt regarding the suitability of the in-situ material at any location, the Contractor shall obtain approval from the Engineer prior to casting of thrust blocks.

## C2. VALVES

## C2.1 GATE VALVES

## **RESILIENT SEAL GATE VALVES**

Resilient seal gate valves (RSV) shall comply with SABS 664 (latest amendment) with classes and flanged drilling as described in the bill of quantities. Where plain ended valves are required, the ends shall be suitable for the type of pipe specified. The valves shall be designed for drop-tight closure over the full range of pressures from zero to maximum working pressure.

The valves shall be provided with a straight unobstructed body passage without pockets. The spindle seat shall consist of 2 nitrile rubber '0' rings located in a corrosion resistant housing. A wiper ring shall also be provided.

The gates shall be completely rubber covered. The gate guides shall be of tongue and groove type. Spindles shall be manufactured of solid stainless steel and shall be of the non-rising type. The body of the valve shall be coated to a minimum DFT of 250 microns.

Contract Data

Contract C66 of C86 C3.3

Unless otherwise specified caps for key operation will be required for buried valves and hand wheels on valves situated in accessible chambers. Extension spindles and brackets shall be provided where detailed and hand wheels shall be clearly marked with the direction of opening. All valves shall be clockwise closing. Gearing shall be chosen to limit the total effort at the hand wheel or valve key to 350 Newton.

## C2.2 BUTTERFLY VALVES

All butterfly valves must be provided with a gearbox and hand wheel mechanism and it must be possible to install the unit between flanges drilled according to SABS specifications. Valves are to have a stainless steel stem and are to incorporate a resilient disc seal mechanical retained around the periphery of the valve disc, unless otherwise specified in the detail specifications.

## C2.3 NON RETURN VALVES

General wafer type non return valves bolted between two flanges may have a cast iron body, but stainless steel plates having machined scaling faces, 316 stainless steel pin and springs, nitrile seat and teflon or similar bearing washers. Linear action, coaxial type non return valves may be wafer type or flanged as per detail specifications

## 3. GAUGES

## C3.1 GENERAL

Scale markings shall be radial, plain, straight, black lines on a white background and shall be spaced so that one scale division represents approximately 1% - 1,5% of the maximum scale in values of 1,2 and 5 multiplied by any power of 10.

On circular gauges the scale shall be concentric and the maximum and minimum scale values shall be at the bottom of the gauge, with the scale symmetrically disposed about the vertical centre line of the gauge.

The tip of the pointer shall be of such length and width that the gauge maybe read to a value within the accuracy of the gauge and shall preferably be of the knife edge type. The tip of the pointer shall be as close as practical to the dial.

All pressure connections shall be provided with an isolating cock of the type which has the handle in line with the bore of the cock when the cock is open.

## C3.2 PRESSURE GAUGES

Pressure gauges shall comply with BS 1780 or equivalent for Industrial Gauges, shall be calibrated in kilo Pascal and shall be not less than 100 mm diameter. Full-scale reading shall be between 1,5 and 2 time maximum actual operating pressure except where otherwise specified. All gauges shall be suitable for continuous operation and shall be liquid filled where fluctuations in pressure may cause damage.

Where a blockage of the gauge is possible, diaphragm seals with large bases and facility for cleaning shall be provided. This shall apply in all cases where liquids bearing solids or sludge are handled.

Gauges shall not be mounted directly on equipment subject to vibration.

For dry locations indoors, the casing may be plastic or epoxy coated aluminium. For damp indoor locations, and for all locations outdoors, the gauges shall be weatherproof and have AISI 316 stainless steel cases. Isolating and bleed cocks shall be provided for each pressure gauge.

Contract Data

Contract C67 of C86 C3.3

## C4 WELDING

## C4.1 GENERAL

This specification covers the gas and arc welding of butt and fillet and socket welds in piping. The welding may be done by shielded metal-arc welding, gas tungsten-arc welding, gas metal-arc welding or oxy acetylene welding process, using a manual semi-automatic or automatic welding technique or combination of these techniques.

No position welding will be allowed without written approval by the Engineer.

Metal arc welding shall be in accordance with BS 1856 or BS 2633 as applicable.

All oxy-acetylene welding and testing shall be in accordance with BS 1821 or BS2640 as applicable. The Engineer shall have the right to test any welds in the installation during the installation period or before final acceptance.

The Contractor shall at his expense cut out the required welds for testing and also re-weld the piping where such test pieces have been removed.

Welding Electrodes

Welding electrodes shall be in accordance with SABS 455.

Electrodes shall be stored and handled in accordance with the recommendations of the supplier and electrodes which are older than six months, shall not be used.

## C5. OPERATION AND MAINTENANCE MANUALS

The contractor prior to commissioning shall provide three copies of the Operation and Maintenance Manual. These manuals shall be of a standard acceptable to the Engineer and shall be subject to his approval. At least one set of manuals shall contain original copies.

Manuals shall be in English, shall be easy to use, practically and neatly presented, bound between plastic protected covers, clearly titled, well indexed and sectionalised and specifically applicable to the equipment supplied. Where standard manuals are used these shall be marked up to be unambiguously applicable to the equipment supplied. Drawings shall be held in plastic envelopes in the manual.

The manuals must contain the following:

- a) A description of the equipment supplied giving full details of name, manufacturer, model number, size design duty and design and performance data. This shall, inter alia, include the information called for in the Pump and Motor Data Forms – part of the bill of quantities.
- b) Descriptive and technical literature including clear and comprehensive performance curves specifically applicable to the equipment supplied. Re Pump curves and test certificates)
- c) Operating instructions supported by drawings, flow diagrams, explanatory sketches etc as may be necessary and including details of control and protection systems incorporated, and safety precautions which must be observed.
- d) Dimensional arrangement and layout drawings.

Contract C68 of C86 C3.3
Part C3: Scope of Works Particular Specifications

- e) A comprehensive lubricating schedule covering all equipment supplied with full details of recommended lubricants, initial fill lubricants used, capacities and lubrication periods.
- f) A comprehensive schedule of routine maintenance with timelines, for all equipment supplied.
- g) Assembly and disassembly instructions, supported by clear assembly and/or exploded view drawings.
- h) A comprehensive spare list for the equipment, complete referenced cross sectional drawings and indicating recommended spares. All information required for the ordering of spares to be given including manufacturer's part numbers, supplier's name and all identification information.
- Electrical circuit drawings.
- i) Copies of all Test Certificates.
- k) Documents, information and charts providing a full record of the results of the Tests on Completion.

## **C6. INSPECTION AND TESTING**

## C6.1 GENERAL

- a) The equipment supplied under this Contract shall be subject to inspection by the Engineer or his Nominated Agent at all stages of manufacture.
- b) The tests and commissioning procedure laid down below and such additional tests as the Engineer may reasonably require to prove compliance with the Specification shall be carried out at the Contractor's Works and at Site.
- c) The Contractor shall give reasonable notice of time and place in writing to enable the Engineer to inspect and witness tests of materials and equipment. He shall provide the Engineer with facilities for witnessing these tests and for any additional tests or inspection of any portion of the Works as required by the Engineer.
- d) The Contractor shall at his own cost render all assistance and supply all labour appliance and any other materials as the Engineer may require to check the setting out, measure up and inspect any portions of the Works at any stage during fabrication, construction, erection or painting. During such operations the Contractor shall if required suspend any or all of the Works without having claim for loss or damage as a result thereof.
- e) The testing of the plant (or a part thereof) supplied under this Contract shall be carried out through its full operating range (or part thereof) as required by the Engineer. All such tests and inspections and the necessary inspection facilities shall be provided at the Contractor's expense.
- f) At the commencement of and during the whole of Commissioning and Testing Periods, the Contractor shall have available on site all essential spares and tools considered necessary to enable repair work of defective parts to be carried out immediately in the event of a breakdown.
- g) The Contractor shall be responsible for the proper operation and maintenance of the plant throughout the period of the tests.
- h) Acceptance by the Engineer of any plant item, following such inspection or tests, shall not relieve

Contract C69 of C86 C3.3
Part C3: Scope of Works Particular Specifications

the Contractor of any obligations under this Contract.

## C6.2 TESTING BEFORE DELIVERY

- All items of plant are subject to inspection at the manufacturer's works before despatch.
- b) Materials, components and electric motors shall be tested for compliance with relevant British or South African standards and certificates submitted in triplicate.

## C6.3 TESTING AT SITE

### a) Welds

Welds shall be tested as required by the relevant Code of Practice.

Where the test pressure specified for individual items of equipment is less than the test pressure specified for the connecting pipe line the equipment shall be disconnected for the test and suitable make-up lengths of pipe work or plugged connections shall be installed to enable the pipe line tests to be carried out.

## b) Draining and cleaning

Upon completion of the pressure test on a section of pipe work the water used for testing shall be drained away as quickly as possible to remove as much dirt and dross. After completion of a pipe work circuit the circuit shall be flushed through to remove all pipe scale, dross and similar material.

The Contractor shall provide all necessary connections, by-pass pipes, temporary strainers, temporary make-up pieces, to enable the systems to be drained and cleaned.

## d. Alignment

Alignment checks of all driven machinery are required and shall be witnessed by the Engineer and the results recorded.

## e. Controls

All automatic control functions, alarm and safety cut-out devices shall be tested by operational or simulated tests and set-points and calibrations set and their settings recorded, all in the presence of the Engineer.

## f. Performance Tests

Tests shall be carried out on all plant items to check that they are capable of their rated performance.

Each test shall be witnessed by the Engineer and a signed certificate of approval shall be issued by the Engineer upon completion of the tests to his satisfaction.

## C6.4 TESTS ON COMPLETION

During completion of the balancing and commissioning of equipment the plant shall be brought into normal operation and the final adjustments of the equipment shall be made.

Thereafter the Tests on Completion in terms of the Conditions of Contract shall be carried out to ensure that the plant will fulfil the functions for which it has been designed.

Contract C70 of C86 C3.3
Part C3: Scope of Works Particular Specifications

Such tests shall include the following:

- a) Simulated tests for all alarm and safety cut out equipment to prove the operation of the equipment.
- b) Simulation tests on automatic controls to prove the ability of the controls to correct the conditions outside the required design parameters needs to be done by the Contractor. The tests shall be carried out by manually changing the desired values to produce an incorrect condition and then resetting the controls to the design conditions and checking the operation of valves, etc, to restore the design conditions.

The Contractor shall provide all necessary temporary measuring and recording equipment. The equipment shall be of a type generally used for this type of testing and shall be to the approval of the Engineer. All instruments shall be accurately calibrated before the tests begin.

On completion of the whole of the tests and when the Contractor is satisfied that the entire plant is operating satisfactorily and will fulfil the function for which it has been supplied, he shall submit to the Engineer triplicate copies of all test records and charts together with reports on all the tests called for in this Specification.

The Engineer shall reserve the right to ask for any reasonable additional tests or for the repetition of previous tests in order to prove that the operation of the plant is satisfactory and in accordance with the Specification and Drawings.

## C6.5 TEST CERTIFICATES

The Contractor shall provide three copies of test certificates for the installed pumps and materials and equipment specified for testing. Further copies are to be bound into the manuals to be supplied.

Contract C71 of C86 C3.3

## PART D: ENVIRONMENTAL MANAGEMENT SPECIFICATION

## D.1 General

In order to ensure that the construction works is carried out in an environmentally sensitive matter, strict compliance to the Environmental Management Plan (EMP) guidelines is required. The purpose of the EMP is to:

- Encourage good management practices through planning and commitment to environmental issues.
- Provide rational and practical environmental guidelines to:
  - i. Minimise disturbance of the natural environment,
  - ii. Prevent pollution of land, air and water,
  - iii. Prevent soil erosion and facilitate re-vegetation.
- Adopt the best practicable means available to prevent or minimise adverse environmental impact,
- Develop waste management practices based on prevention, minimisation, recycling, treatment or disposal of wastes,
- Train employees and contractors with regard to environmental obligations.

## D.2 Training and Induction of Employees

The Contractor has a responsibility to ensure that all those people involved in the project are aware of and familiar with the environmental requirements for the project (this includes subcontractors, casual labour, etc.). The EMP shall be part of the terms of reference for all contractors, sub-contractors and suppliers.

## D.3 Complaints Register and Environmental Incident Book

Any complaints received by the project team from the public will be recorded. The complaint should be brought to the attention of the site manager, who will respond.

The following information must be recorded:

- Time, date and nature of the complaint,
- ° Type of communication (telephone, letter etc),
- Name, contact address and telephone number of the complainant,
- Response and investigation undertaken and
- Actions taken and by whom.

All complaints received will be investigated and a response give to the complainant within 14 days.

All environmental incidents occurring on the site will be recorded. The following information will be provided:

- ° Time, date, location and nature of the incident,
- Actions taken and by whom.

## D.4 Site Cleanliness and Neatness

- Location of a construction camp is to be approved by the Engineer and is to be restored to its previous condition after completion of construction.
- The construction camp should preferably be fenced with a 1.8m bonnox fence or similar approved.
- All materials, equipment, plant and vehicles must be stored within the construction camp.
- A dedicated area must be made available for construction staff to change and store their personal belongings.

Contract C72 of C86 C3.3
Part C3: Scope of Works Particular Specifications

## D.5 Access

- Access to existing roads, schools, buildings, shop and residential properties must not be impeded during construction.
- Access roads utilised by the Contractor must be maintained in good condition.

## D.6 Borrow Pits

- Mining authorisations (permits) for borrow pits must be obtained from the Department of Minerals and Energy (DME) in consultation with the Department of Water Affairs and Forestry (DWAF).
- Spoil dumps resulting from borrow pits must not interfere with any natural surface drainage.
- Borrow pits must be rehabilitated after use in accordance with the requirements of DME and DWAF.

## D.7 Dust Control / Air Quality

- Dust suppression measures must be implemented during construction by ensuring that all surfaces prone to dust generation are kept damp (e.g. use of water tanker).
- Ensure that vehicles and equipment are in good working conditions and that emissions are not excessive.
- Ensure that vehicles and equipment are in good working conditions and that emissions are not excessive.
- Special care must be taken in areas where the route passes close to schools and residential areas.
- The speed of construction vehicles must be reduced.

## D.8 Fauna

Contractor staff may not chase, catch or kill animals encountered during construction.

## D.9 Fire Prevention and Control

- Smoking is prohibited in the vicinity of flammable substances.
- The contractor must ensure that fire-fighting equipment is available on site, particularly where flammable substances are being stored or used, and that construction staff are aware of where it is kept and how it is operated.
- Fires started for comfort (warmth) are prohibited, due to the risk of veld fires and risk to adjacent property owner's lands.

## D.10 Grave sites

Gravesites in close proximity to the road must not be disturbed during construction.

## D.11 Materials Handling and Spills Management

- Any hazardous materials to be used during construction (e.g. lime, fuel, paint, etc) are to be stored in a designated area at the campsite.
- The storage containers/facilities (including any diesel/petrol tanks) must be placed on an impermeable surface and surrounded by a bund wall, in order to ensure that accidental spillage does not pollute the environment.
- Workers must at all times be made aware of the health and safety risks associated with any hazardous substances used (e.g. smoking near fuel tanks), and must be provided with appropriate protective clothing/equipment in case of spillages or accidents.
- Ensure all staff and contractors undergo relevant training in the maintenance of equipment to prevent the accidental discharge or spill of fuel, oil, lubricants and other chemicals.
- Any spill of potentially hazardous materials must be cleaned up immediately (Potentially hazardous materials on site include paint, oil, grease, fuel, turpentine, etc).
- ° The area of contaminated soil or spill must be deposited into the hazardous waste

Contract C73 of C86 C3.3
Part C3: Scope of Works Particular Specifications

DISTRICT IN LIMPOPO PROVINCE

container(s).

- ° The contractor should keep Peat Sorb or a similar absorbent on site to clean up any spills.
- The absorbent must be stored in a designated area and be available for inspection.
- All spills are to be recorded in the environmental incident book.

### D.12 Noise

- Noise generating activities must be restricted to between 07h00 and 17h00 Monday to Friday, unless otherwise approved by the appropriate competent person in consultation with adjacent landowners/affected persons.
- All equipment, vehicles and machinery must be in good working conditions and be equipped with sound mufflers if necessary.
- Construction staff must be trained and made aware of not creating unnecessary noise such as hooting and shouting.

### D.13 Pollution Control

- Soil and water pollution through usage of fuel, oil, paint, bitumen or other hazardous substances must be avoided.
- All construction vehicles are to be maintained in good working order so as to prevent soil or water pollution from oil, fuel or other leaks, and to reduce noise pollution.

### D.14 Rivers and Streams

- During construction of bridge structures, there must be no obstruction of the water flow of rivers and streams.
- Excavated material must not be stockpiled on or near riverbanks, in order to prevent sedimentation occurring.
- Erosion control measures must be employed both during and after construction.
- No impediments to natural surface water flow, other than approved erosion control measures, must occur.

### D.15 Safety

- Safety measures, such as detour signs, must be implemented during construction to ensure the safety of workers, pedestrians and drivers/passengers in vehicles in the vicinity of construction work.
- Special care must be taken in the vicinity of schools to ensure the safety of children wishing to cross the road under construction.
- The relevant signage (e.g. speed control signs) must be erected alongside the road during the operation phase in order to control traffic.
- Accommodation must be made for pedestrian pathways alongside the road during the construction and operation phases.

### D.16 Soil Management

- Storm water drainage pipes must be installed alongside the road in all areas susceptible to soil erosion.
- Erosion should be minimised by the construction of meadow drains and the planting of indigenous vegetation on the side slopes and drains to reduce flow velocity of stormwater.
- Spoil from cuts may be used in existing erosion galleys.
- Stone pitching and gabions should be constructed at pipe culvert outlets.
- Accidental spills of contaminants onto the ground e.g. oil, concrete, fuel and chemicals should be removed together with the contaminated soil.
- If necessary an absorbent such as Peat Sorb should be used the aid in cleaning up the spill. The contaminated soil should be disposed of in an appropriate container, depending on its classification.
- Servicing and re-fuelling of vehicles must only be carried out at construction camp.

Contract C74 of C86 C3.3
Part C3: Scope of Works Particular Specifications

### D.17 Worker Conduct

Code of Conduct for Construction Personnel:

- Do not leave the construction site untidy and strewn with rubbish which will attract animal pests.
- Do not set fires.
- Do not cause any unnecessary, disturbing noise at the construction camp/site or at any designated worker collection/drop off points.
- Do not drive a construction-related vehicle under the influence of alcohol.
- Do not exceed the national speed limits on public roads or exceed the recommended speed limits on the site.
- Do not drive a vehicle which is generating excessive noise or gaseous pollution (noisy vehicles must be reported and repaired as soon as possible).
- Do not litter along the roadsides, including both the public and private roads.
- Do not pollute any water bodies (whether flowing or not).
- No member of the construction team is allowed to enter the areas outside the construction site.

### D.18 Traffic Disturbances and Diversions

- Any traffic diversions must be undertaken with the approval of all relevant authorities and in accordance with all relevant legislation.
- Wherever possible, traffic diversion must only take place on existing disturbed areas and remain within the existing road reserve.
- Traffic diversion routes must be rehabilitated after use.

### D.19 Vegetation

- Only vegetation falling directly on the route must be removed where necessary.
- Alien vegetation within the road reserve must be eradicated, and management measures must be implemented for future control of these species.
- Vegetation that has been removed from large areas (e.g. on traffic diversion routes) during construction must be replaced with indigenous vegetation after construction has been completed.

### D.20 Waste Management

- All general, non-hazardous waste must be placed in a skip container and disposed of at a registered waste disposal site.
- The container is to ensure that the portable toilet facilities at the campsite are properly maintained and in working order.
- ° No disposal, or leakage, of sewage must occur on or near the site.
- All hazardous waste (e.g. oil, plant empty lime bags, contaminated wash water, etc) must be stored in leakproof containers and disposed of a registered hazardous waste disposal site.
- The contents of waste storage containers must, under no circumstances, be emptied to the surrounding area. In general, littering, discarding or burying of any materials is not allowed on site or along the route.
- Adequate waste receptacles must be available at strategic points around the construction camp and site for all domestic refuse and to minimise the occurrence of littering.
- Concrete rubble must be collected and disposed of as directed by the Project Manager.
- Each working area must be cleared of litter and building waste (e.g. rubble, wood, concrete packets etc) on completion of the day's work.
- Any spill around the container(s) should be treated as per Section C11 and C16.

Contract C75 of C86 C3.3
Part C3: Scope of Works Particular Specifications

Contract Data

### PART E: OHSA 1993 HEALTH AND SAFETY SPECIFICATION

### E1 SCOPE

This specification covers the health and safety requirements to be met by the Contractor to ensure a continued safe and healthy environment for all workers, employees and subcontractors under his control and for all other persons entering the site of works.

This specification shall be read with the Occupational Health and Safety Act (Act No 85 and amendment Act No 181) 1993, and the corresponding Construction Regulations 2003, and all other safety codes and specifications referred to in the said Construction Regulations.

In terms of the OHSA Agreement in Section C1.2.4 of the Contract document, the status of the Contractor as mandatory to the Employer (client) is that of an employer in his own right, responsible to comply with all provisions of OHSA 1993 and the Construction Regulations 2003.

This safety specification and the Contractor's own Safety Plan as well as the Construction Regulations 2003, shall be displayed on site or made available for inspection by all workers, employees, inspectors and any other persons entering the site of works.

The following are possible risks associated with this project:

- Working with electrically powered equipment in the pump stations, with potential for electrical shock and fire.
- Working on the side of the tar road with the necessity of persons and equipment having to cross the road in face of oncoming traffic.
- Erection of travelling gun, with potential of electrical shock due to faulty electrical installations etc.
- Dusty conditions resulting from land clearing and preparation activities.
- Possibility of lightning strikes when electrical storms are prevalent during the summer months.
- Possibility of runaway veld fires resulting from burning of de-bushed vegetation.
- Potentially dangerous existing services, i.e. gas lines, water and sewage mains, electrical high voltage cables, buried and overhead
- Deep excavations in soils requiring shoring or reducing of slopes
- Blasting of hard rock or demolition of concrete
- High pressure during testing of the pipe lines, which could result in potentially dangerous situations in the event of the pipeline or fittings failing
- Movement of construction vehicles on site, taking into consideration steep slopes, other traffic and existing services
- Exposure to possible injuries due to mishandling or failure of power and hand tools
- Non-conformance to specifications with regards to fasteners and materials
- Risks related to general safety and security on site

Additional risks may arise from specific methods of construction selected by the Contractor which are not necessary covered in the above.

### E2 DEFINITIONS

For the purpose of this contract the following shall apply:

- (a) **Employer**" where used in the contract documents and in this specification, means the Employer as defined in the General Conditions of Contract and it shall have the exact same meaning as "client" as defined in the Construction Regulations 2003. "Employer" and "client" is therefore interchangeable and shall be read in the context of the relevant document.
- (b) "Contractor" wherever used in the contract documents and in this specification, shall have the same meaning as "Contractor" as defined in the General Conditions of Contract.

Contract C76 of C86 C3.3
Part C3: Scope of Works Particular Specifications

In this specification the terms "principal contractor" and "contractor" are replaced with "Contractor" and "subcontractor" respectively.

For the purpose of this contract the **Contractor** will, in terms of OHSA 1993, be the mandatory, without derogating from his status as an employer in his own right.

(c) "Engineer" where used in this specification, means the Engineer as defined in the General Conditions of Contract. In terms of the Construction Regulations the Engineer may act as agent on behalf of the Employer (the client as defined in the Construction Regulations).

### E3 TENDERS

The Contractor shall submit the following with his tender:

- (a) a documented Health and Safety Plan as stipulated in Regulation 5 of the Construction Regulations.
   The Safety Plan must be based on the Construction Regulations 2003 and will be subject to approval by the Employer;
- (b) a declaration to the effect that he has the competence and necessary resources to carry out the work safely in compliance with the Construction Regulations 2003;
- (c) a declaration to the effect that he made provision in his tender for the cost of the health and safety measures envisaged in the Construction Regulations.
- (d) Failure to submit the foregoing with his tender, will lead to the conclusion that the Contractor will not be able to carry out the work under the contract safely in accordance with the Construction Regulations.

### E4 NOTIFICATION OF COMMENCEMENT OF CONSTRUCTION WORK

After award of the contract, but before commencement of construction work, the Contractor shall, in terms of Regulation 3, notify the Provincial Director of the Department of Labour in writing if the following work is involved:

- (a) the demolition of structures and dismantling of fixed plant of height of 3,0m or more;
- (b) the use of explosives;
- (c) construction work that will exceed 30 days or 300 person-days;
- (e) excavation work deeper than 1,0m; or
- (f) working at a height greater than 3,0m above ground or landings.

The notification must be done in the form of the pro forma included under Section 9 (Forms to be completed by Successful Tenderer) of the tender document.

A copy of the notification form must be kept on site, available for inspection by inspectors, Employer, Engineer, employees and persons on site.

### E5 RISK ASSESSMENT

Before commencement of any construction work during the construction period, the Contractor shall have a risk assessment performed and recorded in writing by a competent person. (Refer Regulation 7 of the Construction Regulations 2003).

The risk assessment shall identify and evaluate the risks and hazards that may be expected during the execution of the work under the contract, and it shall include a documented plan of safe work procedures to mitigate, reduce or control the risks and hazards identified.

The risk assessment shall be available on site for inspection by inspectors, Employer, Engineer, subcontractors, employees, trade unions and health and safety committee members, and must be

Contract C77 of C86 C3.3
Part C3: Scope of Works Particular Specifications

monitored and reviewed periodically by the Contractor.

### E6 APPOINTMENT OF EMPLOYEES AND SUBCONTRACTORS

### E6.1 Health and Safety plan

The Contractor shall appoint his employees and any subcontractors to be employed on the contract, in writing, and he shall provide them with a copy of his documented Health and Safety Plan, or relevant sections thereof. The Contractor shall ensure that all subcontractors and employees are committed to the implementation of his Safety Plan.

### E6.2 Health and safety induction training

The Contractor shall ensure that all employees under his control, including subcontractors and their employees, undergo a health and safety induction training course by a competent person before commencement of construction work. No visitor or other person shall be allowed or permitted to enter the site of the works unless such person has undergone health and safety training pertaining to hazards prevalent on site.

The Contractor shall ensure that every employee on site shall at all times be in possession of proof of the health and safety induction training issued by a competent person prior to commencement of construction work.

### E7. APPOINTMENT OF SAFETY PERSONNEL

### **E7.1 Construction Supervisor**

The Contractor shall appoint a full-time **Construction Supervisor** with the duty of supervising the performance of the construction work.

He may also have to appoint one or more competent employees to assist the construction supervisor where justified by the scope and complexity of the works.

### E7.2 Construction safety officer

Taking into consideration the size of the project and the hazards or dangers that can be expected, the Contractor shall appoint in writing a full-time or part-time **Construction Safety Officer** if so decided by the Inspector of the Department of Labour. The Safety Officer shall have the necessary competence and resources to perform his duties diligently.

Provision shall be made by the Contractor in his rates, to cover the cost of this dedicated construction safety officer appointed after award of the contract.

### E7.3 Health and safety representatives

In terms of **Section 17 and 18 of the Act (OHSA 1993)** the Contractor, being the employer in terms of the Act for the execution of the contract, shall appoint a **health and safety representative** whenever he has more than 20 employees in his employment on the site of the works. The health and safety representative must be selected from employees who are employed in a full-time capacity at a specific workplace.

The number of health and safety representatives for a workplace shall be at least one for every 100 employees.

The function of health and safety representative(s) will be to review the effectiveness of health and safety measures, to identify potential hazards and major incidents, to examine causes of incidents (in collaboration with his employer, the Contractor), to investigate complaints by employees relating to health and safety at work, to make representations to the employer (Contractor) or inspector on general matters affecting the health and safety of employees, to inspect the workplace, plant, machinery etc. on a regular base, to participate in consultations with inspectors and to attend meetings of the health and safety

Contract C78 of C86 C3.3

committee.

### E7.4 Health and safety committee

In terms of Sections 17 and 18 of the Act (OHSA 1993) the Contractor (as employer), shall establish one or more health and safety committee(s) where there are two or more health and safety representatives at a workplace. The persons selected by the Contractor to serve on the committee shall be designated in writing.

The function of the health and safety committee shall be to hold meetings at regular intervals, but at least once every three months, to review the health and safety measures on the contract, to discuss incidents related to health and safety with the Contractor and the inspector, and to make recommendations regarding health and safety to the Contractor and to keep record of recommendations and reports made by the committee.

### **E7.5 Competent persons**

In accordance with the Construction Regulations the Contractor has to appoint in writing **competent persons** responsible for supervising construction work on each of the following work situations that may be expected on the site of the works.

- (a) Risk assessment and induction training as described in Regulation 7 of the Construction Regulations;
- (b) Fall protection as described in Regulation 8;
- (c) Formwork and support work as described in Regulation 10;
- (f) Excavation work as described in Regulation 11;
- (g) Demolition work as described in Regulation 12;
- (h) Scaffolding work as described in Regulation 14;
- (i) Suspended platform operations as described in Regulation 15;
- (j) Material hoists as described in Regulation 17;
- (k) Batch plant operations as described in Regulation 18;
- (I) Explosive powered tools as described in Regulation 19;
- (m) Cranes as described in Regulation 20;
- (n) Construction vehicle and mobile plant inspections on a daily basis by a competent person as described in Regulation 21(1);
- (o) Control of all temporary electrical installation on the construction site as described in Regulation 22;
- (p) Stacking and storage on construction sites as described in Regulation 26; and
- (q) Inspections of fire equipment as described in Regulation 27.

A competent person may be appointed for more than one part of the construction work with the understanding that the person must be suitably qualified and able to supervise at the same time the construction work on all the work situations for which he has been appointed.

The appointment of competent persons to supervise parts of the construction work does not relieve the Contractor from any of his responsibilities to comply with **all** requirements of the Construction Regulations.

### E8. RECORDS AND REGISTERS

In accordance with the Construction Regulations the Contractor is bound to keep records and registers related to health and safety on site for periodic inspection by inspectors, the Engineer, the Employer, trade union officials and subcontractors and employees. The following records and registers must be kept on site and shall be available for inspection at all times.

- (a) A copy of the OHSA 1993 Construction Regulations 2003;
- (b) A copy of this Health and Safety Specification;
- (c) A copy of the Contractor's Health and Safety Plan (Regulation 4);
- (d) A copy of the Notification of Construction Work (Regulation 3);
- (e) A health and safety file in terms of Regulation 5(7) with inputs by the Construction Safety Officer (Regulation 6(7));
- (f) A copy of the risk assessment described in Regulation 7;

Contract C79 of C86 C3.3
Part C3: Scope of Works Particular Specifications

THE COMPLETION OF THE FISH PROCESSING PLANT AT TOMPI SELEKA AGRICULTURAL COLLEGE IN THE EPHRAIM MOGALE MUNICIPALITY OF THE SEKHUKHUNE DISTRICT IN LIMPOPO PROVINCE

- (g) A full protection plan and the corresponding records of evaluation and training of employees working from elevated positions as described in Regulation 8;
- (h) Drawings pertaining to the design of structures (Regulation 9(3)) and formwork and support work structures (Regulation 10(d)) must be kept on site;
- (i) Pronouncement of the safety of excavations must be recorded in a register to be kept on site (Regulation 11(3)(h));
- (j) A copy of the certificate of the system design for suspended platforms (Regulation 15(3));
- (k) A notice must be affixed around the base towers of material hoists to indicate the maximum mass load, which may be carried at any one time by material hoists (Regulation 7(5));
- (I) Maintenance records of material hoists and inspection results must be kept in a record book to be kept on site (Regulation 17(8)):
- (m) A record of any repairs to or maintenance of a batch plant must be kept on site (Regulations 18(9));
- (n) A warning notice must be displayed in a conspicuous manner when and wherever an explosive powered tool is used (Regulation 19(2));
- (o) A register for recording of findings by the competent person appointed to inspect construction vehicles and mobile plant (Regulation 21(1)(j)).

### **E9.** CONTRACTORS RESPONSIBILITIES

For this contract the Contractor will be the mandatory of the Employer (Client), as defined in the Act (OHSA 1993), which means that the Contractor has the status of employer in his own right in respect of the contract. The Contractor is therefore responsible for all the duties and obligations of an employer as set out in the Act (OHSA 1993) and the Construction Regulations 2003.

Before commencement of work under the contract, the Contractor shall enter into an agreement with the Employer (Client) to confirm his status as mandatory (employer) for the contract under consideration.

The Contractor's duties and responsibilities are clearly set out in the Construction Regulations 2003, and are not repeated in detail but some important aspects are highlighted hereafter, without relieving the Contractor of any of his duties and responsibilities in terms of the Construction Regulations.

(a) Contractor's position in relation to the Employer (Client) (Regulation 4)

In accordance with Section 4 of the Regulations, the Contractor shall liaise closely with the Employer or the Engineer on behalf of the Employer, to ensure that all requirements of the Act and the Regulations are met and complied with.

(b) <u>The Principal Contractor and Contractor</u> (Regulation 5)

The Contractor is in terms of the definition in Regulation 2(b) the equivalent of Principle Contractor as defined in the Construction Regulations, and he shall comply with all the provisions of Regulation 5.

Any subcontractors employed by the Contractor must be appointed in writing, setting out the terms of the appointment in respect of health and safety. An independent subcontractor shall however provide and demonstrate to the Contractor a suitable, acceptable and sufficiently documented health and safety plan before commencement of the subcontract. In the absence of such a health and safety plan the subcontractor shall undertake in writing that he will comply with the Contractor's safety plan, the health and safety specifications of the Employer and the Construction Regulations 2003.

(c) <u>Supervision of construction work</u> (Regulation 6)

The Contractor shall appoint the safety and other personnel and employees as required in terms of Regulation 6 and as set out in paragraph 7 above. Appointment of those personnel and employees does not relieve the Contractor from any of the obligations under Regulation 6.

Contract C80 of C86 C3.3
Part C3: Scope of Works Particular Specifications

### (d) Risk assessment (Regulation 7)

The Contractor shall have the risk assessment made as set out in paragraph 7 above before commencement of the work and it must be available on site for inspection at all times. The Contractor shall consult with the health and safety committee or health and safety representative(s) etc. on a regular basis to ensure that all employees, including subcontractors under his control, are informed and trained by a competent person regarding health hazards and related work procedures.

No subcontractor, employee or visitor shall be allowed to enter the site of works without prior health and safety induction training, all as specified in Regulation 7.

### (e) Fall protection (Regulation 8)

Fall protection, if applicable to this contract shall comply in all respects with Regulation 8 of the Construction Regulations.

### (f) Structures (Regulation 9)

The Contractor will be liable for all claims arising from collapse or failure of structures if he failed to comply with all the specifications, project specifications and drawings related to the structures, unless it can be proved that such collapse or failure can be attributed to faulty design or insufficient design standards on which the specifications and the drawings are based.

In addition the Contractor shall comply with all aspects of Regulation 9 of the Construction Regulations.

### (g) Formwork and support work (Regulation 10)

The Contractor will be responsible for the adequate design of all formwork and support structures by a competent person.

All drawings pertaining to formwork shall be kept on site and all equipment and materials used in formwork, shall be carefully examined and checked for suitability by a competent person.

The provisions of Regulation 10 of the Construction Regulations shall be followed in every detail.

### (h) Excavation work (Regulation 11)

It is essential that the Contractor shall follow the instructions and precautions in the Standard Specifications and Project Specifications as well as the provisions of the Construction Regulations to the letter as unsafe excavations can be a major hazard on any construction site. The Contractor shall therefore ensure that all excavation work is carried out under the supervision of a competent person, that inspections are carried out by a Professional Engineer or Technologist, and that all work is done in such a manner that no hazards are created by unsafe excavations and working conditions.

Supervision by a competent person will not relieve the Contractor from any of his duties and responsibilities under Regulation 11 of the Construction Regulations.

### (i) Demolition work (Regulation 12)

Whenever demolition work is included in a contract, the Contractor shall comply with all the requirements of Regulation 12 of the Construction Regulations. The fact that a competent person has to be appointed by the Contractor does not relieve the Contractor from any of his responsibilities in respect of safety of demolition work.

Contract C81 of C86 C3.3

### (j) <u>Tunnelling</u> (Regulation 13)

The Contractor shall comply with Regulation 13 wherever tunnelling of any kind is involved.

### (k) Scaffolding (Regulation 14)

The Contractor shall ensure that all the provisions of Regulation 14 of the Construction Regulations are complied with. [Note: Reference in the Regulations to "Section 44 of the Act" should read "Section 43 of the Act"].

### (I) Suspended platforms (Regulation 15)

Wherever suspended platforms will be necessary on any contract, the Contractor shall ensure that copies of the system design issued by a Professional Engineer are submitted to the Engineer for inspection and approval. The Contractor shall appoint competent persons as supervisors and competent scaffold erectors, operators and inspectors and ensure that all work related to suspended platforms are done in accordance with Regulation 15 of the Construction Regulations.

### (m) Boatswain's chains (Regulation 16)

Where boatswain's chains are required on the construction site, the Contractor shall comply with Regulation 16.

### (n) Material Hoists (Regulation 17)

Wherever applicable, the Contractor shall comply with the provisions of Regulation 17 to the letter.

### (o) Batch plants (Regulation 18)

Wherever applicable, the Contractor shall ensure that all lifting machines, lifting tackle, conveyors, etc. used in the operation of a batch plant shall comply with, and that all operators, supervisors and employees are strictly held to the provisions of Regulation 18. The Contractor shall ensure that the General Safety Regulations (Government Notice R1031 of 30 May 1986), the Driven Machinery Regulations (Government Notice R295 of 26/2/1988) and the Electrical Installation Regulations (Government Notice R2271 of 11/10/1995) are adhered to by all involved.

In terms of the Regulations, records of repairs and maintenance shall be kept on site.

### (p) Explosive powered tools (Regulation 19)

The Contractor shall ensure that, wherever explosive-powered tools are required to be used, all safety provisions of Regulation 19 are complied with.

It is especially important that warning notices are displayed and that the issue and return of cartridges and spent cartridges be recorded in a register to be kept on site.

### (q) Cranes (Regulation 20)

Wherever the use of tower cranes becomes necessary, the provisions of Regulation 20 shall be complied with.

## (r) Construction vehicles And mobile plant (Regulation 21

The Contractor shall ensure that all construction vehicles and plant are in good working condition and safe for use, and that they are used in accordance with their design and intended use. The vehicles and plant shall only be operated by workers or operators who have received appropriate training, all in accordance with all the requirements of Regulation 21.

All vehicles and plant must be inspected on a daily basis, prior to use, by a competent person and the findings must be recorded in a register to be kept on site.

Contract C82 of C86 C3.3
Part C3: Scope of Works Particular Specifications

### (s) <u>Electrical installation and machinery on construction sites</u> (Regulation 22)

The Contractor shall comply with the Electrical Installation Regulations (Government Notice R2920 of 23 October 1992) and the Electrical Machinery Regulations (Government Notice R1953 of 12 August 1993). Before commencement of construction, the Contractor shall take adequate steps to ascertain the presence of, and guard against dangers and hazards due to electrical cables and apparatus under, over or on the site.

All temporary electrical installations on the site shall be under the control of a competent person, without relieving the Contractor of his responsibility for the health and safety of all workers and persons on site in terms of Regulation 22.

### (t) <u>Use of temporary storage of flammable liquids on construction sites</u> (Regulation 23)

The Contractor shall comply with the provisions of the General Safety Regulations (Government Notice R1031 of 30 May 1986) and all the provisions of Regulation 23 of the Construction Regulations to ensure a safe and hazard-free environment to all workers and other persons on site.

### (u) Water environments (Regulation 24)

Where construction work is done over or in close proximity to water, the provisions of Regulation 24 shall apply.

### (v) Housekeeping on Construction sites (Regulation 25)

Housekeeping on all construction sites shall be in accordance with the provisions of the environment Regulations for workplaces (Government Notice R2281 of 16 October 1987) and all the provisions of Regulation 25 of the Construction Regulations.

### (w) Stacking and storage on construction sites (Regulation 26)

The provisions for the stacking of articles contained in the General Safety Regulations (Government Notice R1031 of 30 May 1986) as well as all the provisions Regulation 26 of the Construction Regulations shall apply.

### (x) Fire precautions on construction sites (Regulation 27)

The provisions of the Environmental Regulations for Workplaces (Government Notice R2281 of 16 October 1987) shall apply.

In addition the necessary precautions shall be taken to prevent the incidence of fires, to provide adequate and sufficient fire protection equipment, sirens, escape routes etc. all in accordance with Regulation 27 of the Construction Regulations.

### (y) Construction welfare facilities (Regulation 28)

The Contractor shall comply with the construction site provisions as in the Facilities Regulations (Government Notice R1593 of 12 August 1988) and the provisions of Regulation 28 of the Construction Regulations.

### (z) Non-compliance with the Construction Regulations 2003

The foregoing is a summary of parts of the Construction Regulations applicable to all construction projects.

The Contractor, as employer for the execution of the contract, shall ensure that all provisions of the Construction Regulations applicable to the contract under consideration are complied with to the letter.

Should the Contractor fail to comply with the provisions of the Regulations 3 to 28 as listed in Regulation 30, he will be guilty of an offence and will be liable, upon conviction, to the fines or

Contract C83 of C86 C3.3
Part C3: Scope of Works Particular Specifications

imprisonment as set out in Regulation 30.

The Contractor is advised in his own interest to make a careful study of the Act and the Construction Regulations as ignorance of the Act and the Regulations will not be accepted in any proceedings related to non-conformance to the Act and the Regulations.

### E10. MEASUREMENT AND PAYMENT

### E10.1 Principles

It is a condition of this contract that Contractors, who submit tenders for this contract, shall make provision in their tenders for the cost of all health and safety measures during the construction process. All associated activities and expenditure are deemed to be included in the Contractor's tendered rates and prices.

### (a) Safety personnel

The Construction Supervisor, the Construction Safety Officer, Health and Safety Representatives, Health and Safety Committee and Competent Persons referred to in clauses 7.1 to 7.5 shall be members of the Contractor's personnel, and no additional payment will be made for the appointment of such safety personnel.

### (b) Records and Registers

The keeping of health and safety-related records and registers as described in 8 is regarded as a normal duty of the Contractor for which no additional payment will be considered, and which is deemed to be included in the Contractor's tendered rates and prices.


Contract C84 of C86 C3.3

**PART C 4: SITE INFORMATION** 


**C4.1: LOCALITY PLAN** 


Contract Part C4: Site information


## C4.1 LOCALITY PLAN



Locality Map showing the location of Tompi Seleka Agricultural College







	LL DIAJA IFYCE VINWUM TALL FOLMADMUM FALL FO. LLWASTE OPES AND SOLI FFEET TO BE FULLY ACCESSILE ALONG BATHE LENGTH OF THE PP.	LE PLANTING AND DRANACE WORK AND NETWOLFFULLY WORK SANDORY HITH CESTO DOMEN'T WITH THE FELLENME LOCAL AUTHORITY BY CAMES, REGULATIONS AND EQ. HEMBYTY.	AZAR, MURRALHEDIANIONE. DRAINAGE NOTES:	VOICE REAGHER FROM A LINE ASSAULTED TO DEFACE HEET ON CANTER THE MENT TO AN ACCULANCE OF CANTER THE MENT OF MANY	NOTES:	100   100	TO COLOUR SERVICE MONOR OF COL
	The state of the s	the cross yet are between an another processing state of the processing state	The control of the co	A CAN	The Control of the Co		
	Ellipsi per grant general propertion with natural variants and statement of the control of the c	The state of the control was a state of the control	The companion of the co	A CAN AND AND AND AND AND AND AND AND AND A	THE COLUMN TO SECURIO DE LE LEGION I DESCRIPTION DE LE LEGION I DESCRIPTION DE LE LEGION I DE LEGION DE LE	DATE	REVISION
	Figure 1 and	The control of the co	The property of the property o	A Company of the property of a research of the property of the propert	MEAN NOTES  WENNEN  WENNEN NOTES  WENNEN  WENNEN	INEER'S	ž 5
WORK TO	TO SERVICE THE THE THE THE THE THAT THE THE THE THE THE THE THE THE THE TH	THE CONTROL OF THE CO	The control of the co	A Company of the property of t	THE COLUMN TO SECURIO DE LE LEGISLE DE LEGIS	SHALE O.E.	ALTORIUS SAME ROW ONDER E FUED WITH BABLY AND BATORICEVEL AND BOS - BNO OF S.E.DA. BETORICEVEL AND BOS - BNO OF S.E.DA. BETORICEVEL AND BOS - BNO OF S.E.DA. BETORICEVEL AND BOS - BNO OF S.E.DA.
OF SAR WORK TO WORK TO	TO DIS INCOLOR, AND EXPENSION AND INVESTIGATION AND DISPOSATION AND DISPOSATION AND DISPOSATION AND DISPOSATION AND DISPOSATION AND DISPOSATION AND AND AND AND AND AND AND AND AND AN	in colori per Warm, Austra and Au	The Application of the Applicati	Control of the contro	THE COLUMN TO SECURIOR TO SECURIOR THE SECURIOR THAN A SECURIO	DNOSETE ALL	COLNONG LEVELS. PRIMS UNDER BUILDINGS OF POOTINGS TO BE ENGASED IN FORMINDO ACTHE FIRE.
THE ABOVE THE PROPERTY OF THE PROPERTY AS A PROPERTY OF THE PROPERTY O	E TO BERROM ESTAT PREPY BBOU JUNCTION AND CHANGEN DIRECTION AND EMBY ETER WITH MAKED CANGELAT GROUN, LEVEL. LLINGETERFERETHTINGS TO HAVE APPROVED RESEAUTIANS.	IL DOWN FIRST WINDOW, WILL DO MANIMUM, MILL TO.  WANTED FROM THE WORLD AFFECT OF THE WOODSHIPE A GLOSS BY THE PROPERTY OF THE PROPERTY OF THE WINDOW, AND THE WOODSHIP AND THE PROPERTY OF THE WINDOW, AND SEE WHE HITTON TO THAT A WANTED FIRST WINDOW.	The Annual Properties of the Annual Properties	A CAN AND AND AND AND AND AND AND AND AND A	The CHAIN CONTROLLED BY AND A LIBRORY	NO Box ABOV	PHE CULTURE TO DE MAY BANDONE ANY OUTNIC.  ATH ENCLOSURES TO HAVE ACCESS TANELS.  FYS. TO RETTARRED AND WITH SUITABLE OUTLY CONTINUED BY
A T FOUR TO RAIL AND AND OBJECT.  WITH STATE OF THE AND AND OBJECT OF THE AND OBJECT		LL DIANT FFCS VANUE TALL FOLMMUNTALL FO. LLWASTE PIPES AND BOLL HERS TO BE FULLY MODERALE ALONG BYTHE LENGTH OF THE PP.	THE ADMINISTRATION OF PROMISE THE ADMINISTRATION OF SANDRY THE GOT OF ADMINISTRATION OF THE ADMINISTRATION OF	Activities to analyze and the second	THE MATER AND THE SECOND COLUMN THE SECOND COLUM	NAND BABBY	
The control of the co	STEEN STEEN AND FRIENDEN THE REPRESENTATION TO THE AGGREGATE THE REPRESENTATION OF THE REGISTERS AND THE AGGREGATE AND THE REGISTERS AND THE AGGREGATE AGGRE	VO CERSON HAND THAN A THE ACCUSANCE OF T	VY OUR TIPS JUB NO TOWN A LINE AROYENJIER DE SPORTED TO THE AROHITECT ON OLANIE PER NOCET ONLY WORK BY FOLKNI WAS A TOWN ON THE SPORTED TO THE AROHITECT OF THE AROUND THE SPORTED TO THE SPORTED THE		THE ALL STORY IN THE STORY IN T	. «	The state of the s
TO CONTROL TO THE PROPERTY OF	an Larder Looper and an easy of the property of the state	LE ELANDE NOMELINGS MIN DES SARS SOCIONEN LA LES LES LES OF OF EIRS ALCHDORING MIN THE SPROVENT OF THE RESIDENT SCALLEN SECOND CAN WORKE OF ON INN. LALLY OR ANY WIERE AGAIN ON THOSP WINNESS OF ONE VIEL - THE RELEVANT ALS NO HEAR SHEEK HARRINGS.	IL DIAGNOS NOCIMETANOS WITH DES SINES TRANSPORTATION LAND TE DEBILITATION OF OPERATIONS TO THE ABOUT THE ABOUT TO THE ABOUT TH	LE GLACING IN CURPLIANCE MEH DBB EARS YOUGHMEN LALES LEDHION	THE COUNTY OF TH	MS DOORS FD D P D S.	And Anderson
TO STATE OF THE PARTY OF THE PA	The Action of th	which is considered with a Part of the Considered with a management of the Considered with a managemen	OTHER ONLY ALL STEPS WAS A TO BE A STEPS OF THE A S	MANNEY DE L'INTERNET MINT S'ERFET FORDAT MEN PROSENT DE L'ARRONNE POSSI COTHET CINÈME NE YESTAME MAILE SOMFY MALLES FORDE DE L'ARRONNE PROSENT POR DE L'ARRONNE POSSI DE L'ARRONNE POSSI DE L'ARRONNE POSSI PER POSSI DE RESERVE, A POSSI PER POSSI DE L'ARRONNE POSSI PER POSSI DE L'ARRONNE POSSIT DE L'ARRONNE POSSI DE L	MEDIA MOTION CONTROL SECURIO S	AND IG	The control of the co
A CONTROLLED CONTROLLE	A conception and advantage of the conception and advantage of	A continue and a cont	As the content of particles and an articles and an articles and articles articles and articles and articles and articles and articles and articles are articles a	Accordance of course, which have the heart and course of course of course of course, which have the heart and course of course	The control services to the control	wo rtoka	Secretary approaches the property of the prope
And the control of th	A company of the control of the cont	We prepare the property of the	An interface and an interface of the control of the	As The Residence of the Control of t	Here the transmission of the factors are sense to the Here that a sense t	C-178CT	Propagation and produce in control country of programming and produced
Secretary and the control to compare the c	When the property is compared to a memorar to the first property of the proper	And the properties of the prop	And the control of th	The control of the co	THE PROTECT OF EMPIRICAL SECTION CONTROL TO THE PROPERTY OF T	CMPLDAGE FACE TO FICHS AND	The property of the property o
The company of the co	The company of the co	The control of the co	The control of the co	The properties of the properti	NEPAL NOTES: NEPAL	WC 10	The property control of the control
The Company of the Co	The CHARLES AND	The CHARLIS OF THE CHARLES OF THE CH	The Company of the property of the property of the Company of the	The Company of the Co	TIDENT AND RIGHT OF REPRODUCTION OF THE CHANNO IS A SHEWED AN THE HERD.	NO.AL.	The control of the co
CONTROLLED AND TITLES  THE CONTROLLED AND TITLES	PROBLEM, NOTICES,  TO CONTROLL OF THE STATE	PROBLEM, NOTICES,  TO STATE OF THE STATE OF	PROBLEM, NOT THE SA.  TO SHARP OF A REAL PROPERTY OF THE SALE OF T	PROBLEM, DOTTORS.  TO STATE THE PROBLEM OF THE PROB			MEMORA ACIDIS AC

E E	DATE						l										
STRUCTURAL CO	NO REVISION																

DRAWINGS	
ENDER DI	


# TENDER DRAWINGS ALL STRUCTURAL CONCRETE WORK TO ENGINEER'S DESIGN AND SPECHCATION





PLANT
Tompi Seleka College of Agriculture


Eloor Plan - Plan View


	104	17027 - 004
APPROVED		ряслестичивея МР4032
DRAWN CHECKED Author Checker		SCALE As indicated


















-



the company of the control is control to the control in the contro ALL DATINGTORS TO GREEK 2TM JS 6-20% ON "19 DOMAIN SKEED ON THE WASHINGTON TO THE WASHINGTON THE WASHINGTON TO THE WASHINGTON THE PROPERTY OF STREAM THE STREAM B. STREAM B. STREAM D. P. THE PROPERTY OF THE STREAM D. P. THE STREAM D. P. THE STREAM D. P. THE STREAM D. P. THE STREAM B. THE STREAM B AGICG TO VEHEY ALLENGS. HEGHTS AND DVEKKENS ON STE AND TO CAME AGAIN ON THE STAMP GLICE TO PUTTING MYTWO TO YOUR DIAGO.

The state of the s

ALL STRUCTURAL CONCRETE WORK TO ENGINEER'S DESIGN AND SPECIFICATION

## TENDER DRAWINGS


ALL STRUCTURAL CONCRETE WORK TO ENGINEER'S DESIGN AND SPECIFICATION



PLANT
Tompi Seleka College of Agriculture

Detailed Floo	omers Detailed Floor Plan - Dry Area	Area	
SCALE		DRAWN	CHEC
8	19,09.17	Author	Chack

EN	HE.	inc	NO	тнеис	Hisbelor9/ 8	
		СНЕСКЕВ	Chacker		$\triangleleft$	
		DRAWN	Author	APPROVED		
		DATE	19.09.17	MP4032	013	
		SCALE	100	PROJECT NUMBER	17027 - (	



	Electrical Equipment Schedule	pment S	chedule
No.	ltem	ð	Comments
G250	Diesel Emergency Power Generator: CGi-C110 6BT5.9G2,	-	With DSE 7320 Automatic Mains Failure with RS232/458+CANbus & ATS
	400V/230V		panel with motorised change over switch 100A
E68	Panel: Power Panel	-	IP65 rating
E69	Panel: Power Panel	-	IP65 rating
E70	Panel: Power Panel	-	IP65 rating
E72	Side Channel Blower: CR ELEC S.A HB529	-	Mixed Flow Inline Vertical Mount Belt Drive Arrangement 9
E71	Water Heater: Kwikot 250 litre	-	Procel Quality Seal
E73	Water Heater: Kwikot 250 litre	-	Procei Ouality Seal

	Mounting Height																		200
	Height					645	645	750			289								
	Leve		E	Æ	Ę	표	FFL	Æ	Æ	Æ	FFL		FF	FFL	FFL	FFL	FFL	FFL	Ę
e Schedule	Comments		Volume = 30m³ 1000kg produce from 18°C to -20°C for storage	Volume = 30m³. Freezer (Min -20°C)	Volume = 30m³. Normal cold storage (Min -2°C)	Volume = 30m³. 1000kg produce from 18°C to -20°C for storage	Volume = 30m3 Freezer (Min -20°C)	Volume = 30m3. Normal cold storage (Min - 2°C)	Office floor area = 20m². Average Room temp. 8 °C	Pro-rata of wet and dry floor area = 25.5m². Average Room temp. 8°C	Pro-rata of wet and dry floor area = 25.5m². Average Room temp. 8°C	150Vh	IP55 rating. Gewiss GW27833 or similar	IP55 rating. Gewiss GW27835 or similar	SABS 164, IEC 60884	SABS 164, IEC 60884	SABS 164, IEC 60884	IP55 rating, GW66204 or similar	According to: "NRCS regulation for Fish" and "Foodstuffs, Cosmetics and Disinfectants Act,
a Fixtur	Oth		-	2	-	-	2	-	-	co	9	9	9	9	2	7	-	50	2
Electric	Spesification		Model DJ-23.9/140 - Africhill	Model DD-27.3/140 - Africhill	Model DM-22-4/105 - Africhill	XJB40LBBY - Africhill	XJQ10LBGY Africhill	XJB05MBG - Africhill	18000 BTU	24000 BTU	Inverter Indoor Unit	Model GT-SKR 020B-07	Double Pole - Water Proof	Single Pole - Water Proof	Double Pole - Interior	Double Interior	Double Exterior	Double - Water Proof	PHT Air Wolf V720
	Item		Fan Coil Unit - Blast Freezer	Fan Coil Unit - Deep Freezer	Fan Coil Unit - Cold Room	Evaporator Compressor - Blast Freezer	Evaporator Compressor - Deep Freezer	Evaporator Compressor - Cold Room	External Split System Unit	External Split System Unit	Daikin Fan-Coil	Kwikot Heat Pump	Switch - Double Pole	Switch - Single Pole	Switch - Double Pole	Dbl Socket - Switched	Dbl Socket - Switched	Dbl Socket - Switched	E66 - E67 Touchless Hand-Dryer
	No.		<u></u>	E2 - E3	E4	ES	E6 - E7	82	E3	E10 - E14	E15 - E20	E21- E23	E24 - E29	E30 - E35	E36 - E37	E38 - E44	E45	E46 - E65	E66 - E67
	Electrical Fixture Schedule	Electrical Finture Schedule   Comments   Lovel   Height	Electrical Fixture Schedule Comments Level Height Height	Electrical Fluture Schedule   Comments   Level   Height   Height   Fan Col Unit - Blast Freezer   Model DuZs 9/140 - Alrichill   Volume = 30m², 1000Ng produce from 18°C to FPL   Page   FPL   Page   FPL   Page   Page	Electrical Fixture Schedule   Spesification   Coty   Comments   Level   Height	Electrical Fauture Schedule   Comments   Level   Height	Electrical Fouture Schedule   Spesification   CM	Electrical Frature Schodule   Comments   Level   Height	Electrical Fouture Schedule   Spesification   Cay   Comments   Level   Height	Electrical Frature Schedule   Spesification   Obj.   Schedule   Comments   Level   Height	Fam Cod Unit - Blast Freezer	Speaification   Cay   Comments   Level   Height	Specification   Specification   Comments   Comments	Electrical Fixture Schedule   Commants   Level   Height	Perepte   Spesification   Clay   Comments   Level   Height	Spesification   Spesification   Comments   Comments	Spesification   Spesification   Commants   Commants	Spesification   Spesification   Comments   Comments	Spesification   Cay   Commants   Level   Height

NOTES:
SUPPLIEST AND SERVICES REPRODUCTION OF THE CAMMER IS TREATED IN THE
THE DOWNED IS NOT TO BE SOULD. FRUITE TAMORETOR RE-SEDUCIN. TAMOR.
CONTRACTOR IS RESPONSED. FOR CONTRACT SETTING OUT OF THE BALLDING ALL EXTERNAL AND INTERNAL WALLS IN THE PARTICULAR REFERENCE TO BUILDING JAES BUILDING JAES AND
DEWTACTOR TO MEMBY ALLENESS, HEIGHTS AND DIMENSIONS ON RITE AND TO DISCUSS AND ADMINISTRATION OF WHITHOUSE WAS WORTH WAS
AND DESCRIPTIONS TO DESCRIPTION STATES AND CATEGORY AND COMMENSATION OF STATES AND STATE
ANY ERROR DECREPANCIES OF CANNESCORS TO BE REPORTED TO THE JAC - ITECT NAMEDITIES.
HAN. THENSENS TO BE TAKEN ON SHE BEFORE OF STINKS, SUPPLYING MID TRING PROSESSED FROM DEPARTOR PETERS.
DOW HAZDONS ARE DOLDCA I AND LIENDER HAZDON BENNOTES ON STEAM TO PROJECT THESE FROM DAMAGE THROUGHOUT THE DUBATION OF THE WORKS.
CENTACTORS ATTO OULD IN DATES WHICH IS TO AND THOSE AND SHOWN ON BOOKS ON OTHER STORMAND TO ANALYSIS A GRAPH FEOR AND TO ALL WITHOUT STORY DATES AND ANALYSIS ON OTHER STORY OF STORY WAS COMMITTED.
CONTRACTOR TO BUILD IN BRICK FORCE ENSINGTH COURSE IN BRICK WALLS AND BRICK TAND DOLCES ABOVE MANDOWS, COCKINS AND ALL OTHER DESINESS.
ALL GLAZING IN CORPLEMES WITH USB SANS TRATERING IN LATER EDITION
AVY OLEMPS ARENGED ALL THE ARMY BUILDED TO THE ARCHITECT TON CLARIFFER TON CLARIFFER TON CLARIFFER TON CLARIFFER TON CLARIFFER TON CALINAC.
DUALLY OF ALL MATERIALS AND WORKWARHETO COVINY MITTHE RELEVANT MARKS, MUCK BY SHOCK PARIONS.
DRAINAGE NOTES:
ALL PUMING AND DRANAGE WIDEN AND NETALATES WIDEN SANDARY HTHICS TO COURS AND THE FLUXING TO COURS AND THE FLUXING TO THE PROJECT TO THE PROJE
ALL DOWN THES WANDER "ALL 150, MANAGER FALL 150.
ALLWASTE PRES AND SOLUMES TO BE FULLY ACCESSULE ALONG BATHE LENGTH OF THE 1999.
LE TO BE RIOM 20 AT BYENY BIND, LIND TON AND CHARGEN DIRECTION AND BYENY 24 MET-38 WITH MARKED COVERS AT GABLAND, LEVEL.
ALL WASTE PRE FITTINGS TO HAVE APPROVED RESSAL TRAPS.
VENTIFIE OUTLETTO DEMNISH ABOVE ANY OPENING.
ALL BATH ENCLOSURES TO HAVE ACCESS TANELS.
QUILEYS TO BE "14PPED AND MITH BUITABLE GULL" GRATIND AND TO BE 150 mm ABOVE BURGO, NOING JEVELS.
ALL DRAWS LADE: BUILCINGS OR POOTN 38 TO BE ENCASED IN 160m CONCRETE ALL ROUND THE RIPE.
WASTE THESIN ALOORS TO BE SLEDYD AND BEST TED WITH EASILY ACCERTLE D.E. ASOVE FLOOR LEVELAND EACH BND OF SLEDYE.
NO DHAIN BENDS OF JUNCTIONS IN DRUNDER FLOOR SLAB.
KEBP ALL DRANG 939mm FROM CONCRETE FOUNDATIONS.
ALL STRUCTURAL CONCRETE WORK TO ENGINEER'S

LE MASIE PETE AND SALETES TO BE TOLLT MACENILLE MOUNT DY THE LENGTH OF THE
E. TO BE PROMDED AT EMERY BEND, JUNCTION AND CHANGE N. DRECTION AND EMERY ETERS WITH MARKED CONCRETE AT CARDINOLES.
LL WASTE RIPE HTTINGS TO HAVE APPROVED RESSAL TRAPS.
DATIFIC OUTLITTO BEINN, IN ABOVE ANY OPINING.
LL BATH ENCLOSURES TO HAVE ACCESS PANELS.
JULIEPS TO BE "FAPPED AND WITH BUITABLE OULL" GRATING AND TO BE 150 mm ABOVE URFOLNDING LEVELS.
LL DRAWS UNDER BUILDINGS OF FOOTINGS TO BE ENDASED IN 100 IN CONCRETE ALL DUXC THE FIRE.
ANSTE FPER IN FLOORS TO SE SLEDVED AND BE FITTED WITH ENSLY ACCESSED DE. BOYS FLOOR LEVEL AND EACH BOY OF SLEDVE.
DUHAN BENUS CHUNCHDAS IN DRUNDER HUDOR SLAB.
EBP ALL DRANS 910mm FROM CONCRETE FOUNDATIONS.
ALL STRUCTURAL CONCRETE WORK TO ENGINEER'S

ON .	DESIGN AND SPECIFICATION	
	REVISION	DATE
TENDER	TENDER DRAWINGS	

# ALL STRUCTURAL CONCRETE WORK TO ENGINEER'S DESIGN AND SPECIFICATION





ARCHITECTURE | DESIGN INNOWIDA THE CREATIVE A IS A R C H IT E C T S


PLANT
Tompi Seleka College of Agriculture


etailed Floor Plan - Cold Storage	ı		
2	ı		
٤	ı		
<u>U.</u>	ı		
Ξ	ı		
č	ı		
1	ı		
5	ı		
Δ	ı		
'n	ı		
Č	ı		
ш	ı		
7	ı		
7	l.		
ä	ž		

DRAWN CHECKED Author Checker	2 APPROVED	
DATE 19.09.17	MP403	014
ICALE I:30	молестичивея MP4032	17027 - 014









	No.	
	Comments	
	Length	
dule	άρ	
Roof Sheet Sche	Type/Profile	
	Structure Member	
	No.	

è	NOTES:	
Exido	GENERAL OF REPRODUCIDING FIRM TO WARD BIT SERVICE	3× THE
SEN	SENERAL NOTES:	
H808	HS DRAWING IS NOT TO BE SOULD. FULLET FANDAGENESS TO BE SETS AFM. TURES.	
NO N	ON TACTOR IS RESPONDED FOR CONTROL SETTING OUT OF THE BALLDING ALL CICIESMA. TWALLS WITH PARRICULAR REFERENCE. TO BUILDING JAC CICIESMA SILV.	3.AU.
NO.	CWELLOW TO PROPER MELLONGERS, HEIGHTS AND EUROSCHOOL ON THE COMPANY OF THE COMPAN	0.10
NAME OF STREET	LL DOWNTHADTONS TO CHECK DETAILS SHOWN ON THE DRAWN AS POR DOWN TWO PROPERTY TO PROJECT TO THE DRAWN AS TO COOK THOUGH THE TO THE DRAWN AS TO COOK THOUGH THE SHARP AND ASSAULTS TO THE ARCHITECT.	PLANCE OF TO DAS AND
WILL	WE BRACH DECREASED S CHOMMERCHES TO BE REPORTED TO THE ARCHITECT AND WITH THE YEAR - [TEXT]	1301
28	IA. : INCREES TO BE TAKEN ON SHE BEFORE OFFICIAND, SUPPLYING AND TRIN RESERVEN ON DEFALED HTTMOS.	o rteta
NO.	ON HAZIORIS AHE DOLOCA IE AND DENTHY EDISHING SERVICES ON STIE AND ROLEST THEIRE FROM DAWASE THROUGHOUT THE DURALIEN OF THE WORKS.	Di Cil
N N N	CNT ACTORS A 12 TO GUILD IN DIACKS WHICH IST CAND THESE AND BIGGIN ON A MANNES TO A THE STORE AND THE STORE AND TO SHAPE A DIACK THE OFFICE AND TO DIACK THE OFFICE AND THE CHARLES THE MANNES TO ANY STEPPOD A DIACK THE OFFICE AND THE OFFICE AND THE STEPPOD A DIACK THE OFFICE AND THE OFFICE AND THE STEPPOD A DIACK THE OFFICE AND THE OFFICE AND THE STEPPOD A DIACK THE OFFICE AND TH	N ON DODGES
NBW.	ON TAICTOR TO BUILD N BRICK FORCE ENBIRESTH COURSE N BRICK WALLS VERY AND COULDES ABONE WANDOWS, DODGES AND ALL OTHER COUNCES.	S AND
ALC: OF	LESTANDE IN COMPLIANCE, METHERS SANS TRANSPARTEN LATES ESTITUTOR OF CHEST SHELLOW OF CHEST SANS A LEST SHELLOW OF CHEST SECURITY OF SECURITY TO THE AS	A ACHIFET
NA SA	MALE AND BEEN CHEEKEN AND WORKWASHIPTO COVING WITH THE RELEVANT ARE AND BEEN CHEEKEN AND WORKWASHIPTO COVING WITH THE RELEVANT	TNAV
N.A.	DRAINAGE NOTES:	
10 No.	LI PILOMENSE AND DRANAGE WORK AND INSTALLATEN WORK SWILTMAY HTTACK DOWN THE HELE WAY LOCKE AUTHORITY SYLAMS, REQUIREDOS AND TOOL OF WHITE THE WAY LOCKE AUTHORITY SYLAMS, REQUIREDOS AND	DINGS TO
TI DU	IL DONN HIVES VANDUM "ALL 100 MANNUM FALL 100. IL WASTERPER AND SOLL FIES TO BE FULLY ACCESSIVE ALONG BATTRE LENGTH OF	NGHOF 1-3
<u> </u>	regional of the second of the	
GETT-38	ETTERMINETERN DEN PROPERTIENT DEN PROPERTIENT DE L'ANNER DE L'ANNE	a paga sa
EN.		
IL BAT	LL BATH BNOLOSURES TO HAVE ACCESS FAMELS. MULLEYS TO BE "FAMPED AND WITH BUITABLE GULL" GRATING AND TO BE 150 mm ABONE.	0 mm ABOVE
UR45	URFOLMDING LEVELR. LL DRAMS UNDER BUILDINGS OF FOOTNOS TO BE ENDASED IN FORM DONCHETE ALL	DRETE ALL
CANO MRTE	DOLS THE PIPE.  MARTE 1958 IN EACH STORE TO SE REPRODAND BE FITTED WITH EMBLY ACCERTED D.S. ROWS TO THE DOLS. SHOWN OF SERVICE OF SERVICE SERVICES.	BLE G.E.
DOHA EBPAL	DUMAN BENUS CHUNCHTAN IN DRUNCHS HUDGH SLAR. EEP ALL DRANG 929mm FROM CONDRETTE FOUNDATIONS.	
Æ	STRUCTURAL CONCRETE WORK TO ENGINEER'S	NEER'S
DES	DESIGN AND SPECIFICATION	
Ş	REVISION	DATE
Ш		
П		
Ш		
П		
П		
П		
П		
П		
П		
Ш		
П		
П		
Π		
П		

ALL STRUCTURAL CONCRETE WORK TO ENGINEER'S DESIGN AND SPECIFICATION	NGINEER'S
NO REVISION	DATE
-	
TENDER DRAWINGS	
ALL STRUCTURAL CONCRETE WORK TO ENGINEER'S	GINEER'S
DESIGN AND SPECIFICATION	
ENONGEP SCRAN, STRANTINE	34/
A SELECT	
The same	
PERMITTE CONTRACTOR	
-	





AGONICTURE I DESIGN I INNOVATION
THE CREATIVE A IS \$ \$80 No. 10 No. 50 N

PROPOSED FISH PROCESSING PLANT
Tompi Seleka College of Agriculture

Tompi Selek	Tompi Seleka College of Agriculture  Seleka College of Agriculture  Tompiana  Tompiana	gricultur	e e	воонч нач-казыг имот_вемит
SCALE	DATE	DRAWN	CHECKED	тивнеит
1:50	19.09.17	Author	Chacker	o NO
PROJECT NUMBER	MP4032	APPROVED.		тнаис
17027 - 018	118		$\triangleleft$	Hisbelord/


1032	SCALE	DATE	,	СНЕСКЕВ
	1:50	19,09,17	Author	Chacker
17027 - 018	PROJECT NUMBER	MP4032	APPROVED	
	17027 - 0	18		<






DOWNS Water Reticulation - Plan View

EN	88	inc	NO	тнаис	Hilabelor9/ 8	
		CHECKED	Chacker		$\triangleleft$	
		DRAWN	Author	APPROVED		
		DATE	19.09.17	MP4032	19.1	
		SCALE	1:50	PROJECT NUMBER	17027 - 1	



 $\triangleleft$ 

Heath					Sun	Structural Foundation Schedule	nailoi o	chedule	
Control Cont	Š.		Specification	ģ	Lengt		Volum	Comments	⊚—
1.000   1.00	ū		800 x 400 x 500mm	-	800	400	0.16 m <sup>2</sup>	Medum Strength Concrete (20MPa) See Brawing: 17027 - SD022	
Control Cont	22	Foundation Godge Decoration	800 x 400 x 500mm	-	008	400	0,18 m²	Meduim Strength Concrete (20MPa) See Drawing: 17027 - SD022	
Control Cont	2	Foundation	800 x 400 x 500mm	-	800	400	0,18 m²	3.1	
Control   Cont	Z	Foundation	800 x 400 x 500mm	-	800	400	0.16 m²	Medulm Strength Concrete (20MPa) See Drawing: 17027 - SD022	;     
1975   1975	82	Footing-Rectangular Foundation	800 × 400 × 500mm	-	800	400	0.16m²	Meduin Strenath Concrete (20MPs) See Drawing: 17027 - SD022	_
15.00   15.0	18	Footing Rectangular	000 v 400 v 600mm	1	000	400	0.40 and	Marking Obsessed Comment (2004 Day Company (2007) ODOCO	_
Control Cont	1	Footing Rectangular			1			The state of the s	
1985   1985	lì.	Foundation Footing Rectangular	800 × 400 × 500mm	-	800	400	0,18 m <sup>2</sup>	Medulm Strength Concrete (20MPs) See Drawing: 17027 - SD022	_
1995   1995	op.	Pyramid-Box Anchor	400 x 500 x 550mm	-	2600	1650	0.12 m²	Medulm Strength Concrete (20MPa) See Drawing: 17027 - SD022	_
Company   Control   Color	8	Pyramid Box Anchor	400 × 500 × 550mm	-	2600	1650	0,12 m²	Meduim Strength Concrete (20MPa) See Drawing: 17027 - SD022	_
Accordance   Accode   Accordance   Accordance   Accordance   Accordance   Accordance   Accordance   Accordance   Accordance   Accordance   Accorda	1	Foundation Description Applica	200 v 500 v 650mm	-	0800	1650	0.12 mm	Machine Strangh Countals (20MBs) See Desidor 17022 - SD02	(
The control of the	T	Foundation		1					-
Particular   Par	=	ď.ů	400 × 500 × 550mm	-	2800	1650	0,12 m <sup>2</sup>	Medulm Strength Concrete (20MPs) See Drawing: 17027 - SD022	_
Principles   Person	Ç4	άú	400 x 500 x 550mm		2600	1650	0.12 m²	Medulm Strength Concrete (20MPa) See Drawing: 17027 - SD022	_
Machine   Mach	2	å	400 x 500 x 550mm	-	2600	1650	0,12 m²	Medulm Strength Concrete (20MPs) See Drawing: 17027 - SD022	
Machine   Mach	2	Pyamid-Box Anchor	400 x 500 x 550mm	-	2600	1650	0.12 m	Meditin Strength Congress (20MPs) See Drawing 17027 - SD222	
Accordance   Control	1	Foundation		1	0000	0.00	0.40	COMPANY OF THE PARTY OF THE PAR	_
200   200	2 ]	Foundation		-	2002	0001		macon in chemism constraint a) cas prawning in our constraint	
Fractionary   Control	9	Pyramid-Box Anchor Foundation	400 x 500 x 550mm		2800	1650	0.12 m	Medulm Strength Concrete (20MPa) See Drawing: 17027 - SD022	
Markenstein   South School   1	4	Pyramid-Box Anchor	400 × 500 × 550mm	-	2600	1650	0.12 m²	Meduim Strength Concrete (20MPa) See Drawing: 17027 - SD022	_
And Screeding         Columnia (Sanital)         1 (20)         GO 120 (Sanital)         Columnia (Sanital)	9	Wall Foundston	Bearing Footing-	-	900	400	0.07 m	Meduim Strength Concrete (20MPs) 133 - 50kg sement: 120 lines sand: 120	
Machine   Mach	9		Bearing Footing-	-	1220	400	0.13 m²	Medulm Strength Concrete (20MPs) 133 - 50kg sement : 120 thes sand : 120	
Off Trendshipm         Off Tre	18		400 x 300mm Rearing Forting	-	1770	400	0.18 m	litres 19mm stone : Enough water for workable min. Approxykid = 180 litres Medium Strength Contrate (20MPs) 1:33 - 50km sament : 130 litres cand : 130	
Machine   Machine   Machine   177   178   179	-		400×300mm		9000	400	0.401.0	lites 19mm stone : Enough water for workable min. Approxydd - 160 litres	_
Machine   Machine   Machine   1   1015   101		Wall Foundation	400 x 300mm	-	2	400		Intes 19mm stone: Enough water for workable mit. Approxyled = 160 lifes	_
Marcelane	83		Bearing Footing -		1815	400		Meduim Strength Concrete (20MPs) 1:3.3 - 50kg sement : 120 lines sand : 120 lines 19mm stone : Proudo salar for wedgelde mit America said = 180 lines	
Machine   Mach	8		Boaring Footing-	-	2510	400		Medulm Strength Concrete (20MPs) 133 - 50kg sement: 120 ftres sand: 120	_
Marchellon	18	Wall Foundation	Aco x 300mm Rearing Forting	-	1770	400		thes 19mm stone : Enough water for workable min. Approxysid = 160 lines Medium Strength Contrate (20MPs) 1.3.3 - 50kg sament : 120 lines and : 120	_
Machine   Mach	: 1		400 x 300mm					lines 19mm stone : Enough water for workable mir. Approxysed = 160 lines	_
Machine   Security   Security   1925   192	8	Wall Foundshon	Seanng Footing 400 x 300mm	-	3826	400		Medulm Strength Concrete (20MPs) 1333 50kg sement 120 thes sand 120 lites 19mm stone : Enough water for workable min. Agarox yield = 160 lites	
Markenstein	8		Bearing Footing -	-	1355	400		Medulim Strength Concrete (20MPs) 1.3.3 - 50kg sement : 120 ftres sand : 120	_
Machine   Mach	15		Bearing Footing -	-	2000	600	0.22 m	Hers Lettill stoffer - Entough Water I of Workstofer Hu Agricia, year = 160 lites Medulm Strength Concrete (20MPs) 1:33 - 50kg sement : 120 lites sand : 120	_
Machine   Machine   1970   1	18		600 x 300mm	ŀ	0100	000	0.00	Iftee 19mm stone : Enough water for workable min. Approxyleid = 190 litres	_
Machinetian   Security (1974)   2.00   2.0	8		600 x 300mm	-	2010	909	0.23 m	medum strongth concrete (20MPs) 1333 - 50kg sament 120 thes sand 120 lites 19mm stone : Enough water for workable mit. Approx yield = 160 lites	
Markenstein   Markenstein   Markenstein   1 200   60   61   61   61   61   61   61	8	Wall Foundation	Bearing Footing-	-	2010	909	0,38 m²	Medulin Strength Concrete (20MPs) 1:33 - 50kg sement : 120 litres sand : 120 litres 10mm strong : Emusic ustas for uncleable mix dimensional = 180 litres	
Web Frontiers	98		Bearing Footing-	-	2000	600	0,39 m <sup>-</sup>	Meduim Strength Concrete (20MPs) 1/3/3 - 50kg sement : 120 lines sand : 120	
Machine   Mach	Ta	Well Considerion	Boodoo Eordoo	-	9000	900	4 69 ms	These 19mm stone : Enough waber for weekable mit. Approxyleid = 160 litres Medium Strongth Concess (2000): 123 500 common : 50 litro cond : 50	]
Machine   Machine   Machine   1   200   60   60   60   60   60   60   6	: 1		600 x 300mm					lites 19mm stone : Enough water for workable min. Approx yield = 160 litres	(
Markenston   Secure (1974)   1970   00   00   00   00   00   00   00	ų.	Wall Foundation	600 x 300mm	-	2010	909	0.43 m <sup>-</sup>	medulm strength Concrete (20MH-3) 1333 - 504g sement 1320 titles sand 1320 littes 19mm stone : Enough water for workable mix. Approx.yield = 160 littes	+
Markenstram   Security   1   200   60   61   61   61   61   61   61	8		Bearing Footing-	-	2010	909	0,43 m²	Medulim Strength Concrete (20MPs) 1:33 - 50kg sement : 120 litres sand : 120 litres 10mm strong : Emusic ustas for uncleable mix America stad = 160 litres	-
Machine Internation   Machine International Control   Machine International Control In	3		Bearing Fooling -	-	2000	800	0,43 m <sup>-1</sup>	Meduim Strength Concrete (20MPs) 1.3.3 - 50kg sement : 120 tres sand : 120	7
March   Marc	18		Boodoo Eoofoo	1	0000	900	0.30 ms	These 19mm stone : Enough water for workable mit. Approxyleid = 160 litres Medium Strongth Concess (2000) 123 500 powers 130 litro cond. 130	
Machination   December   2019   Color   December   2019   Color   December   December   December   Color   December   D	: 1		600 x 300mm		2002	000		These 19mm stone: Enough water for workable min. Approxyleid = 160 litres	_
Markendolm   Security   Control	38		Bearing Footing-	-	2010	600	0,40 m²	Madulm Strength Concrete (20MPs) 1:3.3 - 50kg sement : 120 lines sand : 120 liters (0mm stone : Encode to table for updential mit. Approximated - 160 liters	_
Machination   Machination   Machination   State   State   State   State   Machination   Machinatio	33	Wall Foundation	Bearing Footing-	-	2010	600	0,40 m²	Meduim Strength Concrete (20MPa) 1:33 - 50kg sement : 120 fires sand : 120	
Marketina   Marketina   Marketina   218   218   219	T		600 x 300mm	-				lites 19mm stone : Enough water for workable min. Approx yield = 160 litres	
Wild-resistant   Wild-Script   1   2015   100   0   0   0   0   0   0   0   0	8		Bearing Fooling- 600 x 300mm	-	2016	800	0,18 m²	Meduim Strength Concrete (20MPs) 1333 - 50kg sement : 120 litres sand : 120 litres 19mm stone - Emousth water for weekable mix. Accrets yield = 160 litres	
Machine   Mach	8	Wall Foundation	Bearing Footing -	-	2015	800	0,18 m <sup>2</sup>	Medulm Strength Concrete (20MPs) 1:33 - 50kg sement : 120 Itres sand : 120	-
Machine   Mach	1		900 x 300mm					lites 19mm stone : Enough water for workable min. Approx yield = 180 litres	_
Markenstram   Social Scriptory   1   2019   600   6110   Markenstram	9		Bearing Footing -	-	2016	909	0,18 m²	Medulin Strength Concrete (20MPs) 1:33 - 50kg sement : 120 litres sand : 120 litres sand : 120 litres sand : 120 litres 19mm stone : Enough water for workship min America yield = 160 litres	_
Machination (2015)     Machination (201	12		Bearing Footing -	-	2016	909	0.18m²	Medum Strength Concete (20MPs) 1.33 - Solid sement 1.20 (tres sand 1.20)	
Machine   Machine   Machine   1   200   200   0.118   Machine	1		600 x 300mm					litres 19mm stone : Enough water for workable mix. Approxysed = 160 litres	-
Markenston   Social Scripts   1   2020   00   01   01   01   01   0	Q.		Bearing Footing -	-	2020	900	0,18 m <sup>2</sup>	Medulm Strength Concrete (20MPs) 133 - 50kg sement : 120 Itres sand : 120 Itres 19mm stone : Engudh water for workable mir. Accross vield = 160 litres	3
Machine   Mach	2		Bearing Footing	-	2020	909	0.18 m <sup>2</sup>	Medulm Strength Concrete (20MPa) 133 - 50kg sement : 120 lines sand : 120	
Materials   Mate	13		Bearing Eastern	-	3000	030	0.02 m	Iftee 19mm stone : Enough water for workable min. Approxysid = 160 litres Medium Strength Copyride (2000): 1-2-2 - 60km semmen - 150 litres and - 150	
Wilderschaper   September   2006   Gold of Machine Andrew Company (1904)   Gold of M	: [		850 x 300mm		200	25	0.00	lites 19mm stone : Enough water for workable mir. Approx yield = 160 lites	
Markenstein	4	Wall Foundation	Bearing Footing -	-	3008	820	0.83 m²	Meduim Strength Concrete (20MPs) 1:3.3 - 50kg sement : 120 fines sand : 120 lites 10mm sines : Encure water for wedships mir. Aprent stad = 160 lites	
10   10   10   10   10   10   10   10	94	-	Bearing Footing -	-	2891	850	0,81 m <sup>-2</sup>	Medulm Strength Concrete (20MPs) 1.3.3 - 50kg sement 120 lines sand 120	
Marcheniste	T		850 x 300mm	ŀ	1000	0.50	4.07.00	lites 19mm stone : Enough water for workable min. Approxysed = 160 litres	
Machine   Secure   Secure   1 (100)   60   24.54   Machine   Mac	`		850 x 300mm	-	CR20	000	11.87 III.	Innes 19mm stone : Enough water for workable mit. Approxyleid = 160 litres	
Wall-breakform   10,000 cm/sec.   10,0	8		Bearing Footing-		10106	850	2,44 m <sup>2</sup>	Medulm Strength Concrete (20MPs) 1:33 - 50kg sement : 120 Itres sand : 120	
Mail Francisco   10.5 Spring   1.20			Seo x 300mm Region Footing	-	RACHO	098	2.29 m²	thes 19mm stone : Enough water for workable min. Approxyed = 180 litres Median Stenath Controls (20MPs) 1.3.3 - 60kg sement 1.20 litres sand 1.20	Lounda
Will Frontino   Simple Script   1.200   60 150 for Maham Script Control (1.200 Script			850 x 300mm		2	2		lites 19mm stone : Enough water for workable mix. Approx.yield = 160 lites	
Watershop   Watershop   1 (19)   100   100   10 (10)   100   10 (10)   100   10 (10)	98	-	Bearing Footing -		12109	058	3,05 m <sup>2</sup>	Meduim Strength Concrete (20MPs) 1:3.3 - 50kg sement : 120 litres sand : 120 litres 19mm stress - Fronzio satar for wedsahamin America sand : 180 litres	
Mil-Touristics   20.0 200mm   11.157   50.0 200mm   Mil-Touristics   20.0 20.0 20.0 20.0 20.0 20.0 20.0 20	150		Bearing Feeling	-	1551	058	0.47 m <sup>2</sup>	Medulm Strength Concrete (20MPs) 1.3.3 - 50kg sement : 120 lines sand : 120	SCALE: 1:/0
Mail Continues	1		850 x 300mm	Ī				litres 19mm stone : Enough water for workable min. Approxyseld = 160 litres	
Mail Foundation (1997)	ğ		SSO x 300mm	-	11475	820	2.76 m <sup>-1</sup>	Medulm Strength Concrete (20MPs) 1:3.3 - 50kg sement : 120 (tres sand : 120 (tres 19mm stone : Enough water for workable mir. Accrossycid = 160 (tres	
Wilf-reduction   Co.	2		Bearing Footing-	-	14740	958	3.76 m²	Meduim Strength Concrete (20MPs) 1:33 - 50kg sement : 120 litres sand : 120	
Mill Controlled	12		Basina Somm	-	2040	058	2.07 m2	Iftee 18mm stone : Enough water for workable mit. Approxiyetd = 160 lifes Literation Strangth Convents (20MIPs) 1/3/3 - 50km semant 1/30 lites send 1/30	
Mill consistent control of the contr	: 1		850 x 300mm		!			likes 19mm stone : Enough water for workable min. Approxysed = 160 litres	
Wilf-condition   Sound-Script   1 (440)   812   1110   Montage-regin-Control (1988)   113.     Wilf-condition   Sound-Script   1 (440)   812   1110   Montage-regin-Control (1988)   113.     Wilf-condition   Sound-Script   1 (815)   812	18		Bearing Footing -	-	14834	820	3.66 m²	Medulim Strongth Concrete (20MPs) 1:33 - 50kg sement : 120 litres sand : 120 litres	
Mil Cardytin   2001.050mm   2009.   2000mm   2009.   2000mm   2009.   2000mm   2009.   2000mm   2009.   2000mm   2009.   2000mm   2009.   20	8	Wall Foundation	Bearing Footing-	-	8490	820	2.11 m	Medulm Strength Concrete (20MPa) 1:33 - 50kg sement : 120 litres sand : 120	
Milk storomon object governor i 105 60 15 15 m place some upost operation object governor i 105 60 15 m place some upost operation object governor i 105 60 15 m place some upost operation object governor i 105 60 15 m place some upost operation object governor i 105 60 15 m place some upost operation object governor i 105 60 15 m place some upost operation object governor i 105 60 15 m place some upost operation object governor i 105 60 15 m place some upost operation object governor i 105 60 15 m place some upost operation object governor i 105 60 15 m place some upost operation object governor i 105 60 15 m place some upost operation object governor i 105 60 15 m place some upost operation upost operation object governor i 105 60 15 m place some upost operation object governor i	1		850 x 300mm	Ī				lites 19mm stone : Enough water for workable mit. Approxykeld = 160 litres	
Wall-function         00.00 Color         1 2855         80.00 Color         00.00 Color	>	Wall Foundation	SSO x 300mm	-	8028	998	1.94 m	Medulm Strength Concrete (20MP-s) 1.33 - 50kg sement 1.20 litres sand 1.20 litres 18mm stone : Enough water for workable mir. Agorox vield = 160 litres	
	88		Bearing Footing-		3805	820	0,87 m <sup>2</sup>	Medulm Strength Concrete (20MPs) 1:33 - 50kg sement : 120 Itres sand : 120	
	8	Foundation	850 x 300mm 800 x 400 x 500mm	-	800	400	0.16 m	Thest farm stone: Enough water for werkable mot. Approxymed = routines Machini Strongth Congrete (20MPs) See Drawing: 17027 = SD022	
800 x 400 x 500mm 1 800 400 0.16 m <sup>-1</sup> 800 x 400 x 500mm 1 800 400 0.16 m <sup>-1</sup>	åП	Footing Rectangular	Sto x 400 x cons	-	a a	Hon	0.18	Modul Storiga contains (counts) see Diaming, 1105 - 1000	
800 x 400 x 500mm 1 800 400 0.18 m	8	Foundation	800 x 400 x 500mm		800	400	0.16 m <sup>2</sup>	Medulm Strength Concrete (20MPa) See Drawing: 17027 - SD022	
800 x 400 x 500mm 1 800 400 0.16 m <sup>-1</sup>	T	Footing Rectangular		T	99.	99.		CONTRACTOR CONTRACTOR	
110.00	5	Foundation	800 × 400 × 500mm	-	008	400	0,16 m²	Meduim Strength Concrete (20MPs) See Drawing: 17027 - SD022	
	9	hatel R1					40 50		



### Processing of the processing o ALL STRUCTURAL CONCRETE WORK TO ENGINEER'S DESIGN AND SPECIFICATION ALL STRUCTURAL CONCRETE WORK TO ENGINEER'S DESIGN AND SPECIFICATION AGRICULTURE AND RURAL DEVELOPMENT THE PARTY OF THE OFFICE OF THE VARACE EXTREMED TO THE PARTY EXTREM MI DOWINGTONS TO GREAT STEALS RESIDENCE. THE PROMISSION OF CONCENTRATION OF STEAL ST ACTOR TO VEHITY ALL LENELS, HEBBITS AND DIVERSIONS ON STE AND TO SAME ASSAURT THE COMMISSION OF PROTECTION OF THE COMMISSION OF THE COMMIS TO BE RICHARD CANCER AND LANCING AND CHARGE NO DIED THE WINNING TO MAKE ARRONDED RESALTINANS. THE COLULLY ON CHARGE AND CHARGE THE COLULLY ON CHARGE AND CHARGE AN FEOR MR. 0088 TO SERENDO AND RETITED WITH EAST FLOOR LEVEL AND EACH BND OF SLEEVE AN MENUS OF UNIOTIANS IN DRIVINGHE FLOOR SLAR. TENDER DRAWINGS

9

ARCHITECTURE I DESIGNA INNOWTON
THE CREATIVE A
A R C H I T E C T S
Solid I, Sprind Station (8) Computed Source I security

PLANT
Tompi Seleka College of Agriculture