

DEPARTMENT OF AGRICULTURE AND RURAL DEVELOPMENT

TENDER NO ACDP 19/11 TENDER DOCUMENT

FOR

CONSTRUCTION OF 3X3000 CAPACITY BROILER HOUSES IN MARULENG MUNICIPALITY OF THE MOPANI DISTRICT

NAME OF TENDERER	
TOTAL TENDERED AMOUNT	
TOTAL TENDERED AMOUNT IN WORDS	
VAT NUMBER (if registered for VAT)	
SUPPLIER CSD REGISTRATION NUMBER	
TAX COMPLIANCE STATUS PIN	
(to verify bidder's tax compliance status)	
PROJECT DURATION	
TEL NUMBER	
FAX NUMBER	

PREPARED BY:



LIMPOPO DEPT OF AGRICULTURE & RURAL DEVELOPMENT
PRIVATE BAG X 9487
POLOKWANE

0700

CLOSING DATE: 26 MAY 2023 TIME 11:00 BRIEFING MEETING: 12 MAY 2023 TIME 10:00



DEPARTMENT OF AGRICULTURE AND RURAL DEVELOPMENT

CONSTRUCTION OF 3X3000 CAPACITY BROILER HOUSES IN MARULENG MUNICIPALITY OF THE MOPANI DISTRICT

TENDERER'S DETAILS

NAME OF TENDERER	
PHYSICAL ADDRESS	
POSTAL ADDRESS	
CONTACT PERSON	(NAME)
	(SURNAME)
	(PHONE No)
	(CELL No)
	(FAX No)
	(E-MAIL)

Tender T2 of T82 Index

Part T1: Tendering Procedures

LIMPOPO DEPARTMENT OF AGRICULTURE AND RURAL DEVELOPMENT

CONSTRUCTION OF 3X3000 CAPACITY BROILER HOUSES IN MARULENG MUNICIPALITY OF THE MOPANI DISTRICT

Contents

Number Heading

The Tender

Part T1: Tendering procedures

T1.1 Tender Notice and Invitation to Tender

T1.2 Tender Data

T1.3 Standard Conditions of Tender

Part T2: Returnable schedules

T2.1 List of Returnable Documents

T2.2 Returnable Schedules to be completed by tenderer

The Contract

Part C1: Agreement and Contract Data

	C1.1	Form of Offer and Acceptance
--	------	------------------------------

C1.2 Contract Data

C1.3 Form of Guarantee

C1.4 Agreement with Adjudicator

C1.5 Agreement in Terms of Section 37(2) of the Occupational Health and Safety Act No 85 of 1993

Part C2: Pricing data

C2.1 Pricing InstructionsC2.2 Bill of Quantities

Part C3: Scope of Work

C3.1 Standard SpecificationsC3.2 Project SpecificationsC3.3 Particular Specifications

Part C4: Site information

C4 Site Information

Tender T3 of T82 Index

Drawings

SCHEDULE OF TENDER DRAWINGS

The following drawings, which are bound in, form part of this Contract in terms of Clause 1(i)(j) of the General Conditions of Contract:

DRAWING NO:	DESCRIPTION:
LDARD001	Nameboard
LDARD002	30m x10m Broiler house
LDARD003	Gas storage cage
LDARD004	1.8m Tank stand
LDARD005	Pipe anchors
LDARD006	Pipe trench details

The Tenderer shall satisfy himself that the sets of drawings are complete in accordance with the above schedule, and if any are found to be missing or duplicated, or the writing or figures indistinct, he shall apply to the Engineer immediately and have the discrepancy rectified. No liability whatsoever will be admitted by the Employer in respect of errors in Tenders attributed to any such discrepancy.

Tender T4 of T82 Index

Solid independent of states of which is project in the world in the months in the mont

PART T1: TENDERING PROCEDURES

TABLE C	OF CONTENTS	Page	Colour
T1.1:	TENDER NOTICE AND INVITATION TO TENDER	T.2	White
T1.2:	TENDER DATA	T.3	Pink
T1.3:	ANNEXURE F: STANDARD CONDITIONS OF TENDER	T.9	Pink

Tender T5 of T82 Index



T1.1: TENDER NOTICE AND INVITATION TO TENDER

DEPARTMENT OF AGRICULTURE AND RURAL DEVELOPMENT

TENDER NO ACDP 19/11

PROJECT NAME: CONSTRUCTION OF 3X3000 CAPACITY BROILER HOUSES IN MARULENG MUNICIPALITY OF THE MOPANI DISTRICT

T1.1 Tender Notice and Invitation to Tender

Tenders are hereby invited to bid for the construction of 3x 3000 capacity broiler houses in Maruleng Municipality of the Mopani District. Bidders who have 4CE/GB or higher CIDB grading are targeted for this bid.

Tender documents will be obtainable from the departmental website: www.ldard.gov.za, from the 28th April 2023. Bid documents must be printed and bound in the order/sequence/numbering provided. No omission of pages/documents will be allowed.

Duly completed tenders enclosed in a sealed envelope marked "TENDER: CONSTRUCTION OF 3X3000 CAPACITY BROILER HOUSES IN MARULENG MUNICIPALITY OF THE MOPANI DISTRICT, TENDER NO ACDP 19/11, CLOSING DATE: 26 MAY 2023" with the name of the Tenderer, shall be deposited in the clearly marked tender box provided at Limpopo Department of Agriculture and Rural Development, 69 Biccard Street, Polokwane before 11h00 on the closing date. The tenders will be opened in public.

A Compulsory Site Inspection will be conducted on 12 **MAY 2023** and prospective tenderers are requested to meet the Engineer at 10h00 at the Malemela Peba Poultry Project located in Makgaung Village in the Mopani West Agricultural Ecological Zone of Mopani District in the Maruleng municipality of the Limpopo Province, at GPS coordinates **24° 16' 10.89" S; 30° 27' 50.68" E.** Contract documentation will not be available on site, and the Engineer will not be available for inspection purposes on any other occasion.

A preferential point system shall apply whereby a contract will be allocated to a tenderer in accordance with the Preferential Procurement Policy Framework Act, Act No 5 of 2000 and as defined in the Conditions of Tender in the tender document, read in conjunction with the Preferential Procurement Policy of Limpopo Department of Agriculture where 80 points will be allocated in respect of price and 20 points in respect of targeted goals. Tenderers must have the necessary skills, experience and capacity to perform the required work.

Engineer:	Employer:
Limpopo Department of Agriculture & Rural	Limpopo Department of Agriculture & Rural
Development	Development
Head of Department	Head of Department
Limpopo Dept of Agriculture and Rural Development	Limpopo Dept of Agriculture and Rural Development
Private Bag X9487	Private Bag X9487
Polokwane	Polokwane
0700	0700
Eng. MI Mashamaite (Pr.Eng)	Mr. Ndlozi VS
Tel.: 015 294 3000	Tel.: 015 294 3564
Cell.: 066 083 3832	

Tender T6 of T82 T1.1

T1.2. TENDER DATA

The Conditions of Tender in the Standard Conditions of Tender as contained in Annex F of CIDB Standard Uniformity in Construction Procurement. (See www.cidb.org.za) which are reproduced without amendment or alteration for the convenience of Tenderers in this Tender in the section T1.3 of the Tender Data.

The Standard Conditions of Tender make several references to the Tender Data for details that apply specifically to this Tender. The Tender Data shall have precedence in the interpretation of any ambiguity or inconsistency between it and the Standard Conditions of Tender. Each item of Tender Data given below is cross-referenced to the relevant clause in the standard Conditions of Tender.

F.1.1 The Employer for this Contract is: Limpopo Department of Agriculture and Rural Development

F.1.2 Tender Documents

The Tender Document consists of the following:

TENDER

T1: Tendering Procedures

- T1.1: Tender Notice and Invitation to Tender
- T1.2: Tender Data

T2: Returnable Documents

- T2.1: List of Returnable Documents
- T2.2: Returnable schedules

CONTRACT

Part 1: Agreements and Contract Data

- C1.1: Form of Offer and Acceptance
- C1.2: Contract Data
- C1.3: Form of Guarantee
- C1.4: Agreement with Adjudicator
- C1.5: Agreement in terms of Section 37(2) of the Occupational Health and Safety Act (No 85, 1993)

Part 2: Pricing Data

- C2.1: Pricing Instructions
- C2.2: Bill of Quantities

Part 3: Scope of Work

- C3.1: Standard Specifications C3.2: Project Specifications
- C3.3: Particular Specifications

Part 4: Site Information

- C4.1: Locality Plan
- C4.2: Construction Notice Board

DRAWINGS

Drawings are bound in this document.

The Tender Document and the drawings shall be obtained from the Employer or his authorized representative at the physical addresses stated in the Tender Notice, upon payment of the deposit stated in the Tender Notice.

F.1.4 The Employer's agent is:

Name : Eng. MI Mashamaite (Pr.Eng)

Address : Limpopo Department of Agriculture & Rural development

Limpopo Dept of Agriculture and Rural Development

Private Bag X9487

Polokwane 0700

Tel: 015 294 3000 Cell: 066 083 3832

Email: mashamaitemi@agric.limpopo.gov.za

F.1.5 The Employer's right to accept or reject any Tender Offer

The Employer may accept or reject any variation, deviation, Tender Offer, or alternative Offer, and may cancel the Tender process and reject all Tender Offers at any time before the formation of a Contract. The Employer shall not accept or incur any liability to a Tenderer for such cancellation and rejection, but will give written reasons for such action upon written request to do so. The Employer will reserve the right to appoint more than one (1) bidder.

F.2.1 Eligibility

A Tenderer will not be eligible to submit a Tender if:

- (a) The Contractor submitting the Tender is under restrictions or has principals who are under restriction to participate in the Employer's procurement due to corrupt of fraudulent practices;
- (b) The Tenderer does not have the legal capacity to enter into the Contract;
- (c) The Contractor submitting the Tender is insolvent, in receivership, bankrupt or being wound up, has his affairs administered by a court or a judicial officer, has suspended his business activities, or is subject to legal proceedings in respect of the foregoing;
- (d) The Tenderer does not comply with the legal requirements stated in the Employer's procurement policy;
- (e) The Tenderer cannot demonstrate that he possesses the necessary professional and technical qualifications and competent, financial resources, equipment and other physical facilities, managerial capability, personnel, experience and reputation to perform the Contract;
- (f) The Tenderer cannot provide proof that he is in good standing with respect to duties, taxes, levies and contributions required in terms of legislation applicable to the work in the Contract.
- (g) Only those Tenderers who have in their employ management and supervisory staff satisfying the requirements of the Scope of Work for Labour Intensive Competencies for supervisory and management staff are eligible to submit Tenders.
- (h) Only those Tenderers who are registered with the CIDB as defined in the Regulations 09 June 2004 and 22 July 2005, in terms of the CIDB Act No 38 of 2000, or are capable of being so prior to the evaluation of submissions, in a Contractor grading designation equal to or higher than a Contractor grading designated determined in accordance with the Sum Tendered for a 4CE/GB or higher class of construction work, are eligible to submit Tenders.
- (i) The Contractor submitting the Tender is not registered on the Central Supplier Database

Joint Ventures are eligible to submit Tenders provided that:

- 1. every member of the Joint Venture is registered with the CIDB;
- 2. the combined Contractor grading designation calculated in accordance with the Construction Industry Development Regulations is equal to or higher than a Contractor grading designation determined in accordance with the sum Tendered for a **4CE/GB or Higher** class of construction work

F.2.7 Site visit and clarification meeting

There will be a Compulsory Site Inspection, on 12 MAY 2023 at 10h00 on site.

Bidding tenderers are requested to meet the Engineer at 10h00 at the Malemela Peba Poultry Project located in Makgaung Village in the Mopani West Agricultural Ecological Zone of Mopani District in the Maruleng municipality of the Limpopo Province, at GPS co-ordinates 24° 16' 10.89" S; 30° 27' 50.68" E.

F.2.10 Pricing the Tender Offer

(a) Value Added Tax

- The Valued Added Tax (VAT) rate shall be 15% or as otherwise provided for by Legislation.
- The successful Tenderer shall be required to produce a VAT invoice that shall only be prepared
 once measurements and valuations for work done in Terms of Contract Offer have been agreed
 with the Employers agent and a Certificate of Payment issued.
- Payment of VAT to non-VAT vendors shall be processed from the month in which the Tenderer's liability with the South African Revenue Services is effective.

F.2.11 Alterations to document

A Tender Offer shall not be considered if alterations have been made to the Forms of Tender data or Contract data (unless such alterations have been duly authenticated by the Tenderer) or if any particulars required therein have not been completed in all respects.

F.2.12 Alternative Tender Offers

No alternative Offers will be considered.

F2.13 Submitting a Tender Offer

F.2.13.3 Tender Offers shall be submitted as an original only.

Under no circumstances whatsoever may the Tender forms be retyped or redrafted.

Photocopies of the original Tender documentation may be used, but an original signature must appear on such photocopies.

F.2.13.5 The Employer's address for delivery of Tender Offers and identification details to be shown on such Tender Offer package are:

Location of Tender box: Limpopo Department of Agriculture and Rural Development

Physical address: 69 Biccard Street Ground Floor

Polokwane, 0700

IDENTIFICATION DETAILS: TENDER FOR THE CONSTRUCTION OF 3X3000 CAPACITY BROILER HOUSES IN MARULENG MUNICIPALITY OF THE MOPANI DISTRICT, TENDER NO ACDP 19/11

Tender No: ACDP 19/11

Closing Date: 26 MAY 2023 at 11:00

F.2.15 Closing Time

The closing time for submission of Tender Offers is: **11h00 on 26 May 2023** as stated in the Tender Notice and Invitation to Tender.

Telephonic, telegraphic, telex, facsimile, electronic or e-mailed Tenders will not be accepted.

F.2.16 Tender Offer validity

The Tender Offer validity period is 120 days from the closing time for submission of Tenders.

F.2.18 Provide other material

The Tenderer shall, when requested by the Employer to do so, submit the names of all management and supervisory staff that will be employed to supervise the labour-intensive portion of the works together with satisfactory evidence that such staff members satisfy the eligibility requirements

F.2.19 Access

Access shall be provided for inspections and testing by personnel acting on behalf of the Employer.

F.2.20 BID EVALUATION CRITERIA

Criteria	Requirements
Pre-compliance	The Service Provider must submit all documents as outlined below.
criteria	The Service Provider must submit all documents as outlined below.
Preferential points for	Bidders will be allocated preferential points for specific goals as per table 7.2.2
specific goals	С

The evaluation process entails the following:

- a. Phase 1: Pre-Compliance evaluation
 - i. During this phase, bid responses are registered to ascertain the number of bid responses received before the closing date and time.
 - ii. The following key information of bidders will be verified on the CSD in line with Public Finance Management Act and regulatory requirements to qualify for further evaluation processes:
- a) Business registration including details of directorship and membership
- b) In the service of the state status
- c) Tax compliance status
- d) Identity number (s)
- e) Tender defaulting and restriction status, and
- f) Any additional and supplementary verification information communicated by National Treasury

iii. REQUIRED DOCUMENTS:

Documents that must be submitted	Non-submission will result in disqualification	Requirement
Compulsory attendance register to the site briefing	YES	Must attend the compulsory site briefing as per scheduled date and time and ensure to sign the attendance register.
Invitation to Bid – SBD 1	YES	Complete and sign the supplied pro forma document

Compulsory Enterprise YES Must be fully completed, signed by the authorized person/s in Questionnaire case of joint ventures and submitted with the bid by the closing date and time. In case of J/V bidders should complete separate forms should be completed. Pricing Schedule - SBD 3.1 YES Complete and sign the supplied pro forma document Bill of Quantities YES All items of the BOQs must be fully completed and submitted with the bid by the closing date and time. Bidder must submit CIDB grading certificate of 4CE/GB or CIDB grading certificate of YES 4CE/GB or higher higher. In case of Joint Ventures, both bidders must submit proof of the joint calculated CIDB Grading with their Bid. Nonsubmission will lead to disqualification. Bidders Disclosure - SBD 4 Complete and sign the supplied pro forma document. (Must YES declare if they have interests in other Companies. Refer to Paragraph 2.3). In case of J/V bidders should complete separate SBD 4 Preference Point Claim Form -YES Non-Returnable of the supplied pro forma document will lead SBD 6.1 to Disqualification. Non-claiming of points on this form will lead to zero (0) even if supporting documentation is attached YES Form of intent by a bank or Must be submitted with the tender by the closing date and time insurance company to provide of the bid. a performance guarantee and insurance of the works Joint Ventures (J/V) **YES** Attach a valid JV agreement. Non-submission will lead to disqualification. In the case of an award, the company need to register on CSD as a JV. The process is that the service providers must register the JV at SARS then open a JV bank account. With those documents they can then register the JV on CSD. The department will only make payment to a JV account. Should complete 2 separate SBD 4 & Compulsory **Enterprise Questionnaire for each company** Compensation NO Must submit valid copy of COIDA certificate or proof of Workmen's Registration Certificate payment thereof. Completeness of the tender **YES** Bidders are required to complete the entire bid document document without omission of pages and in the provided sequence. The tender document to be fully completed in Black ink (not typed) Specification YES Must comply with the specification

CONSTRUCTION OF 3X3000 CAPACITY BROILER HOUSES IN MARULENG MUNICIPALITY OF THE MOPANI DISTRICT

iv. The Service Provider must ensure that they meet the following requirements before the bid can be awarded:

CRITERIA	REQUIREMENT
Tax compliance status	Should be tax compliant
Business registration	The entity must be in business
Company registration with central supplier database (CSD)	Must be registered as a service provider on the Central Supplier Database (CSD). If not registered must proceed to complete the registration prior to submitting your proposal. Visit https://secure.csd.gov.za/ to obtain your vendor number.
In the service of the state status	The bid will not be considered if Shareholders or directors are employed by state/ government departments, municipalities, municipal entities, or public entities unless the approval from executive authority to do business with the state is submitted with the proposal
Tender defaulting and restriction status	Entity and directors must not be restricted

7.2 FUNCTIONALITY

7.2.1 Functionality Evaluation Criteria = 100 points

The minimum score required for functionality is **60 points** in order to qualify for further evaluation. A bidder who scores less than **60 points** on functionality will be disqualified.

CRITERIA	EVIDENCE	VALUE	WEIGHTING
	No Land line/cell phone or no information provided	0	
	Land line/cell phone and fax line only	1	
4 Dhusiasi Fasikitas	Land line/cell phone and fax line, e-mail address	2	
1.Physical Facilities	Physical address without proof, land line/cell phone, fax line, e-mail address.	3	2
	Physical address with proof of lease agreement, land line/cell phone, fax line, e-mail address.	4	
	Physical address with proof of ownership, land line/cell phone, fax line, e-mail address	5	
2.Plant and Equipment available owned or leased by the Bidder	No information	0	
	Own or Hire 2 of the following: Truck, LDVs, TLB/Excavator, compactor, welding machine, concrete mixer, hand tools	1	
	Own or Hire 3 to 4 of the following: Truck, TLB/Excavator, compactor, welding machine, concrete mixer, building tools and plumbing tools	2	18
	Own or Hire 5 to 6 of the following: Truck, LDVs, TLB/Excavator, road grader, compactor, welding machine, concrete mixer, building tools and plumbing tools	3	
	Own or Hire 7 of the following: Truck, LDVs, TLB/Excavator, compactor, welding machine, concrete mixer, building tools and plumbing tools	4	

Tender T12 of T82 T1.2
Part T1: Tendering Procedures Tender Data

	Own or Hire All of the following: Truck, LDVs, TLB/Excavator, compactor, welding machine, concrete mixer, building tools and plumbing tools	5	
3. Program of Works (Execution Plan with cash flow)	No information = Form not completed/ not attached	0	
	Gantt chart without applicable activities	1	
	Gantt chart with applicable activities, time frame outside the contract period	2	
	Clear applicable activities, Gantt chart and within contract period	3	15
	Clear applicable activities, Gantt chart and within contract period, with non - realistic cash flow	4	
	Clear applicable activities, Gantt charts and completion is within contract duration and realistic cash flow	5	
4. Detailed Method Statement	No information = Form not completed/ not attached	0	
	Generic and irrelevant activities listed	1	
	Less activities with no explanation	2	40
	Less activities with explanation	3	10
	Major activities explained	4	
	All relevant activities explained with demonstration of knowledge of scope of work	5	
	No information / CVs not attached	0	
	Has 2 of the following personnel: Site agent, Foreman, safety officer, electrician, plumber, civil technicians, welders, plant operator	1	
Staffing profile: Details of relevant staff experience	Has 3 to 4of the following personnel: Site agent, Foreman, safety officer, electrician, plumber, civil technicians, welders, plant operator	2	
available for this Contract (attach CVs and qualifications)	Has 5 to 6 of the following personnel: Site agent, Foreman, safety officer, electrician, plumber, civil technicians, welders, plant operator	3	15
	Has 7 of the following personnel: Site agent, Foreman, safety officer, electrician, plumber, civil technicians, welders, plant operator	4	
	Has All of the following personnel: Site agent, Foreman, safety officer, electrician, plumber, civil technicians, welders, plant operator	5	
5. Experience in similar works relevant to this technical field	No information / No proof attached	0	
(Building works) Company profile and Proof indicating that	1 similar work completed in Building works	1	
the organisation is experienced must be submitted with the	2 similar works completed in Building works	2	05
tender (Proofs must include completion certificates accompanied by reference	3 similar works completed in Building works	3	35
letters for each completed project) must be submitted	4 similar works completed in Building works	4	
(refer to annexure A)	5 or more similar works completed in Building works)	5	

6. Experience in contracts of similar value, (Only completion	Up to 10% of this Bid Offer	0	
certificate will serve as proof)	11% to 30% of this Bid Offer	1	
	31% to 60% of this Bid Offer	2	5
	61% to 100% of this Bid Offer	3	5
	101% to 150% of this Bid Offer	4	
	Above 150% of this Bid Offer	5	
Total			100

7.2.2 80/20 PREFERENCE POINT SYSTEM FOR GOODS AND SERVICES

- a. The preferential points will be allocated for specific goals as prescribed in Section 2 of the Preferential Procurement Policy Framework Act (5 of 2000), Paragraph 3.2.1 and 7.7 of the Reconstruction and Development Programme White Paper of 1994 and the Broad-Based Economic Empowerment Act, 2003.
- b. The following formula must be used to calculate the points for price of tenders/procurement (quotations) including "tenders for income generating contracts" with Rand Value below a Million to be calculated as per the below table inclusive of all applicable taxes:

Where:

Ps = Points scored for price of bid under consideration

Pt = Rand value of tender consideration

Pmin = Rand value of lowest acceptable tender

A maximum of **20 points** will be awarded in accordance with the table below:

NO	PREFERANTIAL GOALS	20 POINTS	MEANS OF VERIFICATION
1	Black People ownership > 51%	5	CSD and/ or copy of company registration report
2	Women Ownership > 51%	7	CSD Report
3	Persons with Disability Ownership >51%	2	CSD and Medical Certificate from recognized Medical Practitioner
4	Youth Ownership >51%	6	CSD Report
	TOTAL POINTS	20	

- The points scored by a tenderer in respect of the specific goals above must be added to the points scored for price and the total must be rounded off to the nearest two decimal places.
- Only the tender with the highest number of points scored may be selected for an award.

7. SPECIAL CONDITIONS

- Bidders who intend to cede their rights to payment to an institution as prescribed in 9.1 should attach cession agreement with their bid proposal
- Payment will only be made in accordance with the delivery of service that will be agreed upon by both parties and upon receipt of an original invoice.
- It is compulsory for a person to register for VAT if the value of taxable supplies made or to be made, is in excess of R1 million
- The service provider is required to provide a quote for all items, failure to quote according to the specification will invalidate your bid
- The Department will not make any upfront payment to a successful service provider

8. CESSION

- 8.1 Cession of payments will only be permissible to a registered financial institution in terms of the Financial Advisory and Intermediary Services Act 37 of 2002 or an approved credit provider in terms of the National Credit Act of 2005.
- 8.2 Bidders who intend to cede their rights to payment to an institution as prescribed in 8.1 should attach cession agreement with their bid proposal.

9. JOINT VENTURES

- **9.1** Should this bid be submitted by a joint venture, the joint venture agreement must accompany the bid document before the closing date and time of bid. The joint venture agreement must clearly specify the percentage of the contract to be undertaken by each company participating therein.
- 9.2 Each party to a Joint Venture/ Consortium must submit separate SBD4 together with the bid before the closing date and time of bid.
- **9.3** The joint venture or consortium must submit a formal agreement that outlines the roles and responsibilities of each member of the joint venture or consortium, nomination of an authorised person to represent the joint venture or consortium in all matters relating to this bid and the details of the bank account for payments to be effected.
- **9.4** The joint venture or consortium must comply with Central Suppliers Database (CSD) registration requirements as per National Treasury directive.

10. UNSATISFACTORY PERFORMANCE

- 10.1 Unsatisfactory performance occurs when performance is not in accordance with the contract conditions.
- 10.2 The departmental official shall warn the contractor in writing that action will be taken in accordance with the contract conditions unless the contractor complies with the contract conditions and delivers satisfactory supplies or services within a specified reasonable time (7 days minimum). If the contractor does not perform satisfactorily despite the warning, the official will:
- Take action in terms of its delegated powers; and
- Make a recommendation to the Accounting Officer for cancellation of the contract concerned.
 - 10.3 When correspondence is addressed to the contractor, reference will be made to the contract number/item number/s and an explanation of the complaint.

11. VALIDITY PERIOD OF BID AND EXTENSION THEREOF

The validity (binding) period for the bid will be **120 days** from close of bid. However, circumstances may arise whereby the department may request bidders to extend the validity (binding) period. Should this occur, the department will request bidders to extend the validity (binding) period under the same terms and conditions as originally offered for by bidders. This request will be done before the expiry of the original validity (binding) period.

12. IRREGULARITIES

Companies are encouraged to advise the Department of Agriculture and Rural Development timeously of any possible irregularities which might come to their notice in connection with this or other contracts.

13. NEGOTIATIONS

Bidders should note that the department might subject the successful bidder to negotiations for fair market related prices.

Tender T15 of T82 T1.2

14. LANGUAGE GOVERNANCE

The contract shall be written in English. All correspondence and other documents pertaining to the contract that is exchanged by the parties shall also be written in English.

15. LAW TO APPLY

The Contract shall in all respects be construed in accordance with the law of the Republic of South Africa, and any difference that may arise with the law of the Republic of South Africa, and any difference that may arise between the Province and the Contractor in regard to the Contract, shall be settled in the Republic of South Africa.

16. PENALTIES

Subject to GCC Clause 4, if the Contractor fails to deliver any or all of the goods or to perform the services within the period(s) specified in the contract, the Province shall, without prejudice to its other remedies under the contract, deduct from the contract price, as a penalty, a sum calculated on the delivered price of delayed goods or unperformed services, using the current prime interest rate calculated for each day of the delay until actual delivery or performance. The province may also consider termination of the contract in terms of the GCC.

17. COMPLETION OF BID DOCUMENT

The following are minimum requirements for completion of the bid document: -

- 17.1 Bidders are required to complete the entire bid document in terms of the requirements contained herein.
- 17.2 Where the space provided in the bid document is insufficient, separate schedules may be drawn up in accordance with the given formats. These schedules shall then be bound together with suitable contents page and submitted with the bid documents.
- 17.3 All bid documents, certificates, schedules (including additional schedules as mentioned above) and all forms required by this bid must be completed in black ink and signed by the authorized signatory.
- 17.4 Bid document should be returned in the provided sequence.
- 17.5 Bidders must ensure that there are no missing or duplicated pages. LDARD shall not accept liability regarding claims by bidders that pages are missing or duplicated.
- 17.6 Correction fluid is not allowed and any cancellation, alteration or amendment on the bid document must be signed for by the authorized signatory.

Completed bid document with supporting documents shall be packaged, bound, sealed, marked, and submitted strictly as stipulated in this bid document.

CONSTRUCTION OF 3X3000 CAPACITY BROILER HOUSES IN MARULENG MUNICIPALITY OF THE MOPANI DISTRICT

T1.3: Annex F: Standard Conditions of Tender

(As contained in Annexure F of South African National Standard: Construction procurement processes, Methods and procedures: SANS 294: 2004 Edition)

F.1 General

F.1.1 Actions

The employer and each tenderer submitting a tender offer shall comply with these conditions of tender. In their dealings with each other, they shall discharge their duties and obligations as set out in F.2 and F.3, timeously and with integrity, and behave equitably, honestly and transparently.

F.1.2 Tender Documents

The documents issued by the employer for the purpose of a tender offer are listed in the tender data.

F.1.3 Interpretation

- **F.1.3.1** The tender data and additional requirements contained in the tender schedules that are included in the returnable documents are deemed to be part of these conditions of tender.
- **F.1.3.2** These conditions of tender, the tender data and tender schedules which are only required for tender evaluation purposes, shall not form part of any contract arising from the invitation to tender.
- F.1.3.3 For the purposes of these conditions for the calling for expressions of interest, the following definitions apply:
- a) **comparative offer** means the tenderer's financial offer after the factors of non-firm prices, all unconditional discounts and any other tendered parameters that will affect the value of the financial offer have been taken into consideration
- b) **corrupt practice** means the offering, giving, receiving or soliciting of anything of value to influence the action of the employer or his staff or agents in the tender process; and
- c) fraudulent practice means the misrepresentation of the facts in order to influence the tender process or the award of a contract arising from a tender offer to the detriment of the employer, including collusive practices intended to establish prices at artificial levels
- d) **quality (functionality)** means the totality of features and characteristics of a product or service that bear on its ability to satisfy stated or implied needs

F.1.4 Communication and employer's agent

Each communication between the employer and a tenderer shall be to or from the employer's agent only, and in a form that can be read, copied and recorded. Writing shall be in the English language. The employer shall not take any responsibility for non-receipt of communications from or by a tenderer. The name and contact details of the employer's agent are stated in the tender data.

F.1.5 The employer's right to accept or reject any tender offer

- **F.1.5.1** The employer may accept or reject any variation, deviation, tender offer, or alternative tender offer, and may cancel the tender process and reject all tender offers at any time before the formation of a contract. The employer shall not accept or incur any liability to a tenderer for such cancellation and rejection, but will give written reasons for such action.
- **F.1.5.2** After the cancellation of a tender process or the rejection of all tender offers the employer may abandon the proposed procurement and re-issue a similar tender notice and invitation to tender not less than three months after the closing dated for tender offers or have it performed in another manner at any time.

F.2 Tenderer's obligations

The tenderer shall comply with the following obligations:

F.2.1 Eligibility

Submit a tender offer only if the tenderer complies with the criteria stated in the tender data and the tenderer, or any of his principals, is not under any restriction to do business with employer.

Tender T16 of T82 T1.3

F.2.2 Cost of tendering

Accept that the employer will not compensate the tenderer for any costs incurred in the preparation and submission of a tender offer, including the costs of any testing necessary to demonstrate that aspects of the offer satisfy requirements.

F.2.3 Check documents

Check the tender documents on receipt for completeness and notify the employer of any discrepancy or omission.

F.2.4 Confidentiality and copyright of documents

Treat as confidential all matters arising in connection with the tender. Use and copy the documents issued by the employer only for the purpose of preparing and submitting a tender offer in response to the invitation.

F.2.5 Reference documents

Obtain, as necessary for submitting a tender offer, copies of the latest versions of standards, specifications, conditions of contract and other publications, which are not attached but which are incorporated into the tender documents by reference.

F.2.6 Acknowledge addenda

Acknowledge receipt of addenda to the tender documents, which the employer may issue, and if necessary apply for an extension to the closing time stated in the tender data, in order to take the addenda into account.

F.2.7 Clarification meeting

Attend, where required, a clarification meeting at which tenderers may familiarize themselves with aspects of the proposed work, services or supply and raise questions. Details of the meeting(s) are stated in the tender data.

F.2.8 Seek clarification

Request clarification of the tender documents, if necessary, by notifying the employer at least five working days before the closing time stated in the tender data.

F.2.9 Insurance

Be aware that the extent of insurance to be provided by the employer (if any) may not be for the full cover required in terms of the conditions of contract identified in the contract data. The tenderer is advised to seek qualified advice regarding insurance.

F.2.10 Pricing the tender offer

- **F.2.10.1** Include in the rates, prices, and the tendered total of the prices (if any) all duties, taxes (except Value Added Tax (VAT)), and other levies payable by the successful tenderer, such duties, taxes and levies being those applicable 14 days before the closing time stated in the tender data.
- F2.10.2 Show VAT payable by the employer separately as an addition to the tendered total of the prices.
- **F.2.10.3** Provide rates and prices that are fixed for the duration of the contract and not subject to adjustment except as provided for in the conditions of contract identified in the contract data.
- **F.2.10.4** State the rates and prices in Rand unless instructed otherwise in the tender data. The conditions of contract identified in the contract data may provide for part payment in other currencies.

F.2.11 Alterations to documents

Not make any alterations or additions to the tender documents, except to comply with instructions issued by the employer, or necessary to correct errors made by the tenderer. All signatories to the tender offer shall initial all such alterations. Erasures and the use of masking fluid are prohibited.

F.2.12 Alternative tender offers

- **F.2.12.1** Submit alternative tender offers only if a main tender offer, strictly in accordance with all the requirements of the tender documents, is also submitted. The alternative tender offer is to be submitted with the main tender offer together with a schedule that compares the requirements of the tender documents with the alternative requirements the tenderer proposes.
- **F.2.12.2** Accept that an alternative tender offer may be based only on the criteria stated in the tender data or criteria otherwise acceptable to the employer.

Tender T17 of T82 T1.3

COLOTTO CONTROL STATE OF STATE

F.2.13 Submitting a tender offer

- **F.2.13.1** Submit a tender offer to provide the whole of the works, services or supply identified in the contract data and described in the scope of works, unless stated otherwise in the tender data.
- **F.2.13.2** Return all returnable documents to the employer after completing them in their entirety, either electronically (if they were issued in electronic format) or by writing in black ink.
- **F.2.13.3** Submit the parts of the tender offer communicated on paper as an <u>original plus the number of copies stated in the tender data</u>, with an English translation of any documentation in a language other than English, and the parts communicated electronically in the same format as they were issued by the employer.
- **F.2.13.4** Sign the original and all copies of the tender offer where required in terms of the tender data. The employer will hold all authorized signatories liable on behalf of the tenderer. Signatories for tenderers proposing to contract as joint ventures shall state which of the signatories is the lead partner whom the employer shall hold liable for the purpose of the tender offer.
- **F.2.13.5** Seal the original and each copy of the tender offer as separate packages marking the packages as "ORIGINAL" and "COPY". Each package shall state on the outside the employer's address and identification details stated in the tender data, as well as the tenderer's name and contact address.
- **F.2.13.6** Where a two-envelope system is required in terms of the tender data, place and seal the returnable documents listed in the tender data in an envelope marked "financial proposal" and place the remaining returnable documents in an envelope marked "technical proposal". Each envelope shall state on the outside the employer's address and identification details stated in the tender data, as well as the tenderer's name and contact address.
- **F.2.13.7** Seal the original tender offer and copy packages together in an outer package that states on the outside only the employer's address and identification details as stated in the tender data.
- **F.2.13.8** Accept that the employer shall not assume any responsibility for the misplacement or premature opening of the tender offer if the outer package is not sealed and marked as stated.

F.2.14 Information and data to be completed in all respects

Accept that tender offers, which do not provide all the data or information requested completely and in the form required, may be regarded by the employer as non-responsive.

F.2.15 Closing time

- **F.2.15.1** Ensure that the employer receives the tender offer at the address specified in the tender data not later than the closing time stated in the tender data. Proof of posting shall not be accepted as proof of delivery. The employer shall not accept tender offers submitted by telegraph, telex, facsimile or e-mail, unless stated otherwise in the tender data.
- **F.2.15.2** Accept that, if the employer extends the closing time stated in the tender data for any reason, the requirements of these conditions of tender apply equally to the extended deadline.

F.2.16 Tender offer validity

- **F.2.16.1** Hold the tender offer(s) valid for acceptance by the employer at any time during the validity period stated in the tender data after the closing time stated in the tender data.
- **F.2.16.2** If requested by the employer, consider extending the validity period stated in the tender data for an agreed additional period.

F.2.17 Clarification of tender offer after submission

Provide clarification of a tender offer in response to a request to do so from the employer during the evaluation of tender offers. This may include providing a breakdown of rates or prices and correction of arithmetical errors by the adjustment of certain rates or item prices (or both). No change in the total of the prices or substance of the tender offer is sought, offered, or permitted. The total of the prices stated by the tenderer shall be binding upon the tenderer.

Note: Sub-clause F.2.17 does not preclude the negotiation of the final terms of the contract with a preferred tenderer following a competitive selection process, should the Employer elect to do so.

F.2.18 Provide other material

Tender T18 of T82 T1.3

F.2.18.1 Provide, on request by the employer, any other material that has a bearing on the tender offer, the tenderer's commercial position (including notarized joint venture agreements), preferencing arrangements, or samples of materials, considered necessary by the employer for the purpose of a full and fair risk assessment. Should the tenderer not provide the material, or a satisfactory reason as to why it cannot be provided, by the time for submission stated in the employer's request, the employer may regard the tender offer as non-responsive.

F.2.18.2 Dispose of samples of materials provided for evaluation by the employer, where required.

F.2.19 Inspections, tests and analysis

Provide access during working hours to premises for inspections, tests and analysis as provided for in the tender data.

F.2.20 Submit securities, bonds, policies, etc.

If requested, submit for the employer's acceptance before formation of the contract, all securities, bonds, guarantees, policies and certificates of insurance required in terms of the conditions of contract identified in the contract data.

F.2.21 Check final draft

Check the final draft of the contract provided by the employer within the time available for the employer to issue the contract.

F.2.22 Return of other tender documents

If so instructed by the employer, return all retained tender documents within 28 days after the expiry of the validity period stated in the tender data.

F.2.23 Certificates

Include in the tender submission or provide the employer with any certificates as stated in the tender data.

F.3 The employer's undertakings

The employer undertakes to:

F.3.1 Respond to clarification

Respond to a request for clarification received up to five working days prior to the tender closing time stated in the Tender Data and notify all tenderers who drew procurement documents.

F.3.2 Issue Addenda

If necessary, issue addenda that may amend or amplify the tender documents to each tenderer during the period from the date of the Tender Notice until seven days before the tender closing time stated in the Tender Data. If, as a result a tenderer applies for an extension to the closing time stated in the Tender Data, the Employer may grant such extension and, will then notify it to all tenderers who drew documents.

F.3.3 Return late tender offers

Return tender offers received after the closing time stated in the Tender Data, unopened, (unless it is necessary to open a tender submission to obtain a forwarding address), to the tenderer concerned.

F.3.4 Opening of tender submissions

- **F.3.4.1** Unless the two-envelope system is to be followed, open valid tender submissions in the presence of tenderers' agents who choose to attend at the time and place stated in the tender data. Tender submissions for which acceptable reasons for withdrawal have been submitted will not be opened.
- **F.3.4.2** Announce at the opening held immediately after the opening of tender submissions, at a venue indicated in the tender data, the name of each tenderer whose tender offer is opened, the total of his prices, preferences claimed and time for completion, if any, for the main tender offer only.
- **F.3.4.3** Make available the record outlined in F.3.4.2 to all interested persons upon request.

F.3.5 Two-envelope system

GOTO THE MOTAL STATE BROKE THOUGHT IN MANUAL THE MOTAL BROKE THE BROKE THE BROKE THE MOTAL BROKE THE MOTAL BROKE THE BROKE THE BROKE THE BROKE THE BROKE THE B

F.3.5.1 Where stated in the tender data that a two-envelope system is to be followed, open only the technical proposal of valid tenders in the presence of tenderers' agents who choose to attend at the time and place stated in the tender data and announce the name of each tenderer whose technical proposal is opened.

F.3.5.2 Evaluate the quality of the technical proposals offered by tenderers, then advise tenderers who remain in contention for the award of the contract of the time and place when the financial proposals will be opened. Open only the financial proposals of tenderers, who score in the quality evaluation above the minimum number of points for quality stated in the tender data, and announce the score obtained for the technical proposals and the total price and any preferences claimed. Return unopened financial proposals to tenderers whose technical proposals failed to achieve the minimum number of points for quality.

F.3.6 Non-disclosure

Not disclose to tenderers, or to any other person not officially concerned with such processes, information relating to the evaluation and comparison of tender offers, the final evaluation price and recommendations for the award of a contract, until after the award of the contract to the successful tenderer.

F.3.7 Grounds for rejection and disqualification

Determine whether there has been any effort by a tenderer to influence the processing of tender offers and instantly disqualify a tenderer (and his tender offer) if it is established that he engaged in corrupt or fraudulent practices.

F.3.8 Test for responsiveness

Determine, on opening and before detailed evaluation, whether each tender offer properly received:

- a) meets the requirements of these Conditions of Tender,
- b) has been properly and fully completed and signed, and
- c) is responsive to the other requirements of the tender documents.

A responsive tender is one that conforms to all the terms, conditions, and specifications of the tender documents without material deviation or qualification. A material deviation or qualification is one which, in the Employer's opinion, would:

- detrimentally affect the scope, quality, or performance of the works, services or supply identified in the Scope of Work,
- · change the Employer's or the tenderer's risks and responsibilities under the contract, or
- affect the competitive position of other tenderers presenting responsive tenders, if it were to be rectified.

Reject a non-responsive tender offer, and not allow it to be subsequently made responsive by correction or withdrawal of the non-conforming deviation or reservation.

F.3.9 Arithmetical errors

Check responsive tender offers for arithmetical errors, correcting them in the following manner:

- Where there is a discrepancy between the amounts in figures and in words, the amount in words shall govern.
- If a bill of quantities (or schedule of rates) apply and there is an error in the line item total resulting from the product of the unit rate and the quantity, the line item total shall govern and the rate shall be corrected. Where there is an obviously gross misplacement of the decimal point in the unit rate, the line item total as quoted shall govern, and the unit rate will be corrected.
- Where there is an error in the total of the prices either as a result of other corrections required by this checking process or in the tenderer's addition of prices, the total of the prices shall govern and the tenderer will be asked to revise selected item prices (and their rates if a bills of quantities applies) to achieve the tendered total of the prices.

Consider the rejection of a tender offer if the tenderer does not correct or accept the correction of his arithmetical errors in the manner described above.

F.3.10 Clarification of a tender offer

Obtain clarification from a tenderer on any matter that could give rise to ambiguity in a contract arising from the tender offer.

F.3.11 Evaluation of tender offers

F.3.11.1 General

Tender T20 of T82 T1.3

Appoint an evaluation panel of not less than three persons. Reduce each responsive tender offer to a comparative offer and evaluate it using the tender evaluation method that is indicated in the Tender Data and described below:

Method 1:	1) Rank tender offers from the most favorable to the least favorable comparative offer.
Financial offer	2) Recommend highest ranked tenderer for the award of the contract, unless there are compelling and justifiable reasons not to do so.
Method 2:	1) Score tender evaluation points for financial offer.
Financial offer and preferences	2) Confirm that tenderers are eligible for the preferences claimed and if so, score tender evaluation points for preferencing.
preferences	3) Calculate total tender evaluation points.
	4) Rank tender offers from the highest number of tender evaluation points to the lowest.
	5) Recommend tenderer with the highest number of tender evaluation points for the award of the contract, unless there are compelling and justifiable reasons not to do so.
	1) Score quality, rejecting all tender offers that fail to score the minimum number of points for quality stated in the Tender data.
and quality	2) Score tender evaluation points for financial offer.
	3) Calculate total tender evaluation points.
	4) Rank tender offers from the highest number of tender evaluation points to the lowest.
	5) Recommend tenderer with the highest number of tender evaluation points for the award of the contract, unless there are compelling and justifiable reasons not to do so.
Method 4: Financial offer,	1) Score quality, rejecting all tender offers that fail to score the minimum number of points for quality stated in the Tender data.
quality and preferences	2) Score tender evaluation points for financial offer.
preferences	3) Confirm that tenderers are eligible for the preferences claimed, and if so, score tender evaluation points for preferencing.
	4) Calculate total tender evaluation points.
	5) Rank tender offers from the highest number of tender evaluation points to the lowest.
	6) Recommend tenderer with the highest number of tender evaluation points for the award of the contract, unless there are compelling and justifiable reasons not to do so.

Score financial offers, preferences and quality, as relevant, to two decimal places.

F.3.11.2 Scoring Financial Offers

Score the financial offers of remaining responsive tender offers using the following formula:

 $N_{FO} = W_1 \times A$ where:

N_{FO} = the number of tender evaluation points awarded for the financial offer.

W₁ = the maximum possible number of tender evaluation points awarded for the financial offer as stated in the Tender Data.

= a number calculated using either formulas 1 or 2 below as stated in the Tender Data.

Formula	Comparison aimed at achieving	Option 1	Option 2
1	Highest price or discount	$A = (1 + (\underline{P - Pm}))$	A = P / Pm
		Pm	
2	Lowest price or percentage commission /	A = (1 - (P - Pm))	A = Pm / P
	fee	Pm	

where:

Α

Pm = the comparative offer of the most favorable tender offer.
P = the comparative offer of tender offer under consideration.

F.3.11.3 Scoring quality (functionality)

Score quality in each of the categories stated in the Tender Data and calculate total score for quality.

F.3.12 Insurance provided by the employer

If requested by the proposed successful tenderer, submit for the tenderer's information the policies and / or certificates of insurance which the conditions of contract identified in the contract data, require the employer to provide.

CONSTRUCTION OF 3X3000 CAPACITY BROILER HOUSES IN MARULENG MUNICIPALITY OF THE MOPANI DISTRICT

F.3.13 Acceptance of tender offer

F.3.13.1 Accept tender offer only if the tenderer satisfies the legal requirements stated in Clause F.2.1 of the Tender Data.

F.3.13.2 Notify the successful tenderer of the employer's acceptance of his tender offer by completing and returning one copy of the form of offer and acceptance before the expiry of the validity period stated in the tender data, or agreed additional period. Providing the form of offer and acceptance does not contain any qualifying statements, it will constitute the formation of a contract between the employer and the successful tenderer as described in the form of offer and acceptance.

F.3.14 Notice to unsuccessful tenderers

After the successful tenderer has acknowledged the employer's notice of acceptance, notify other tenderers that their tender offers have not been accepted.

F.3.15. Prepare contract documents

If necessary, revise documents that shall form part of the contract and that were issued by the employer as part of the tender documents to take account of:

- a) addenda issued during the tender period,
- b) inclusion of some of the returnable documents,
- c) other revisions agreed between the employer and the successful tenderer, and
- d) the schedule of deviations attached to the form of offer and acceptance, if any.

F.3.16 Issue final contract

Prepare and issue the final draft of contract documents to the successful tenderer for acceptance as soon as possible after the date of the employer's signing of the form of offer and acceptance (including the schedule of deviations, if any). Only those documents that the conditions of tender require the tenderer to submit, after acceptance by the employer, shall be included.

F.3.17 Complete adjudicator's contract

Unless alternative arrangements have been agreed or otherwise provided for in the contract, arrange for both parties to complete formalities for appointing the selected adjudicator at the same time as the main contract is signed.

F.3.18 Provide copies of the contracts

Provide to the successful tenderer the number of copies stated in the Tender Data of the signed copy of the contract as soon as possible after completion and signing of the form of offer and acceptance.

PART T2: RETURNABLE SCHEDULES

TABLE C	OF CONTENTS	Page	Colour
T2.1:	LIST OF RETURNABLE DOCUMENTS	T.23	Yellow
T2.2:	RETURNABLE SCHEDULES TO BE COMPLETED		
	BY TENDERER	T.24	Yellow

 Tender
 T23 of T82
 T2

CONSTRUCTION OF 3,0000 OAFACITE BROILER THOUSES IN MARKELING MORIOR ACT TO THE MOFARITION

T2.1 List of Returnable Documents

The Tenderer must complete the following Returnable Documents:

1 Returnable Schedules required only for Tender Evaluation purposes

- B: Record of Addenda to Tender Documents
- C: Certificate of Authority for Joint Ventures / Close Corporation/ Partnership/ Company/ Sole Proprietor (Certified copies of Identity Documents for all members of Joint Ventures / Close Corporation / Partnership / Company / Sole Proprietor)
- D: Registration Certificates of entities Joint Ventures / Close Corporation/ Partnership/ Company/ Sole Proprietor
- E: Compulsory Enterprise Questionnaire
- F: Schedule of the Tenderer's Experience
- G: Schedule of Key Personnel
- H: Format of Curriculum Vitae
- I: Proposed Amendments, Qualifications and Alternatives
- J: Schedule of Subcontractors
- K: Schedule of Plant and Equipment available for this contract
- L: Copy of the Workmen's Compensation Registration Certificate (or proof of payment of contributions in terms of the Compensation for Occupational Injuries and Diseases Act No. 130 of 1993)
- M: Company profile, including track record
- N: Construction Industries Development Board (CIBD) Registration 4CE/GB or higher.

2 Other Documents required only for Tender Evaluation purposes

- O: BBBEE Status Level Verification Certificate or original sworn affidavit
- P: Financial Standing Attach Letter of Intent

3 Returnable Schedules that will be incorporated into the Contract

- Q: Preferencing Schedule (Direct Preferences) SBD Forms
- R: Other SBD Forms (SBD1, SBD3.1, SBD4, SBD 6.1)
- S: Execution Programme/ Program of Works
- T: Detailed Method Statement
- U: Contractor's Health and Safety Declaration

4 Other Documents that will be incorporated into the Contract

- V: Contractor's Safety Plan
- W: Proforma Notification form in terms of the Occupational Health and Safety Act 1993, Construction Regulations, 2003
- X: Monthly Labour Report

5 The Offer portion

Part C1 Agreement and Contract Data

Part C2 Pricing Data

Part C3 Scope of Work

Part C4 Site Information

ANNEXURE A: BIDDER'S DETAILED EXPERIENCE REPORT – REFERENCE SHEETS (Duplicate the reference sheet for more reference reports)

Tender T24 of T82 T2

CONCINCTION OF CHARACTER PROJECT CONTINUES CON

T2.2 Returnable Schedules to be completed by Tenderer

Tender T25 of T82 T2.2

A. CERTIFICATE OF ATTENDANCE AT A TENDER SITE MEETING

This is to certify that (Tenderer)		
of (address)		
below at the compulsory meeting held for all Tende Village in the Mopani West Agricultural Ecological		
	g was to acquaint myself / ourselves with the Site of the Works fied in the Tender Documents in order for me / us to take our rates and prices included in the Tender.	
Particulars of person(s) attending the meeting:		
Name:	Signature:	
Capacity:		
Name:	Signature:	
Capacity:		
Attendance of the above person(s) at the mamely:	neeting is confirmed by the Employer's representative,	
Name:	Signature:	
Capacity:	Date and Time:	

Tender T26 of T82 T2.2

B. RECORD OF ADDENDA TO TENDER DOCUMENTS

		ns received from the Employer before the submission of this Tender ve been taken into account in this Tender Offer:
1.		
1.		
2.		
3.		
4.		
5.		
Attach additional pages if more space is required.		
Signe	ed	Date
Name	э	Position
Tende	erer	

Tender T27 of T82 T2.2

Contention of Contention District Project Contention Contention Contention Contention

C. CERTIFICATE OF AUTHORITY OF AN ENTITY

Indicate the status of the Tenderer by ticking the appropriate box hereunder. The Tenderer must complete the Certificate set out below for the relevant category.

(I) Company	(II) Close Corporation	(III) Partnership	(IV) Joint Venture	(V) Sole Proprietor

(I) <u>CERTIFICATE FOR COMPANY</u>	
I	, chairperson of the Board of Directors of
	, hereby confirm that by resolution of the Board (copy attached)
taken on 20,	
Mr/Ms	, acting in the capacity of
	, was authorised to sign all Documents in
connection with this Tender and any Contract	ct resulting from it on behalf of the Company.
Signature of Chairman:	
Signature of Signatory:	
As Witnesses:	
1	Name in Block Letters
2	Name in Block Letters
Date:	

CONSTRUCTION OF 3A3000 CAPACITY BROILER HOUSES IN MARULENG MUNICIPALITY OF THE MOPANI DISTRICT

(II) CERTIFICATE FOR CLOSE CORPORA	ATION
We, the undersigned, being the key Members in	the business trading as
hereby authorise Mr/	Ms,
acting in the capacity of	, to sign all Documents
in connection with the Tender for Contract No a	nd any Contract resulting from it on our behalf.
Signature of Signatory:	
As Witnesses:	
1	Name in Block Letters
2	Name in Block Letters
Date:	

NAME	ADDRESS	SIGNATURE	DATE

Note: This Certificate is to be completed and signed by all of the key Members upon whom rests the Direction of the Affairs of the Close Corporation as a whole.

	CONSTRUCTION OF 3X3000 CAPACITY BROILER HOUSES IN MARULENG MUNICIPALITY OF THE MOPANI DISTRICT
(III)	CERTIFICATE FOR PARTNERSHIP

We, the undersigned, being the key Partners in the business trading as,		
	hereby authorise Mr/Ms	
acting in the capacity of	, to sign all Documents in connection	
with the Tender for Contract No and any Contract resulting from it on our behalf.		
Signature of Signatory:		
1	Name in Block Letters	
2	Name in Block Letters	
Date:		

NAME	ADDRESS	SIGNATURE	DATE

Note: This Certificate is to be completed and signed by all of the key Partners upon who rests the Direction of the Affairs of the Partnership as a whole.

CONSTRUCTION OF SASSOCIATION BROILER HOUSES IN MARGLEING MONICIPALITY OF THE MOPANI DISTRICT

(IV) CERTIFICATE FOR PARTNERSHIP
We, the undersigned, are submitting this Tender Offer in Joint Venture and hereby authorize Mr/Ms
, authorized signatory of the Company,
acting in the capacity of Lead Partner, to sign all Documents in connection with the
Tender Offer for Contract No and any Contract resulting from it on our behalf.
This authorization is evidenced by the attached power of attorney signed by legally authorized signatories of all th Partners to the Joint Venture.
Signature of Signatory:
As Witnesses:
1Name in Block Letters

Name in Block Letters.....

NAME OF FIRM	ADDRESS	AUTHORISING SIGNATURE, NAME AND CAPACITY
Lead Partner		

Note: This Certificate is to be completed and signed by all of the key Partners upon who rests the Direction of the Affairs of the Partnership as a whole.

Tender T31 of T82 T2.2

2.....

Date:

D. REGISTRATION CERTIFICATE OF AN ENTITY

[Important note to Tenderer: Registration Certificates for Companies, Close Corporations, Partnerships and ID Documents for Sole Proprietors must be inserted here. In the case of a Joint Venture, a copy of a duly signed Joint Venture Agreement must be included]

Tender T33 of T82 T2.2

E. COMPULSORY ENTERPRISE QUESTIONNAIRE

The following particulars must be further respect of each Partner must be cor	urnished. In the case of a Joint Vent inpleted and submitted.	ture, separ	ate Enterprise	e questionnaires in		
Section 1: Name of Enterprise:						
Section 2: VAT registration number, if any:						
Section 3: CIDB registration number, if any:						
Section 4: Particulars of Sole Pr	oprietors and Partners in Partners	ships				
Name*	Identity number* Pers		ersonal income tax number*			
* Complete only if Sole Proprietor or Par	tnership and attach separate page if more	e than 3 Part	ners			
Section 5: Particulars of Compa	nies and Close Corporations					
Company registration number						
•						
Section 6: Record in the service of the State Indicate by marking the relevant boxes with a cross, if any Sole Proprietor, Partner in a Partnership or Director, Manager, Principal Shareholder or Stakeholder in a Company or Close Corporation is currently or has been within the last 12 months in the service of any of the following:						
 a Member of any Municipal Council a Member of any Provincial Legislature a Member of the National Assembly or the National Council of Province a Member of the Board of Directors of any Municipal entity an employee of any Provincial Department, National or Provincial Public entity or Constitutional Institution within the meaning of the Public Finance Management Act, 1999 (Act 1 of 1999) a Member of an Accounting Authority of any National or Provincial Public Entity an employee of Parliament or a Provincial Legislature 						
If any of the above boxes are marked, disclose the following:						
Name of Sole Proprietor, Partner, Director, Manager, Principal Shareholder or Stakeholder	Name of Institution, Public Office or organ of State and position he		Status of se (tick approp Current	ervice oriate column) Within last 12 months		
*insert separate page if necessary						
moen oeparate page it necessary						

Section 7: Record of spouses, children and parents in the service of the State

Indicate by marking the relevant boxes with a cross, if any spouse, child or parent of a Sole Proprietor, Partner in a Partnership or Director, Manager, Principal Shareholder or Stakeholder in a Company or Close Corporation is currently or has been within the last 12 months been in the service of any of the following:

Tender T34 of T82 T2.2

Name

F. SCHEDULE OF THE TENDERER'S EXPERIENCE

The following is a Statement of Work of similar nature recently successfully executed by myself / ourselves (attach completion certificate for all completed projects as proof):

Employer: Contact Person and Telephone Number	Consulting Engineer: Contact Person and Telephone Number	Nature of Work	Value of Work (inclusive of VAT)	Date Completed or Expected to be Completed

SIGNATURE:	DATE:
(of person authorised to sign on behalf of the Tenderer)	

G. KEY PERSONNEL

In terms of the Project Specification and the Conditions of Tender, unskilled Workers may only be brought in from outside the Local Community if such personnel are not available locally.

The Tenderer shall list below the personnel which he intends to utilize on the Works, including key personnel which may have to be brought in from outside if not available locally.

All technical works must be done by qualified artisans with applicable experience. Bidders must provide curriculum vitae of the key personnel who will be performing the works.

provide ourneament made or the net p	Number of Persons		
Category of Employee	Key Personnel, Part of the Contractors Organisation	Key Personnel to be imported if not locally available	Unskilled Personnel to be recruited from the local community
Site Agent, 2 years experience			
Foreman, 2 years experience			
Welder, 2 years experience			
Civil Technician, 2 years experience			
Health and Safety Officer, 1 year experience			
Surveyor, 2 years experience			
Plant Operators, 1 year experience			

SIGNATURE:	DATE:
(of person authorised to sign on behalf of the Tenderer)	

Tender T37 of T82 T2.2

H. CURRICULUM VITAE FORMAT OF KEY PERSONNEL

Name:	Date of birth:
Profession:	Nationality:
Qualifications:	
Professional Registration Number:	
Name of Employer (firm):	
Current position:	Years with firm:
Employment Record:	
Experience Record Pertinent to Required service:	
Contification	
Certification:	
I, the undersigned, certify that, to the best of my knowledge and belief, the qualifications and my experience.	is data correctly describes me, my
Signature of person named in the Schedule Date	•

Tender T38 of T82 T2.2

Name: Date of birth: **Profession:** Nationality: **Qualifications: Professional Registration Number:** Name of Employer (firm): **Current position:** Years with firm: **Employment Record: Experience Record Pertinent to Required service:** Certification: I, the undersigned, certify that, to the best of my knowledge and belief, this data correctly describes me, my qualifications and my experience. Signature of person named in the Schedule Date

Name: Date of birth: **Profession:** Nationality: **Qualifications: Professional Registration Number:** Name of Employer (firm): **Current position:** Years with firm: **Employment Record: Experience Record Pertinent to Required service:** Certification: I, the undersigned, certify that, to the best of my knowledge and belief, this data correctly describes me, my qualifications and my experience. Signature of person named in the Schedule Date

Name: Date of birth: **Profession:** Nationality: **Qualifications: Professional Registration Number:** Name of Employer (firm): **Current position:** Years with firm: **Employment Record: Experience Record Pertinent to Required service:** Certification: I, the undersigned, certify that, to the best of my knowledge and belief, this data correctly describes me, my qualifications and my experience. Signature of person named in the Schedule Date

Name: Date of birth: **Profession:** Nationality: **Qualifications: Professional Registration Number:** Name of Employer (firm): **Current position:** Years with firm: **Employment Record: Experience Record Pertinent to Required service:** Certification: I, the undersigned, certify that, to the best of my knowledge and belief, this data correctly describes me, my qualifications and my experience. Signature of person named in the Schedule Date

Tender T42 of T82 T2.2

I. AMENDMENTS, QUALIFICATIONS AND ALTERNATIVES

(This is not an invitation for amendments, deviations or alternatives, but should the Tenderer desire to make any departures from the Provisions of this Contract he shall set out his proposals clearly hereunder. The Employer will not consider any amendment, unless form (a), has been completed to the satisfaction of the Employer). The Tenderer is referred to Tender Data paragraph F.2.12, where it is clearly stated that no Alternative Offers will be accepted.

I / We herewith propose the amendments, as set out in the table below:

(a) AMENDMENTS

PAGE, CLAUSE OR ITEM NO	PROPOSED AMENDMENT

Notes: (1) Amendments to the General and Special Conditions of Contract are not acceptable;

(2) The Tenderer must give full details of all the financial implications of the amendments and qualifications in a covering letter attached to his Tender.

Tender T43 of T82 T2.2

J. SCHEDULE OF PROPOSED SUB-CONTRACTORS

We notify you that it is our intention to employ the following Subcontractors for Work in this Contract.

If we are awarded a Contract we agree that this notification does not change the requirement for us to submit the names of proposed Subcontractors in accordance with requirements in the Contract for such appointments. If there are no such requirements in the Contract, then your written acceptance of this list shall be binding between us.

We confirm that all Subcontractors who are Contracted to construct a house are registered as Home Builders with the National Home Builders Registration Council.

	Name and address of proposed Subcontractor	Nature and extent of Work	Previous experience with Subcontractor.
1.			
2.			
3.			
4.			
5.			
	Signed	Date	
	Name	Position	
	Tenderer		

Tender T44 of T82 T2.2

K. SCHEDULE OF PLANT AND EQUIPMENT

The following are lists of major items of relevant equipment that I / we presently own or lease and will have available for this Contract or will acquire or hire for this Contract if my / our Tender is accepted.			
(a) Details of major equipment that is owned by and immediately available for this Contract.			
Quantity	Description, size, capacity, etc.		
Attach addition	al pages if more space is required.		
Attach additions	al pages il more space is required.		
(b) Details of major equipment that will be hired, or acquired for this Contract if my / our Tender is acceptable.			
Quantity	Description, size, capacity, etc.		
Quantity	Description, size, capacity, etc.		
Quantity	Description, size, capacity, etc.		
Quantity	Description, size, capacity, etc.		
Quantity	Description, size, capacity, etc.		
Quantity	Description, size, capacity, etc.		
Quantity	Description, size, capacity, etc.		
Quantity	Description, size, capacity, etc.		
Quantity	Description, size, capacity, etc.		
Quantity	Description, size, capacity, etc.		
Quantity	Description, size, capacity, etc.		
Quantity	Description, size, capacity, etc.		
Quantity	Description, size, capacity, etc.		
Quantity	Description, size, capacity, etc.		
Quantity	Description, size, capacity, etc.		
	Description, size, capacity, etc.		

Proof of ownership and/or rental agreement should form part of tender document.

Tender T45 of T82 T2.2

Position

Name

Tenderer

L. COPY OF WORKMEN'S COMPENSATION REGISTRATION CERTIFICATE (OR PROOF OF PAYMENT OF CONTRIBUTIONS IN TERMS OF THE COMPENSATION FOR OCCUPATIONAL INJURIES AND DISEASES ACT NO. 130 OF 1993)

[Certified Copy of the Certificate or Proof of Payment thereof obtained from the Workmen's Compensation Commissioner to be inserted here]

M. COMPANY PROFILE, INCLUDING TRACK RECORD

[Abbreviated company profile, giving history, status, activities, staff and track record of the tendering entity, to be inserted here. In case of a Joint Venture, a separate profile for each partner must be submitted]

Tender T47 of T82 T2.2

N. CONSTRUCTION INDUSTRIES DEVELOPMENT BOARD (CIDB) REGISTRATION

[Certified copy of the Tenderer's CIDB registration indicating the Contractor grading designation, to be inserted here. For a Joint Venture, each partner's CIDB certificate is to be included, as applicable].

NOT A REQUIREMENT

Tender T48 of T82 T2.2

O. TAX COMPLIANCE STATUS

IMPORTANT NOTES:

- 1. The Central Supplier Database and tax compliance status PIN are approved methods that will be used to verify tax compliance as SARS does not issue tax clearance certificate any more but has made an online provision available via eFiling for bidders to print their own tax clearance certificates which can be submitted with this bid.
- 2. Tax Clearance submitted by bidders will be verified on eFiling and/or Central Supplier database.
- 3. Bidders must provide a tax compliance status PIN and Central Supplier Database Number to access their records and verify tax compliance status

Tender T49 of T82 T2.2

APPLICATION FORM FOR TAX CLEARANCE CERTIFICATE

(In respect of Tender see note at bottom)

1. NAME OF TAXPAYER/TENDERER:			
2. TRADE NAME:			
3. IDENTIFICATION No. (if applicable):			
4. COMPANY/CLOSE CORPORATION REG No:			
5. INCOME TAX REFERENCE No:			
6. VAT REGISTRATION No:			
7. PAYE EMPLOYERS REG No. (if applicable):			
NB: Copy of the Tender request must be attached to this application.			
CONTACT PERSON REQUIRING TAX CLEARANCE CERTIFICATE:			
SIGNATURE:			
NAME :			
TELEPHONE NUMBER : CODE: NUMBER:			
ADDRESS :			
DATE : 20/			
Please note that the Commissioner for the South African Revenue Service (SARS) will not exercise his discretionary powers in favour of any person with regard to any interest, penalties and/or additional tax leviable due to the late or underpayment of taxes, duties or levies or the rendition of returns by any person.			
NAME OF PERSON RESPONSIBLE FOR CONTRACT:			

(ST 5.1) March 1999

NB: This is a pro forma application form that has to be submitted to SARS to enable them to issue the required Tax Clearance Certificate. The original and valid Tax Clearance Certificate furnished by the Receiver of Revenue must be submitted with the Tender (to be attached to the next page).

TAX CLEARANCE CERTIFICATE

[Valid Original Tax Clearance Certificate obtained from SARS to be inserted here after OR CSD SUMMARY]

Tender T50 of T82 T2.2

P. TENDERER'S FINANCIAL STANDING

In terms of Clause F.2.18.1 of the Contract-specific Tender Data the Tenderer shall provide information about his commercial position, which includes information necessary for the Employer to evaluate the Tenderer's financial standing.

To that end the Tenderer must provide with his tender a bank rating, certified by his banker, to the effect that he will be able to successfully complete the contract at the tendered amount within the specified time for completion.

However, should the Tenderer be unable to provide a bank rating with his tender, he shall state the reasons as to why he is unable to do so, and in addition provide the following details of his banker and bank account that he intends to use for project:

Name of account holder:	
Name of Bank: Branch:	
Account number: Type of a	ccount:
Telephone number: Facsimile	number:
Name of contact person (at bank):	
Failure to provide either the required bank details lead to the conclusion that the Tenderer does not disposal to complete the contract successfully with	have the necessary financial resources at his
The Employer undertakes to treat the information th evaluation of the tender submitted by the Tenderer.	us obtained as confidential, strictly for the use of
SIGNATURE: DA (of person authorised to sign on behalf of the Tendere	ATE:r)

Tender T51 of T82 T2.2

P1 FINANCIAL INFORMATION OF TENDERER

This information sheet has to be filled in by the financier of the Tenderer, duly signed and stamped on behalf of the financial institution he represents.

Tender Description:
Contract Period:
Name of Tenderer:
Bank Account Number:
Tender Amount:
Demand Guarantee will be provided by this Bank: YES \(\Boxed{1} \) NO \(\Boxed{1} \)
If yes, state amount of Demand Guarantee: R
Financial Institution
Name of Commercial Bank:
Branch:
Name of Bank Manager:
Telephone Number:
We acting on behalf of the above Commercial Bank confirm that
(Tenderer)
has operated an account with us for the last years.

We have been requested to provide a bank rating based in relation to the financial capability of the Tenderer, taking into account directives set out in the following two tables.

FINANCIAL CAPABILITY

Maximum value of contract that	Value on which Bank Rating must
the Tenderer is considered	be used
capable of	
Up to R300 000	R24 000
R1 000 000	R78 000
R3 000 000	R240 000
R5 000 000	R480 000
R10 000 000	R900 000
R30 000 000	R2 400 000
R100 000 000	R7 800 000

Tender T52 of T82 T2.2

Tenderer / Tender Details

CONSTRUCTION OF 3X3000 CAPACITY BROILER HOUSES IN MARULENG MUNICIPALITY OF THE MOPANI DISTRICT

BANK RATING

Bank Code	Description of Bank Code
Α	Undoubted for the amount of enquiry
В	Good for the amount of enquiry
С	Good for the amount quoted if strictly in the way of business
D	Fair trade risk for amount of enquiry
E	Figures considered too high
F	Financial position unknown
G	Occasional dishonours
Н	Frequent dishonours

The value on which our Bank Rating of the Te	nderer is based is R	
In words	oı	nly)
The Bank Rating is code:		
Signature: Manager Financial Institution	Print Name	Date
RUBBER STAMP OF INSTITUTION		

Tender T53 of T82 T2.2

Q: OTHER SBD FORMS REQUIRED TO BE COMPLETED

SBD1 - Invitation to Bid (Revised 2017)

SBD 3.1 – Pricing Schedule – Firm Price

SBD 4 - Bidder's Disclosure

SBD 6.1 - Preference Points Claim Form In Terms Of The Preferential Procurement Regulations 2022

Tender T54 of T82 T2.2

SBD1

PART A INVITATION TO BID

YOU ARE HEREBY INV								
	P 19/11	CLOSING DATE:		26 MAY 2023		OSING TIME:	11H00	
DESCRIPTION CONS		3X3000 CAPACITY BRO					1E MOPANI DISTR	ICI
			ווס אטם טוו	IUAIED AI (SIK	EEI A	DDKE33)		
67/69 BICCARD STREE	T DEPARTMENT						_	
DEPARTMENT OF AGE	RICULTURE AND	RURAL DEVELOPMEN	NT					
POLOKWANE							_	
0699								
BIDDING PROCEDURE	ENQUIRIES MA	Y BE DIRECTED TO	TECHNI	CAL ENQUIRIES	MAY E	BE DIRECTED TO:		
CONTACT PERSON	Mr. Ndlozi VS	3	CONTAC	CT PERSON		Eng. MI Mash	namaite (Pr.Eng)	
TELEPHONE NUMBER	015 294 3564	1	TELEPH	ONE NUMBER		015 294 3000	/ 066 503 0842	
FACSIMILE NUMBER			FACSIM	ILE NUMBER				
E-MAIL ADDRESS	ndloziv@agri	c.limpopo.gov.za		ADDRESS		mashamaiter	ni@agric.limpopo.	gov.za
SUPPLIER INFORMATI								J
NAME OF BIDDER								
POSTAL ADDRESS								
STREET ADDRESS								
TELEPHONE NUMBER	CODE		N	NUMBER				
CELLPHONE NUMBER								
FACSIMILE NUMBER	CODE		N	NUMBER				
E-MAIL ADDRESS								
VAT REGISTRATION NUMBER								
SUPPLIER COMPLIANCE	TAX COMPLIANCE			CENTRAL SUPPLIER				
STATUS	SYSTEM PIN:		OR	DATABASE No:	MAA	ΔΔ		
B-BBEE STATUS LEVEL	TICK API	PLICABLE BOX]		STATUS LEVEL AFFIDAVIT	1417.0	,	PLICABLE BOX]	
VERIFICATION CERTIFICATE	☐ Yes	□No				☐ Yes	☐ No	
// D DDEE 07/7:0		ALTION OFFICE	F/ 0/4/0	AL APPIDANCE (*			10T DE 611511	FED 44:
[A B-BBEE STATUS ORDER TO QUALIFY				'N AFFIDAVII (F	-OR E	:WES & QSES) IVIU	IST BE SUBMITT	ED IN
ARE YOU THE								
ACCREDITED				U A FOREIGN BA ER FOR THE GO O		□Vaa		ПМа
REPRESENTATIVE IN SOUTH AFRICA	□Yes	□No		ES /WORKS	סטכ	☐Yes		□No
FOR THE GOODS			OFFERE			[IF YES, ANSWER	THE QUESTIONN	AIRE
/SERVICES /WORKS OFFERED?	[IF YES ENCLO	SE PROOF]				BELOW]		
QUESTIONNAIRE TO B	BIDDING FOREIG	N SUPPLIERS						
IS THE ENTITY A RESI	DENT OF THE RE	PUBLIC OF SOUTH AF	RICA (RS	A)?			☐ YES ☐ NO	
O THE LITTLE A NEOI	DEINI OI IIIE IN	TODETO OF GOOTHINE	THOM (INO)	· y :				

Tender T55 of T82 T2.2

DOES THE ENTITY HAVE A BRANCH IN THE RSA?	☐ YES ☐ NO
DOES THE ENTITY HAVE A PERMANENT ESTABLISHMENT IN THE RSA?	☐ YES ☐ NO
DOES THE ENTITY HAVE ANY SOURCE OF INCOME IN THE RSA?	☐ YES ☐ NO
IS THE ENTITY LIABLE IN THE RSA FOR ANY FORM OF TAXATION? IF THE ANSWER IS "NO" TO ALL OF THE ABOVE, THEN IT IS NOT A REQUIREMENT TO REGISTER FOR A TASYSTEM PIN CODE FROM THE SOUTH AFRICAN REVENUE SERVICE (SARS) AND IF NOT REGISTER AS PER 2.	☐ YES ☐ NO IX COMPLIANCE STATUS 3 BELOW.

PART B TERMS AND CONDITIONS FOR BIDDING

1. BID SUBMISSION:

- 1.1. BIDS MUST BE DELIVERED BY THE STIPULATED TIME TO THE CORRECT ADDRESS. LATE BIDS WILL NOT BE ACCEPTED FOR CONSIDERATION.
- 1.2. ALL BIDS MUST BE SUBMITTED ON THE OFFICIAL FORMS PROVIDED—(NOT TO BE RE-TYPED) OR IN THE MANNER PRESCRIBED IN THE BID DOCUMENT.
- 1.3. THIS BID IS SUBJECT TO THE PREFERENTIAL PROCUREMENT POLICY FRAMEWORK ACT, 2000 AND THE PREFERENTIAL PROCUREMENT REGULATIONS, 2017, THE GENERAL CONDITIONS OF CONTRACT (GCC) AND, IF APPLICABLE, ANY OTHER SPECIAL CONDITIONS OF CONTRACT.
- 1.4. THE SUCCESSFUL BIDDER WILL BE REQUIRED TO FILL IN AND SIGN A WRITTEN CONTRACT FORM (SBD7).

2. TAX COMPLIANCE REQUIREMENTS

- 2.1 BIDDERS MUST ENSURE COMPLIANCE WITH THEIR TAX OBLIGATIONS.
- 2.2 BIDDERS ARE REQUIRED TO SUBMIT THEIR UNIQUE PERSONAL IDENTIFICATION NUMBER (PIN) ISSUED BY SARS TO ENABLE THE ORGAN OF STATE TO VERIFY THE TAXPAYER'S PROFILE AND TAX STATUS.
- 2.3 APPLICATION FOR TAX COMPLIANCE STATUS (TCS) PIN MAY BE MADE VIA E-FILING THROUGH THE SARS WEBSITE WWW.SARS.GOV.ZA.
- 2.4 BIDDERS MAY ALSO SUBMIT A PRINTED TCS CERTIFICATE TOGETHER WITH THE BID.
- 2.5 IN BIDS WHERE CONSORTIA / JOINT VENTURES / SUB-CONTRACTORS ARE INVOLVED, EACH PARTY MUST SUBMIT A SEPARATE TCS CERTIFICATE / PIN / CSD NUMBER.
- 2.6 WHERE NO TCS PIN IS AVAILABLE BUT THE BIDDER IS REGISTERED ON THE CENTRAL SUPPLIER DATABASE (CSD), A CSD NUMBER MUST BE PROVIDED.
- 2.7 NO BIDS WILL BE CONSIDERED FROM PERSONS IN THE SERVICE OF THE STATE, COMPANIES WITH DIRECTORS WHO ARE PERSONS IN THE SERVICE OF THE STATE, OR CLOSE CORPORATIONS WITH MEMBERS PERSONS IN THE SERVICE OF THE STATE."

NB: FAILURE TO PROVIDE / OR COMPLY WITH ANY OF THE ABOVE PA	ARTICULARS MAY RENDER THE BID INVALID.
SIGNATURE OF BIDDER:	
CAPACITY UNDER WHICH THIS BID IS SIGNED: (Proof of authority must be submitted e.g. company resolution)	
DATE:	

Tender T56 of T82 T2.2

SBD 3.1

PRICING SCHEDULE – FIRM PRICES (PURCHASES)

NOTE:

ONLY FIRM PRICES WILL BE ACCEPTED. NON-FIRM PRICES (INCLUDING PRICES SUBJECT TO RATES OF EXCHANGE VARIATIONS) WILL NOT BE CONSIDERED

IN CASES WHERE DIFFERENT DELIVERY POINTS INFLUENCE THE PRICING, A SEPARATE PRICING SCHEDULE MUST BE SUBMITTED FOR EACH DELIVERY POINT

Name	e of bidder	Bid number ACDP 19/11
Closi	ng Time 11:00	Closing date: 26 MAY 2023
OFFER	R TO BE VALID FORDAYS FROM THE C	LOSING DATE OF BID.
ITEM NO.	QUANTITY DESCRIPTION	BID PRICE IN RSA CURRENCY ** (ALL APPLICABLE TAXES INCLUDED)
-	Required by:	
-	At:	
-	Brand and model	
-	Country of origin	
-	Does the offer comply with the specification(s)?	*YES/NO
-	If not to specification, indicate deviation(s)	
-	Period required for delivery	*Delivery: Firm/not firm
-	Delivery basis	
Note:	All delivery costs must be included in the bid pri	ce, for delivery at the prescribed destination.
	applicable taxes" includes value- added tax, pay utions and skills development levies.	as you earn, income tax, unemployment insurance fund
*Delete	e if not applicable	
Signati	ure of Bidder	Date

Tender T57 of T82 T2.2

SBD4

BIDDER'S DISCLOSURE

1. PURPOSE OF THE FORM

Any person (natural or juristic) may make an offer or offers in terms of this invitation to bid. In line with the principles of transparency, accountability, impartiality, and ethics as enshrined in the Constitution of the Republic of South Africa and further expressed in various pieces of legislation, it is required for the bidder to make this declaration in respect of the details required hereunder.

Where a person/s are listed in the Register for Tender Defaulters and / or the List of Restricted Suppliers, that person will automatically be disqualified from the bid process.

2. Bidder's declaration

2.1 Is the bidder, or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest1 in the enterprise, employed by the state?

YES/NO

2.1.1 If so, furnish particulars of the names, individual identity numbers, and, if applicable, state employee numbers of sole proprietor/ directors / trustees / shareholders / members/ partners or any person having a controlling interest in the enterprise, in table below.

Full Name	Identity Number	Name of State institution

2.2	•	u, or any person connected vacuring institution? YES/NO	vith the bidder, have a relation	onship with any person who i	s employed by
2.2.1		urnish particulars:			
2.3	a contr		se have any interest in any o	/ members / partners or any other related enterprise whet	
2.3.1	If so, fu	urnish particulars:		 	
3 D	ECLARA	ATION			
		panying bid, do hereby mak		in at I certify to be true and cor	
3.1	I have	read and I understand the co	ontents of this disclosure;		

Tender T58 of T82 T2.2

¹ the power, by one person or a group of persons holding the majority of the equity of an enterprise, alternatively, the person/s having the deciding vote or power to influence or to direct the course and decisions of the enterprise.

- 3.2 I understand that the accompanying bid will be disqualified if this disclosure is found not to be true and complete in every respect;
- 3.3 The bidder has arrived at the accompanying bid independently from, and without consultation, communication, agreement or arrangement with any competitor. However, communication between partners in a joint venture or consortium2 will not be construed as collusive bidding.
- 3.4 In addition, there have been no consultations, communications, agreements or arrangements with any competitor regarding the quality, quantity, specifications, prices, including methods, factors or formulas used to calculate prices, market allocation, the intention or decision to submit or not to submit the bid, bidding with the intention not to win the bid and conditions or delivery particulars of the products or services to which this bid invitation relates.
- 3.4 The terms of the accompanying bid have not been, and will not be, disclosed by the bidder, directly or indirectly, to any competitor, prior to the date and time of the official bid opening or of the awarding of the contract.
- 3.5 There have been no consultations, communications, agreements or arrangements made by the bidder with any official of the procuring institution in relation to this procurement process prior to and during the bidding process except to provide clarification on the bid submitted where so required by the institution; and the bidder was not involved in the drafting of the specifications or terms of reference for this bid.
- I am aware that, in addition and without prejudice to any other remedy provided to combat any restrictive practices related to bids and contracts, bids that are suspicious will be reported to the Competition Commission for investigation and possible imposition of administrative penalties in terms of section 59 of the Competition Act No 89 of 1998 and or may be reported to the National Prosecuting Authority (NPA) for criminal investigation and or may be restricted from conducting business with the public sector for a period not exceeding ten (10) years in terms of the Prevention and Combating of Corrupt Activities Act No 12 of 2004 or any other applicable legislation.

I CERTIFY THAT THE INFORMATION FURNISHED IN PARAGRAPHS 1, 2 and 3 ABOVE IS CORRECT.

I ACCEPT THAT THE STATE MAY REJECT THE BID OR ACT AGAINST ME IN TERMS OF PARAGRAPH 6 OF PFMA SCM INSTRUCTION 03 OF 2021/22 ON PREVENTING AND COMBATING ABUSE IN THE SUPPLY CHAIN MANAGEMENT SYSTEM SHOULD THIS DECLARATION PROVE TO BE FALSE.

Signature	Date
Position	 Name of bidder

Tender T59 of T82 T2.2

² Joint venture or Consortium means an association of persons for the purpose of combining their expertise, property, capital, efforts, skill and knowledge in an activity for the execution of a contract.

SBD 6.1

PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2022

This preference form must form part of all tenders invited. It contains general information and serves as a claim form for preference points for specific goals.

NB: BEFORE COMPLETING THIS FORM, TENDERERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF THE TENDER AND PREFERENTIAL PROCUREMENT REGULATIONS, 2022

1. GENERAL CONDITIONS

- 1.1 The following preference point systems are applicable to invitations to tender:
 - the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included); and
 - the 90/10 system for requirements with a Rand value above R50 000 000 (all applicable taxes included).

1.2 To be completed by the organ of state

(delete whichever is not applicable for this tender).

- a) The applicable preference point system for this tender is the 80/20 preference point system.
- b) The 80/20 preference point system will be applicable in this tender. The lowest/ highest acceptable tender will be used to determine the accurate system once tenders are received.
- 1.3 Points for this tender (even in the case of a tender for income-generating contracts) shall be awarded for:
 - (a) Price; and
 - (b) Specific Goals.

1.4 To be completed by the organ of state:

The maximum points for this tender are allocated as follows:

	POINTS
PRICE	80
SPECIFIC GOALS	20
Total points for Price and SPECIFIC GOALS	100

- 1.5 Failure on the part of a tenderer to submit proof or documentation required in terms of this tender to claim points for specific goals with the tender, will be interpreted to mean that preference points for specific goals are not claimed.
- 1.6 The organ of state reserves the right to require of a tenderer, either before a tender is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the organ of state.

Tender T60 of T82 T2.2

2. DEFINITIONS

- (a) "tender" means a written offer in the form determined by an organ of state in response to an invitation to provide goods or services through price quotations, competitive tendering process or any other method envisaged in legislation;
- (b) "price" means an amount of money tendered for goods or services, and includes all applicable taxes less all unconditional discounts;
- (c) "rand value" means the total estimated value of a contract in Rand, calculated at the time of bid invitation, and includes all applicable taxes;
- (d) "tender for income-generating contracts" means a written offer in the form determined by an organ of state in response to an invitation for the origination of income-generating contracts through any method envisaged in legislation that will result in a legal agreement between the organ of state and a third party that produces revenue for the organ of state, and includes, but is not limited to, leasing and disposal of assets and concession contracts, excluding direct sales and disposal of assets through public auctions; and
- (e) "the Act" means the Preferential Procurement Policy Framework Act, 2000 (Act No. 5 of 2000).

3. FORMULAE FOR PROCUREMENT OF GOODS AND SERVICES

3.1. POINTS AWARDED FOR PRICE

3.1.1 THE 80/20 OR 90/10 PREFERENCE POINT SYSTEMS

A maximum of 80 or 90 points is allocated for price on the following basis:

80/20

$$Ps = 80\left(1 - \frac{Pt - Pmin}{Pmin}\right)$$

Where

Ps = Points scored for price of tender under consideration

Pt = Price of tender under consideration Pmin = Price of lowest acceptable tender

3.2. FORMULAE FOR DISPOSAL OR LEASING OF STATE ASSETS AND INCOME GENERATING PROCUREMENT

3.2.1. POINTS AWARDED FOR PRICE

A maximum of 80 or 90 points is allocated for price on the following basis:

80/20

$$Ps = 80 \left(1 + \frac{Pt - P max}{P max} \right)$$

Where

Ps = Points scored for price of tender under consideration

Pt = Price of tender under consideration

Pmax = Price of highest acceptable tender

4. POINTS AWARDED FOR SPECIFIC GOALS

- 4.1. In terms of Regulation 4(2); 5(2); 6(2) and 7(2) of the Preferential Procurement Regulations, preference points must be awarded for specific goals stated in the tender. For the purposes of this tender the tenderer will be allocated points based on the goals stated in table 1 below as may be supported by proof/documentation stated in the conditions of this tender:
- 4.2. In cases where organs of state intend to use Regulation 3(2) of the Regulations, which states that, if it is unclear whether the 80/20 or 90/10 preference point system applies, an organ of state must, in the tender documents, stipulate in the case of—
 - (a) an invitation for tender for income-generating contracts, that either the 80/20 or 90/10 preference

point system will apply and that the highest acceptable tender will be used to determine the applicable preference point system; or

(b) any other invitation for tender, that either the 80/20 or 90/10 preference point system will apply and that the lowest acceptable tender will be used to determine the applicable preference point system,

then the organ of state must indicate the points allocated for specific goals for both the 90/10 and 80/20 preference point system.

Table 1: Specific goals for the tender and points claimed are indicated per the table below.

(Note to organs of state: Where either the 80/20 preference point system is applicable, corresponding points must also be indicated as such.

Note to tenderers: The tenderer must indicate how they claim points for each preference point system.)

The specific goals allocated points in terms of this tender	Number of points allocated (90/10 system) (To be completed by the organ of state)	Number of points allocated (80/20 system) (To be completed by the organ of state)	Number of points claimed (90/10 system) (To be completed by the tenderer)	Number of points claimed (80/20 system) (To be completed by the tenderer)
Black People ownership > 51%		5		
Women Ownership > 51%		7		
Persons with Disability Ownership >51%		2		
Youth Ownership >51%		6		

4.3.	Name of company/firm			
4.4.	Company registration number:			
4.5.	TYPE OF COMPANY/ FIRM			
	 Partnership/Joint Venture / Consortium One-person business/sole propriety Close corporation Public Company Personal Liability Company (Pty) Limited Non-Profit Company State Owned Company 			
	□ State Owned Company			

- 4.6. I, the undersigned, who is duly authorised to do so on behalf of the company/firm, certify that the points claimed, based on the specific goals as advised in the tender, qualifies the company/ firm for the preference(s) shown and I acknowledge that:
 - The information furnished is true and correct;

DECLARATION WITH REGARD TO COMPANY/FIRM

[TICK APPLICABLE BOX]

- ii) The preference points claimed are in accordance with the General Conditions as indicated in paragraph 1 of this form;
- iii) In the event of a contract being awarded as a result of points claimed as shown in paragraphs 1.4 and 4.2, the contractor may be required to furnish documentary proof to the satisfaction of the organ

Tender T62 of T82 T2.2

of state that the claims are correct;

- iv) If the specific goals have been claimed or obtained on a fraudulent basis or any of the conditions of contract have not been fulfilled, the organ of state may, in addition to any other remedy it may have
 - (a) disqualify the person from the tendering process;
 - recover costs, losses or damages it has incurred or suffered as a result of that person's conduct;
 - (c) cancel the contract and claim any damages which it has suffered as a result of having to make less favourable arrangements due to such cancellation;
 - (d) recommend that the tenderer or contractor, its shareholders and directors, or only the shareholders and directors who acted on a fraudulent basis, be restricted from obtaining business from any organ of state for a period not exceeding 10 years, after the *audi alteram partem* (hear the other side) rule has been applied; and
 - (e) forward the matter for criminal prosecution, if deemed necessary.

	SIGNATURE(S) OF TENDERER(S)
SURNAME AND NAME: DATE:	
ADDRESS:	

Tender T63 of T82 T2.2

S. EXECUTION PROGRAMME / PROGRAM OF WORKS

The Tenderer shall detail below or attach a preliminary programme reflecting the proposed sequence and tempo of execution of the various activities comprising the Work for this Contract. The programme shall be in accordance with the information supplied in the Contract, requirements of the Project Specifications and with all other aspects of his Tender.

The Execution Programme must be based on the completion time as specified in the Contract Data. The activities identified and filled in below, are specifically to be carried forward to Schedule T, the contractor's Method Statement.

PLEASE NOTE: the cash flow projections from the Contractor (to be submitted before commencement of the execution of the Contract) must be in accordance with this execution plan in order to ensure proper Cash flow management by the Department and to minimise delayed payments.

		PROG	RAMM	Ε			
ACTIVITY				MON	ITHS		

Tender T64 of T82 T2.2

T. DETAILED METHOD STATEMENT

[The adjudication of the responsiveness of a bid also relies on the extent to which a tenderer can prove an understanding of the scope of works. The tenderer should describe below the methods and procedures he will employ to successfully complete the various activities as identified for the foregoing Schedule S, the Execution Programme]

ACTIVITY	DESCRIPTION

[Add more pages as required]

Tender T65 of T82 T2.2

U. CONTRACTOR'S HEALTH AND SAFETY DECLARATION

In terms of Clause 4(4) of the OHSA 1993 Construction Regulations 2003 (referred to as "the Regulations" hereafter), a Contractor may only be appointed to perform construction Work if the Employer is satisfied that the Contractor has the necessary competencies and resources to carry out the Work safely in accordance with the Occupational Health and Safety Act No 85 of 1993 and the OHSA 1993 Construction Regulations 2003.

To that effect a person duly authorised by the Tenderer must complete and sign the declaration hereafter in detail.

Declaration by Tenderer

- 1. I the undersigned hereby declare and confirm that I am fully conversant with the Occupational Health and Safety Act No 85 of 1993 (as amended by the Occupational Health and Safety Amendment Act No 181 of 1993), and the OHSA 1993 Construction Regulations 2003.
- 2. I hereby declare that my Company has the competence and the necessary resources to safely carry out the construction Work under this Contract in compliance with the Construction Regulations and the Employer's Health and Safety Specifications.
- 3. I propose to achieve compliance with the Regulations by one of the following:

(* = delete whatever is not applicable)

4. Details of resources I propose:

(Note: Competent resources shall include safety personnel such as a construction supervisor and Construction Safety Officer as defined in Regulation 6, and Competent Persons as defined in Regulations 7, 8, 10, 11, 12, 14, 15, 18, 21(1), 22, 26 and 27, as applicable to this Contract)

(a) Details of the competent and qualified key persons from my Company's own resources, who will form part of the Contract team:

NAMES OF COMPETENT PERSONS	POSITIONS TO BE FILLED BY COMPETENT PERSONS

Tender T66 of T82 T2.2

(b)		ils of training of persons from my Company's own resources (or to be hired) who still have to be ed to achieve the necessary competency:
	(i)	By whom will training be provided?
	(ii)	When will training be undertaken?
	(iii)	List the positions to be filled by persons to be trained or hired:
(c)		s of competent resources to be appointed as Subcontractors if Competent Persons cannot be supplied wn Company:
	Name	of proposed Subcontractor:
	Qualifi	cations or details of competency of the Subcontractor:
5.	Contra	by undertake, if my Tender is accepted, to provide, before commencement of the Works under the act, a suitable and sufficiently Documented Health and Safety Plan in accordance with Regulation 5(1) Construction Regulations, which plan shall be subject to approval by the Employer.
6.	Specif all time	irm that copies of my Company's approved Health and Safety Plan, the Employer's Safety ications as well as the OHSA 1993 Construction Regulations 2003 will be provided on Site and will at es be available for inspection by the Contractor's personnel, the Employer's personnel, the Engineer, s, and Officials and Inspectors of the Department of Labour.
7.	Quanti in the applied	by confirm that adequate provision has been made in my Tendered rates and prices in the Schedule of ties to cover the cost of all resources, actions, training and all health and safety measures envisaged OHSA 1993 Construction Regulations 2003, and that I will be liable for any penalties that may be by the Employer in terms of the said Regulations (Regulation 30) for failure on the Contractor's part with the Provisions of the Act and the Regulations.
8.	that I	e that my failure to complete and execute this declaration to the satisfaction of the Employer will mean am unable to comply with the requirements of the OHSA 1993 Construction Regulations 2003, and that my Tender will be prejudiced and may be rejected at the discretion of the Employer.
		:

Tender T67 of T82 T2.2

V. CONTRACTOR'S SAFETY PLAN

[The Contractor shall submit the Contractor's <u>Health and Safety Plan</u> as required in terms of Regulation 5 of the Occupational Health and Safety Act 1993 Construction Regulations 2003, and referred to in T2.1, before commencement of the Works.]

Tender T68 of T82 T2.2

W. PRO FORMA NOTIFICATION FORM IN TERMS OF THE OCCUPATIONAL HEALTH AND SAFETY ACT 1993, CONSTRUCTION REGULATIONS 2003

[This form must be completed and forwarded, <u>prior to commencement</u> of Work on Site, by all Contractors that qualify in terms of Regulation 3 of the Construction Regulations 2003, to the Office of the Department of Labour]

1.	(a)	Name and postal address of Contractor:
	(b)	Name of Contractor's contact person:
	(5)	Telephone number:
2.	Con	tractor's Workman's compensation registration number:
2. 3.	(a)	Name and postal address of Client:
J.	(α)	TVario and postal address of Olicit.
	(b)	Name of Client's contact person or Agent:
	(6)	Telephone number
4.	(a)	Name and postal address of designer(s) for the Project:
٠.	(α)	Traine and postal address of designer(s) for the Froject.
	(b)	Name of Designer's contact person:
	(5)	Telephone number
5.	Nan	ne of Contractor's Construction Supervisor on Site appointed in terms of
		ulation 6(1): Telephone number:
6.	_	ne/s of Contractor's sub-ordinate supervisors on Site appointed in terms of Regulation 6(2).
		(-)
7.	Exa	ct physical address of the construction Site or Site Office:
8.	Nati	ure of the construction Work:
•		
9.	Exp	ected Commencement Date:
10.	•	ected Completion Date:
11.	•	mated maximum number of persons on the construction Site:
12.		nned number of Subcontractors on the construction Site accountable to Contractor:
		ne(s) of Subcontractors already chosen:
10.	I	15(5) of Substitutions already shoten.
SIC.	NED	DV.
COI	NIKA	ACTOR: DATE:
CHI	ENT:	DATE:

CONSTRUCTION OF SASSION CALACTT BROILER FROM SET WARRELING MONIGH ALT FOR THE MOT AND DISTRICT

X. MONTHLY LABOUR REPORT

MONTHLY LABOUR REPORT FOR CERTIFICATE OF PAYMENT NO
JOBS CREATED

Α	В	С	D	E	F	G	Н	I	J
Category	Number of persons employed	Rate (R/d)	Local P- days	Non- local P- Days	Total P- days (D+E)	Amount expended on labour (C x F)	P-days by women	P-days by youth	P-days by disabled
	in								
	category								
Clerical									
Managerial									
Supervisory									
Skilled									
Semi-									
skilled									
Unskilled									
All									
operations									

ACTUAL TO DATE

AS PER BUSINESS PLAN

Α	В	С	D	E	F	G	Н	I	J
Category	Number	Rate	Local P-	Non-	Total P-	Amount	P-days	P-days	P-days
	of	(R/d)	days	local P-	days	expended	by	by youth	by
	persons			Days	(D+E)	on labour	women		disabled
	employed					(C x F)			
	in								
	category								
Clerical									
Managerial									
Supervisory									
Skilled									
Semi-									
skilled									
Unskilled									
All									
operations									

SUMMARY

Planned person-days target
Tendered construction period (months):
Overall person-days target per month:
Months represented by this report:
Person-day target for this month:
Achieved person-days to date:
Person-days ahead/behind target:

Tender T70 of T82 T2.2

CONSTRUCTION OF 3X3000 CAPACITY BROILER HOUSES IN MARULENG MUNICIPALITY OF THE MOPANI DISTRICT

Project Name and scope of work: Scope of work: Contract duration: Actual Contract Duration: Name of Institution/company /place where contract was undertaken/ Client To be filled by Principal Agent/ Consultant Very Poor Fair Good Excellent (5) Quality of office administration Quality of Site Management Competence Foreman Co-operation during contract Quality of workmanship Quality of workmanship Quality of workmanship Quality of workmanship Quality of materials Programme management Rectification of condemned work Tidiness of site Contract Duration (in Actual Contract Actual Contract C
Contract duration: Actual Contract Duration: Name of Institution/company / Principal Agent/ Consultant To be filled by Principal Agent Description/Perfomance Very Poor Fair Good Excellent (2) (3) (4) (5) Quality of office administration Quality of Site Management Co-operation during contract Quality of materials Programme management Rectification of condemned work Tidiness of site
Contract duration: Actual Contract Duration: Name of Institution/company / Principal Agent/ Consultant To be filled by Principal Agent Description/Perfomance Very Poor Fair Good Excellent (2) (3) (4) (5) Quality of office administration Quality of Site Management Co-operation during contract Quality of materials Programme management Rectification of condemned work Tidiness of site
Contract duration: Actual Contract Duration: Name of Institution/company / Principal Agent/ Consultant To be filled by Principal Agent Description/Perfomance Very Poor Fair Good Excellent (2) (3) (4) (5) Quality of office administration Quality of Site Management Co-operation during contract Quality of materials Programme management Rectification of condemned work Tidiness of site
Name of Institution/company / Principal Agent/ Consultant / Consultant
Name of Institution/company / Principal Agent/ Consultant / Consultant
Name of Institution/company /place where contract was undertaken/ Client To be filled by Principal Agent Description/Perfomance Quality of office administration Quality of Site Management Co-operation during contract Quality of workmanship Quality of workmanship Quality of materials Programme management Rectification of condemned work Tidiness of site
/place where contract was undertaken/ Client To be filled by Principal Agent Description/Perfomance Quality of office administration Quality of Site Management Co-operation during contract Quality of workmanship Quality of materials Programme management Rectification of condemned work Tidiness of site
/place where contract was undertaken/ Client To be filled by Principal Agent Description/Perfomance Quality of office administration Quality of Site Management Co-operation during contract Quality of workmanship Quality of materials Programme management Rectification of condemned work Tidiness of site
To be filled by Principal Agent Description/Perfomance Quality of office administration Quality of Site Management Competence Foreman Co-operation during contract Quality of workmanship Quality of materials Programme management Rectification of condemned work Tidiness of site To be filled by Principal Agent Very Poor Fair Good Excellent (2) (3) (4) (5) Cood Excellent (3) (4) (5) Excellent (4) (5) Excellent (5) (5) Excellent (6) (1) (2) (3) (4) (5) Excellent (1) (3) (4) (5) Excellent (1) (3) (4) (5) Excellent (1) (4) (5) Excellent (1) (2) (3) (4) (5) Excellent (1) (3) (4) (5) Excellent (1) (4) (5) Excellent (1) (2) (3) (4) (5) Excellent (1) (3) (4) (5) Excellent (1) (4)
To be filled by Principal Agent Description/Perfomance Very Poor Fair Good Excellent (2) (3) (4) (5) Quality of office administration Quality of Site Management Competence Foreman Co-operation during contract Quality of workmanship Quality of materials Programme management Rectification of condemned work Tidiness of site
Description/Perfomance Very Poor (1) (2) (3) (4) (5) Quality of office administration Quality of Site Management Competence Foreman Co-operation during contract Quality of workmanship Quality of materials Programme management Rectification of condemned work Tidiness of site
Description/Perfomance Very Poor (1) (2) (3) (4) (5) Quality of office administration Quality of Site Management Competence Foreman Co-operation during contract Quality of workmanship Quality of materials Programme management Rectification of condemned work Tidiness of site
Description/Perfomance Very Poor (1) (2) (3) (4) (5) Quality of office administration Quality of Site Management Competence Foreman Co-operation during contract Quality of workmanship Quality of materials Programme management Rectification of condemned work Tidiness of site
Description/Perfomance Very Poor (1) (2) (3) (4) (5) Quality of office administration Quality of Site Management Competence Foreman Co-operation during contract Quality of workmanship Quality of materials Programme management Rectification of condemned work Tidiness of site
Description/Perfomance Very Poor (1) (2) (3) (4) (5) Quality of office administration Quality of Site Management Competence Foreman Co-operation during contract Quality of workmanship Quality of materials Programme management Rectification of condemned work Tidiness of site
Quality of office administration Poor (1) (2) (3) (4) (5) Quality of Site Management Secondary of Site Management
Quality of office administration
Competence Foreman Co-operation during contract Quality of workmanship Quality of materials Programme management Rectification of condemned work Tidiness of site
Co-operation during contract Quality of workmanship Quality of materials Programme management Rectification of condemned work Tidiness of site
Quality of workmanship
Quality of materials
Programme management Rectification of condemned work Tidiness of site
Tidiness of site
Adequacy of equipment Adequacy of labour force
Procurement of material
Labour relations

Tender T71 of T82 T2.2

The following are to be complete and the works completion certific no allocation of points.		rincipal Age	ent/ Consulta	ant and is to	be suppo	orted in ea	ch case by a letter	
Project Name and scope of wo	rk:							\neg
Scope of work :								
Contract duration:								
Actual Contract Duration:								
Name of Institution/company /place where contract was undertaken/ Client	Principal Agent/ Consultant	Value of	Value of contract		Duration eks, month ears)	is,	Actual Contract Duration (in days, eeks, months, year	,
					<u> </u>			
						1		
	y Principal Agent		T		T = .		1 = " . 1	l
Description/Perfomance			Very Poor (1)	Poor	Fair	Good	Excellent	
Quality of office administration	<u> </u>		P001 (1)	(2)	(3)	(4)	(5)	
Quality of Site Management								
Competence Foreman								
Co-operation during contract								
Quality of workmanship								
Quality of materials Programme management								
Rectification of condemned wo	nrk							
Tidiness of site	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,							
Adequacy of equipment								
Adequacy of labour force								
Procurement of material								
Labour relations								
Any other additional rer	narks considered ne	ecessary to	assist in ev	/aluation o	f the cont	ractor?		
Principal Agent/consultan	t Firm					Г		
Telephone							CTAMD	
							STAMP	
Principal Agent/consultan	t Signature							
Date								

				Contract days, we		(in s, [Actual Contract Duration (in days,		
Contract duration: Actual Contract Duration: Name of Institution/company / place where contract was undertaken/ Client To be filled by Prince	cipal Agent/			Contract days, we	Duration eks, month	(in s, [Actual Contract Duration (in days,		
Contract duration: Actual Contract Duration: Name of Institution/company / place where contract was undertaken/ Client To be filled by Prince	cipal Agent/			Contract days, we	Duration eks, month	(in s, [Actual Contract Duration (in days,		
Contract duration: Actual Contract Duration: Name of Institution/company / place where contract was undertaken/ Client To be filled by Prince	cipal Agent/			Contract days, we	Duration eks, month	(in s, [Actual Contract Duration (in days,		
Name of Institution/company /place where contract was undertaken/ Client To be filled by Prince	cipal Agent/			Contract days, we	Duration eks, month	(in s, [Actual Contract Duration (in days,		
Name of Institution/company / Princ /	cipal Agent/			Contract days, we	Duration eks, month	(in	Ouration (in days,		
Name of Institution/company /place where contract was undertaken/ Client To be filled by Prince	cipal Agent/			Contract days, we	Duration eks, month	(in	Ouration (in days,		
/place where contract was undertaken/ Client To be filled by Prince		Value of	f contract	days, we	eks, month	s, [Ouration (in days,		
/place where contract was undertaken/ Client To be filled by Prince		Value of	contract	days, we	eks, month	s, [Ouration (in days,		
undertaken/ Client To be filled by Princ	onsultant			-					
To be filled by Princ				У	ears)	we	weeks, months, years)		
					years)		weeks, months, years)		
	ipal Agent								
	.pai / igoiit		Very	Poor	Fair	Good	Excellent		
		Poor (1)	(2)	(3)	(4)	(5)			
Quality of office administration									
Quality of Site Management Competence Foreman									
Co-operation during contract							+		
Quality of workmanship							+		
Quality of materials									
Programme management									
Rectification of condemned work Tidiness of site									
Adequacy of equipment			1				+		
Adequacy of equipment Adequacy of labour force							+		
Procurement of material							1		
Labour relations									

 Tender
 T73 of T82
 T2.2

Project Name and scope of wo	ork:						
,							
Scope of work :							
Contract duration:							
Actual Contract Duration:							
		1	1				
Name of Institution/company /place where contract was	Principal Agent/ Consultant	Value of	contract		Duration		Actual Contract
undertaken/ Client			days, weeks, months, years)				Duration (in days, eeks, months, years
				,	,		, , , , , , , , , , , , , , , , , , , ,
_	1	1					
	by Principal Agent		Very	Poor	Fair	Good	Excellent
Description/Perfomance			Poor (1)	(2)	(3)	(4)	(5)
Quality of office administration	n		1 2 3. (.)	\-/	157		(-)
Quality of Site Management							
Competence Foreman							
Co-operation during contract Quality of workmanship							
Quality of materials							
Programme management						1	+
Rectification of condemned we	ork						
Tidiness of site	-						
Adequacy of equipment							
Adequacy of labour force				1			
Procurement of material			1				

ANNEXURE A: BIDDER'S DETAILED EXPERIENCE - REFERENCE SHEET

The following are to be completed by the Client and Principal Agent/ Consultant and is to be supported in each case by a letter of	f award
and the works completion certificate. Both client and Pricipal Agent must stamp the documents, failure to obtain both stamp will r	esult in
no allocation of points.	
Project Name and scope of work:	

no allocation of points.							
Project Name and scope of wo	rk:						
Soons of work !							
Scope of work :							
Contract duration:							
Actual Contract Duration:							
		1	1			, 1	
Name of Institution/company	Principal Agent/	Value of	contract		Duration		Actual Contract
/place where contract was undertaken/ Client	Consultant				eks, monti ears)		Duration (in days weeks, months, yea
undertaken/ onent				у.	cars)		weeks, months, yea
		•					
	y Principal Agent				T = .	1	
Description/Perfomance			Very	Poor	Fair	Good	
Quality of office administration	<u> </u>		Poor (1)	(2)	(3)	(4)	(5)
Quality of Site Management							
Competence Foreman							
Co-operation during contract							
Quality of workmanship							
Quality of materials							
Programme management							
Rectification of condemned wo	ork					+	
Tidiness of site Adequacy of equipment							
Adequacy of labour force							
Procurement of material							
abour relations							
Any other additional rer	marks considered ne	cessary to	assist in e	valuation o	of the cont	ractor?	
Principal Agent/consultan	t Firm						
Telephone							STAMP
Principal Agent/consultan	t Signature						
	t Signature						

Tender T75 of T82 T2.2

Scope of work :							
Contract duration:							
Contract duration:							
Contract duration:							
Actual Contract Duration:							
							•••••••••••••••••••••••••••••••••••••••
Name of Institution/company	Principal Agent/	Value of	Value of contract			١	Actual Contract
/place where contract was	/place where contract was undertaken/ Client Consultant			days, weeks, months,			Duration (in days,
undertaken/ Client				years)		we	eks, months, years
To be filled by	Principal Agent						
Description/Perfomance			Very	Poor	Fair	Good	Excellent
· · · · · · · · · · · · · · · · · · ·		Poor (1)	(2)	(3)	(4)	(5)	
Quality of office administration							
Quality of Site Management Competence Foreman							
Co-operation during contract							
Quality of workmanship							
Quality of materials							
Programme management							
Rectification of condemned wor	·k						
Tidiness of site Adequacy of equipment							
Adequacy of labour force							
Procurement of material							
Labour relations							

ANNEXURE A: BIDDER'S DETAILED EXPERIENCE - REFERENCE SHEET

LIMPOPO DEPARTMENT OF AGRICULTURE AND RURAL DEVELOPMENT:

The following are to be completed by the Client and Principal Agent/ Consultant and is to be supported in each case by a letter of a	award
and the works completion certificate. Both client and Pricipal Agent must stamp the documents, failure to obtain both stamp will res	sult in
no allocation of points.	

no allocation of points. Project Name and scope of wo	rk:			<u>'</u>			<u>'</u>
•							
Scope of work :							
Contract duration:							
Actual Contract Duration:							
Actual Contract Duration							
Name of Institution/company /place where contract was undertaken/ Client	Principal Agent/ Consultant	Value of	contract	days, we	Duration eks, mont ears)	hs,	Actual Contract Duration (in days reeks, months, year
To be filled b	y Principal Agent						
Description/Perfomance			Very Poor (1)	Poor (2)	Fair (3)	Good (4)	Excellent (5)
Quality of office administration	1						
Quality of Site Management Competence Foreman							
Co-operation during contract							
Quality of workmanship							
Quality of materials							
Programme management							
Rectification of condemned wo	ork						
Tidiness of site							
Adequacy of equipment Adequacy of labour force							
Procurement of material							
Labour relations							
Any other additional rer	marks considered ne	ecessary to	assist in e	valuation o	f the con	tractor?	
Principal Agent/consultan	t Firm					ĺ	
Telephone							STAMP
Principal Agent/consultan							
Date							

Tender T77 of T82 T2.2

no allocation of points.	l								
Project Name and scope of wo	rk:								
Scope of work :									
Contract duration:									
Actual Contract Duration:									
Adda John and Daration			•••••				•••••••••••••••••••••••••••••••••••••••		
Name of Institution/company	Principal Agent/	Value of	f contract	Contract	Duration	(in	Actual Contract		
/place where contract was				-	eks, month		Duration (in days,		
undertaken/ Client				у	ears)	we	eks, months, years		
T : 00 · ·	on Data at 11 A								
To be filled b Description/Perfomance	y Principal Agent		Very	Poor	Fair	Good	Excellent		
Description/Perfomance			Poor (1)	(2)	(3)	(4)	(5)		
Quality of office administration	1		1 001 (1)	\-/	107	1.7	(0)		
Quality of Site Management									
Competence Foreman									
Co-operation during contract									
Quality of workmanship Quality of materials					+		+		
Programme management									
Rectification of condemned wo	ork								
Tidiness of site									
Adequacy of equipment									
Adequacy of labour force									
Procurement of material Labour relations									
Labour relations									
Any other additional ren	narks considered ne	cessary to	assist in ev	valuation o	of the cont	ractor?			
D									
Principal Agent/consultan	t Firm		Principal Agent/consultant Firm Telephone						

ANNEXURE A: BIDDER'S DETAILED EXPERIENCE - REFERENCE SHEET

LIMPOPO DEPARTMENT OF AGRICULTURE AND RURAL DEVELOPMENT:

The following are to be completed by the Client and Principal Agent/ Consultant and is to be supported in each case by a letter of award and the works completion certificate. Both client and Pricipal Agent must stamp the documents, failure to obtain both stamp will result in

no allocation of points.	outo. Both onone und i	noipai 7 igoi	it made dia	mp are deed	arriorito, io		, 0010	mir boar otamp w
Project Name and scope of wo	rk:							
Scope of work :								
Contract duration:								
Actual Contract Duration:								
Actual Contract Buration								
Name of Institution/company	Principal Agent/	Value of	contract	Contract	Duration	(in		Actual Contract
/place where contract was	Consultant	Value of	Contract		eks, monti			Juration (in days
undertaken/ Client	Oonsultant				ears)	10,		eks, months, yea
undertaken/ onen				у.			****	5KG, 111011ti10, you
To be filled b	y Principal Agent							
Description/Perfomance	, , ,		Very	Poor	Fair	God	od	Excellent
•			Poor (1)	(2)	(3)	(4)		(5)
Quality of office administration	1							
Quality of Site Management								
Competence Foreman								
Co-operation during contract								
Quality of workmanship								
Quality of materials								
Programme management								
Rectification of condemned wo	ork							
Tidiness of site								
Adequacy of equipment								
Adequacy of labour force								
Procurement of material								
Labour relations								
Any other additional res	marka aanaidarad na	ooooomi to	acciat in a	valuation a	f the cont	traatar		
Any other additional rer	narks considered ne	cessary to	a55151 III E	valuation o	i the com	liactor	ſ	
Principal Agent/consultan	t Firm							
Telephone								STAMP
								J 17 11411
Principal Agent/consultan	t Signature							
Date								

The following are to be complete and the works completion certific no allocation of points.		rincipal Age	ent/ Consulta	ant and is to	be suppor	ted in eac	ch case by a letter	
Project Name and scope of wo	rk:							
Scope of work :								
Contract duration:								
Actual Contract Duration:								ı
Name of Institution/company /place where contract was undertaken/ Client	Principal Agent/ Consultant	Value of	contract	days, we	Duration (in the description of the description o	;, [Actual Contract Duration (in days, eks, months, year	,
To be filled b	y Principal Agent							
Description/Perfomance	, ,		Very Poor (1)	Poor (2)	Fair (3)	Good (4)	Excellent (5)	
Quality of office administration	1							
Quality of Site Management								
Co-operation during contract								
Quality of workmanship								
Quality of materials								
Programme management								
Rectification of condemned wo	ork							
Tidiness of site								
Adequacy of equipment								
Adequacy of labour force Procurement of material								
Labour relations								
Any other additional rer	marks considered ne	cessary to	assist in e	valuation o	f the contra	actor?		I
				• • • • • • • • • • • • • • • • • • • •				
Principal Agent/consultan	t Firm					Γ		
Telephone							STAMP	
Principal Agent/consultan	t Signature				•••			
Date								

 Tender
 T80 of T82
 T2.2

THE CONTRACT

PART C1: AGREEMENTS AND CONTRACT DATA

PART C2: PRICING DATA

PART C3: SCOPE OF WORK

PART C4: SITE INFORMATION

Contract C1 of C83 Index

LIMPOPO DEPARTMENT OF AGRICULTURE AND RURAL DEVELOPMENT

CONSTRUCTION OF 3X3000 CAPACITY BROILER HOUSES IN MARULENG MUNICIPALITY OF THE MOPANI DISTRICT

TABLE OF CONTENTS

PART C1: AGREEMENTS AND CONTRACT DATA (YELLOW COLOUR)

C1.1: FORM OF OFFER AND ACCEPTANCE

C1.2: CONTRACT DATA

C1.2.1: CONDITIONS OF CONTRACT

C1.2.2: PART A: CONTRACT DATA PROVIDED BY THE EMPLOYER

PART B: CONTRACT DATA PROVIDED BY THE CONTRACTOR

C1.3: FORM OF GUARANTEE

C1.4: AGREEMENT IN TERMS OF SECTION 37(2) OF THE

OCCUPATIONAL HEALTH AND SAFETY ACT No 85 OF 1993

PART C2: PRICING DATA (YELLOW COLOUR)

C2.1: PRICING INSTRUCTIONS

C2.2: BILL OF QUANTITIES

C2.3: PAYMENT DATA

PART C3: SCOPE OF WORK (BLUE COLOUR)

TABLE OF CONTENTS

C3.1: STANDARD SPECIFICATIONS

C3.2: PROJECT SPECIFICATIONS

C3.3: PARTICULAR SPECIFICATIONS

PART C1: AGREEMENTS AND CONTRACT DATA

C1.1: FORM OF OFFER AND ACCEPTANCE

C1.2: CONTRACT DATA

C1.2.1: CONDITIONS OF CONTRACT

C1.2.2: PART A: CONTRACT DATA PROVIDED BY THE EMPLOYER
PART B: CONTRACT DATA PROVIDED BY THE CONTRACTOR

C1.3: FORM OF GUARANTEE (NOT A REQUIREMENT)

C1.4: AGREEMENT IN TERMS OF SECTION 37(2) OF THE OCCUPATIONAL HEALTH AND SAFETY ACT (No 85 OF 1993)

Contract C3 of C83 C1.1

LIMPOPO DEPARTMENT OF AGRICULTURE AND RURAL DEVELOPMENT

CONSTRUCTION OF 3X3000 CAPACITY BROILER HOUSES IN MARULENG MUNICIPALITY OF THE MOPANI DISTRICT

C1.1 Form of Offer and Acceptance

Offer

The Employer, identified in the Acceptance Signature block, has solicited Offers to enter into a Contract for the procurement of:

Contract No ACDP 19/11 : CONSTRUCTION OF 3X3000 CAPACITY BROILER HOUSES IN MARULENG MUNICIPALITY OF THE MOPANI DISTRICT

The Tenderer, identified in the Offer Signature block, has examined the Documents listed in the Tender Data and addenda thereto as listed in the Returnable Schedules, and by submitting this Offer has accepted the Conditions of Tender.

By the representative of the Tenderer, deemed to be duly authorized, signing this part of this Form of Offer and Acceptance, the Tenderer Offers to perform all of the obligations and liabilities of the Contractor under the Contract including compliance with all its Terms and Conditions according to their true intent and meaning for an amount to be determined in accordance with the Conditions of Contract identified in the Contract Data.

THE OFFERED TOTAL OF THE PRICES INCLUSIVE OF VALUE ADDED TAX IS:

	Rand (in words);
	(in figures)
copy of this Document to the Tenderer before the	ceptance part of this Form of Offer and Acceptance e end of the period of validity stated in the Tender contractor in the Conditions of Contract identified in
Block: Tenderer	
	Date
ganization	
organization	
of witness	Date
itness	
	be accepted by the Employer by signing the Accept of this Document to the Tenderer before the Tenderer becomes the Party named as the Callock: Tenderer Block: Tenderer ganization

Contract C4 of C83 C1.1

CONCINCTION OF CHARGE THE ENGLISH BROKES IN MARKETERS MONION ARE THE MOTAL MARKETERS IN THE MARKETERS IN THE MOTAL MARKETERS IN THE MARKETERS IN THE MOTAL MARKETERS IN THE MARKETERS IN THE

Acceptance

By signing this part of this Form of Offer and Acceptance, the Employer identified below accepts the Tenderer's Offer. In consideration thereof, the Employer shall pay the Contractor the amount due in accordance with the conditions of Contract identified in the Contract Data. Acceptance of the Tenderer's Offer shall Form an Agreement between the Employer and the Tenderer upon the Terms and Conditions contained in this Agreement and in the Contract that is the subject of this Agreement.

The terms of the Contract, are contained in:

Part C1: Agreements and Contract Data, (which includes this Agreement)

Part C2: Pricing Data
Part C3: Scope of work.

Part C4: Site Information and Drawings and Documents or parts thereof, which may be incorporated by

reference into Parts C1 to C4 above.

Deviations from and amendments to the Documents listed in the Tender Data and any addenda thereto as listed in the Tender Schedules as well as any changes to the Terms of the Offer agreed by the Tenderer and the Employer during this process of Offer and Acceptance, are contained in the Schedule of Deviations attached to and Forming part of this Agreement. No amendments to or deviations from said Documents are valid unless contained in this schedule.

The Tenderer shall within two weeks after receiving a completed copy of this Agreement, including the Schedule of Deviations (if any), contact the Employer's agent (whose details are given in the Contract Data) for delivery of any Bonds, Guarantees, proof of Insurance and any other Documentation to be provided in terms of the Conditions of Contract Identified in the Contract Data. Failure to fulfil any of these Obligations in accordance with those terms shall constitute a repudiation of this Agreement.

Notwithstanding anything contained herein, this Agreement comes into effect on the date when the Tenderer receives one fully completed original copy of this Document, including the Schedule of Deviations (if any). Unless the Tenderer (now Contractor) within five working days of the date of such receipt notifies the Employer in writing of any reason why he cannot accept the Contents of this Agreement, this Agreement shall constitute a binding Contract between the Parties.

Signature Block: Employer	
Signature	Date
Name	
Capacity	
for the Employer Limpopo Department of Agriculture and Rur	ral Development
	_
Signature of witness	Date
Name of witness	

Contract C5 of C83 C1.1

Schedule of D)eviat	ions									
1 Subject			 								

 Details	٠.	• •	٠.	•	 •	٠.	•		•	•	٠.	•	•	• •	٠.	•	•	٠.	•	•	٠.	•	•	٠.	•	•	٠.	٠.	•	•	٠.	•	•		•	•	٠.	•	•	٠.	٠	•	٠.	•	•	• •	•	٠	•	٠.	•	•	٠.	
			•	٠.	 •	•	• •	•	•	•	•	•		•	•		•	•	•	• •	•	• •	•	•	•		•	•	• •	•	•	•		•	•	•	•		•	•	•	•	•	•	•	•	•		•	•		•	•	٠

2 Subject	 	
Details	 	

3 Subje	ct	 				 																		 			 							
Detai	s	 		_	 		 						_	 	 					 					_			_	 				 	

4 Subject		 • •	 ٠.	 ٠.	٠.	٠.	٠.	٠.	 	٠.	٠.	•	 ٠.	٠.	٠.	 ٠.	٠.	٠.	•		٠.	٠.	٠.	 	٠.	٠.	٠	 ٠.	٠.	٠.
Details	·	 	 	 					 ٠.				 			 				٠.				 				 		

		 	 ٠	 		٠	 		٠.		 ٠		-		 ٠			٠.				 •					٠.	
E Cubicat																												

o oubjec	٠	٠.	•	٠.	٠.	•	٠.	•	٠.	•	٠.	٠.	 •	 •	٠.	•	٠.	•	٠.	٠.	•	 •	٠.	•	•	٠.	•	٠.	•	•	٠.	•	٠.	•	٠.	•	•	 •	•	٠.	•	٠.	•	•	٠.	•	•	•
Details	. .												 																																			

By the duly Authorised Representatives signing this Agreement, the Employer and the Tenderer agree to and accept the foregoing Schedule of Deviations as the only deviations from and amendments to the Documents listed in the Tender Data and addenda thereto as listed in the Tender Schedules, as well as any confirmation, clarification or changes to the terms of the Offer agreed by the Tenderer and the Employer during this process of Offer and Acceptance.

It is expressly agreed that no other matter whether in writing, oral communication or implied during the period between the issue of the Tender Documents and the receipt by the Tenderer of a completed signed copy of this Agreement shall have any meaning or effect in the Contract between the parties arising from this Agreement.

Contract C6 of C83 C1.1

Dotaile

[ONLY TO BE COMPLETED UPON ACCEPTANCE OF A TENDER]

For the Tenderer	:		
Signature(s)			
Name(s)			
Capacity			
	(Name and address of org	ganisation)	
Name & Signature of Witness		Date	
For the Employer	: :		
Signature(s)			
Name(s)			
Capacity			
	-		
	(Name and address of org	ganisation)	

Contract C7 of C83 C1.1

LIMPOPO DEPARTMENT OF AGRICULTURE AND RURAL DEVELOPMENT

CONSTRUCTION OF 3X3000 CAPACITY BROILER HOUSES IN MARULENG MUNICIPALITY OF THE MOPANI DISTRICT

C1.2 CONTRACT DATA

Section 1.01 The General Conditions of Contract for Construction Works (2010) published by the South African Institution of Civil Engineering, is applicable to this Contract. Copies of these Conditions of Contract may be obtained from the South African Institution of Civil Engineering (Tel: 011-805 5947).

The General Conditions of Contract for Construction Works make several references to the Contract Data for Specific Data, which together with these Conditions collectively describe the risks, liabilities and obligations of the Contracting parties and the procedures for the administration of the Contract. The Contract Data shall have precedence in the interpretation of any ambiguity or inconsistency between it and the General Conditions of Contract.

Each item of Data given below is cross-referenced to the clause in the General Conditions of Contract for Construction Works to which it mainly applies.

Contract C9 of C83 C1.2

LIMPOPO DEPARTMENT OF AGRICULTURE AND RURAL DEVELOPMENT

CONSTRUCTION OF 3X3000 CAPACITY BROILER HOUSES IN MARULENG MUNICIPALITY OF THE MOPANI DISTRICT

C1.2.1: CONDITIONS OF CONTRACT

GENERAL CONDITIONS OF CONTRACT

SPECIAL CONDITIONS OF CONTRACT

- 1. GENERAL
- 2. AMENDMENTS TO THE GENERAL CONDITIONS OF CONTRACT
- 3. TRANSFER OF RIGHTS

Contract C10 of C83 C1.2

C1.2.1 CONDITIONS OF CONTRACT

GENERAL CONDITIONS OF CONTRACT

This Contract will be based on the "General Conditions of Contract for Construction Works - 1st Edition 2010", issued by the South African Institution of Civil Engineering (Short title: "General Conditions of Contract 2010") and can be obtained from:

SAICE

Waterfall Park Howick Gardens Vorna Valley Half way House Becker Street MIDRAND 1685 Gauteng Province

Tel: (011) 805-5947/8 Fax: (011) 805-5971

It is agreed that the only variations from the General Conditions of Contract 2010 are those set out hereafter under "Special Conditions of Contract".

SPECIAL CONDITIONS OF CONTRACT

1. GENERAL

These Special Conditions of Contract (SCC) form an integral part of the Contract. The Special Conditions shall amplify, modify or supersede, as the case may be, the General Conditions of Contract 2010 to the extent specified below, and shall take precedence and shall govern.

The clauses of the Special Conditions hereafter are numbered "SCC" followed in each case by the number of the applicable clause or sub clause in the General Conditions of Conditions 2010, and the applicable heading, or (where a new special condition that has no relation to the existing clauses is introduced) by a number that follows after the last clause number in the General Conditions, and an appropriate heading.

2. FOR CONTRACT ABOVE R3M (THREE MILLION RAND), THE FOLLOWING SPECIAL CONDITIONS APPLY

- (a) (i) All bidders from outside the province must enter into a Consortium or Joint Venture with local SMMEs or suppliers.
 - (ii) Preference must be given to local bidders entering into Joint Ventures with local SMME's or suppliers.
 - (iii) The members of consortium or Joint Venture, formed in response to preferential procurement conditions, must share in the control and management of such consortium.
 - (iv) The percentage of the contract value managed or executed by the local partner must not be less than 40% of the project value.
 - (v) All white owned bidders must enter into join venture with black owned local contractor and percentage of management and control for equity owned by black must not be less than 25% in the venture arrangement.
- (b) The AO/AA may, after consulting the departmental or public entities demand management unit, in the bid documentation, exempt bidders from complying with the provisions of clause (a), if there are no SMME's or suppliers in Limpopo with the skills or knowledge required to execute the project.
- (c) In the case of construction works, applicable to the construction industry;
- (d) (i) The Consortium or Joint Venture that benefits from the preference system, must within 30 days of receiving notice of the contract ,must organize themselves into legal entity or provide with a working agreement between members of the Joint venture or consortium. Successful suppliers, both from in and outside the province, must upon implementation of the project, establish fully fledged office, branch or plant in the province.

Contract C11 of C83 C1.2

- The department reserves the right to retain a percentage of contract value to ensure that the above condition is complied with.
- (ii) The retained fee must be paid to the supplier or service provider on successfully completing the contract and after having complied with the special conditions.
- (iii) Where the supplier or service provider fails to successfully complete the contract or comply with any condition, such supplier or service provider will forfeit the retained percentage.
- (iv) Notwithstanding the forfeiture of the retained percentage of the contract value, if the failure to comply with conditions in clause (i) amounts to breach of the contract, the department or public entity may invoke any remedy available to it in law.
- (v) A performance guarantee of 10% is applicable to all contracts above R2 000 000.00 and must be obtained from either commercial bank or insurance company prior to award of bids. The performance security shall be dominated in the currency of the contract and shall be in the form of a bank guarantee or an irrevocable letter of credit issued by a reputable bank located in South Africa. The accounting officer reserves the right to cancel the award of the bid when the bidder fails to present the required security as stipulated in the special conditions.
- (e) In all labour intensive projects, at least 70% of the labourers must be employed from the local community where the project will be executed.

3. AMENDMENTS TO THE GENERAL CONDITIONS OF CONTRACT

Clause no.	Description
SCC 4.5.2	Replace the term "Safety" with "Occupational Health and Safety"
SCC 42.2	Add the following to the sub-clause: Extension of time in respect of abnormal rainfall shall be calculated using the rainfall (Formula 1) for each calendar month or part thereof.
SCC 49.6.1 to 4.9.6.3	Replace the term "Bank" with "Bank or Insurance Company"
SCC 55.1.8	Replace sub-clause with: The Contractor or anyone on his behalf or in his employ would pay, offer or offer as payment to any person in the employ of the Employer, or in the employ of the Engineer, a gratuity or reward or commission.
SCC 50	Replace the Heading with "VARIATIONS EXCEEDING 20 PERCENT"
SCC 50.1	Replace the wording: "greater than 15 percent" with "greater than 20 percent".
	The following additional clauses to the General Conditions of Contract shall apply:

Contract C12 of C83 C1.2

SCC 59 LABOUR INTENSIVE WORKS **SCC 59.1** Payment for the labour-intensive component of the works Payment for works identified in the Scope of Work as being labour-intensive shall only be made in accordance with the provisions of the Contract if the works are constructed strictly in accordance with the provisions of the scope of work. Any non-payment for such works shall not relieve the Contractor in any way from his obligations either in Contract or in delict. SCC 59.2 Applicable labour laws The Ministerial Determination, Special Public Works Programmes, issued in terms of the Basic Conditions of Employment Act of 1997 by the Minister of Labour in Government Notice No R63 of 25 January 2002, as reproduced below, shall apply to work which are undertaken by unskilled or semi-skilled workers. SCC 59.3.1 Introduction (a) This document contains the Standard Terms and Conditions for workers employed in elementary occupations on a Special Public Works Programme (SPWP). These terms and Conditions do NOT apply to persons employed in the supervision and management of a SPWP. (b) In this document -"Department" means any department of State, implementing Agent or Contractor: "Employer" means any Municipality, implementing Agency or Contractor that hires workers to work in elementary occupations on a SPWP: (iii) "worker" means any person working in an elementary occupation on a SPWP.: (iv) "elementary occupation" means any occupation involving unskilled or semi-skilled work; (v) "Management" means any person employed by a Municipality or implementing Agency to administer or execute an SPWP; (vi) "task" means a fixed quantity of work; (vii) "task-based work" means work in which a worker is paid a fixed rate for performing a task; (viii) "task-rated worker" means a worker paid on the basis of the number of tasks completed: (ix) "time-rated worker" means a worker paid on the basis of the length of time worked.

SCC 59.3.2 Terms of Work

- (a) Workers on a SPWP are employed on a temporary basis.
- (b) A worker may NOT be employed for longer than 24 months in any five year cycle on a SPWP.
- (c) Employment on a SPWP does not qualify as employment as a contributor for the purpose of the Unemployment Insurance Act 30 of 1966.

Contract C13 of C83 C1.2

SCC 59.3.3 **Normal Hours of Work** An Employer may not set tasks or hours of work that require a worker to work-(i) more than forty hours in any week (ii) on more than five days in any week; and (iii) for more than eight hours on any day. An Employer and worker may agree that a worker will work four days per week. (b) The worker may then work up to ten hours per day. A task-rated worker may not work more than a total of 55 hours in any week to (c) complete the tasks allocated (based on a 40-hour week) to that worker. SCC 59.3.4 **Meal Breaks** (a) A worker may not work for more than five hours without taking a meal break of at least thirty minutes duration. An Employer and worker may agree on longer meal breaks. (b) A worker may not work during a meal break. However, an Employer may (c) require a worker to perform duties during a meal break if those duties cannot be left unattended and cannot be performed by another worker. An Employer must take reasonable steps to ensure that a worker is relieved of his or her duties during the meal break. (d) A worker is not entitled to payment for the period of a meal break. However, a worker who is paid on the basis of time worked must be paid if the worker is required to work or to be available for work during the meal break. **SCC 59.3.5 Special Conditions for Security Guards** A security guard may work up to 55 hours per week and up to eleven hours per (a) day. A security guard who works more than ten hours per day must have a meal break of at least one hour or two breaks of at least 30 minutes each. SCC 59.3.6 **Daily Rest Period** Every worker is entitled to a daily rest period of at least eight consecutive hours. The daily rest period is measured from the time the worker ends work on one day until the time the worker starts work on the next day. SCC 59.3.7 Weekly Rest Period Every worker must have two days off every week. A worker may only work on their day off to perform work which must be done without delay and cannot be performed by workers during their ordinary hours of work ("emergency work"). SCC 59.3.8 Work on Sundays and Public Holidays A worker may only work on a Sunday or Public holiday to perform emergency or security work. Work on Sundays is paid at the ordinary rate of pay. (c) A task-rated worker who works on a public holiday must be paid the worker's daily task rate, if the worker works for less than four hours;

Contract C14 of C83 C1.2Contract Data

(ii) double the worker's daily task rate, if the worker works for more than four (d) A time-rated worker who works on a public holiday must be paid the worker's daily rate of pay, if the worker works for less than four hours on the public holiday; double the worker's daily rate of pay, if the worker works for more than four hours on the public holiday. SCC 59.3.9 Sick Leave (a) Only workers who work four or more days per week have the right to claim sickpay in terms of this clause. (b) A worker who is unable to work on account of illness or injury is entitled to claim one day's paid sick leave for every full month that the worker has worked in terms of a Contract. (c) A worker may accumulate a maximum of twelve days' sick leave in a year. (d) Accumulated sick-leave may not be transferred from one Contract to another Contract. An Employer must pay a task-rated worker the worker's daily task rate for a (e) dav's sick leave. An Employer must pay a time-rated worker the worker's daily rate of pay for a day's sick leave. An Employer must pay a worker sick pay on the worker's usual payday. (g) (h) Before paying sick-pay, an Employer may require a worker to produce a certificate stating that the worker was unable to work on account of sickness or injury if the worker isabsent from work for more than two consecutive days; or absent from work on more than two occasions in any eight-week period. A medical certificate must be issued and signed by a Medical Practitioner, a (i) qualified Nurse or a Clinic staff member authorised to issue medical certificates indicating the duration and reason for incapacity. (i) A worker is not entitled to paid sick-leave for a work-related injury or occupational disease for which the worker can claim compensation under the Compensation for Occupational Injuries and Diseases Act. SCC 59.3.10 **Maternity Leave** A worker may take up to four consecutive months' unpaid maternity leave. (a) A worker is not entitled to any payment or employment-related benefits during (b) maternity leave.

A worker must give her Employer reasonable notice of when she will start

A worker is not required to take the full period of maternity leave. However, a worker may not work for four weeks before the expected date of birth of her

Contract C15 of C83

maternity leave and when she will return to work.

(c)

(d)

child or for six weeks after the birth of her child, unless a medical practitioner, midwife or qualified nurse certifies that she is fit to do so. (e) A worker may begin maternity leave -(i) four weeks before the expected date of birth; or (ii) on an earlier date -(1) if a medical Practitioner, Midwife or Certified Nurse certifies that it is necessary for the health of the worker or that of her unborn child: or (2) if agreed to between Employer and worker; or (iii) on a later date, if a medical Practitioner, Midwife or Certified nurse has certified that the worker is able to continue to work without endangering her health. (f) A worker who has a miscarriage during the third trimester of pregnancy or bears a stillborn child may take maternity leave for up to six weeks after the miscarriage or stillbirth. A worker who returns to work after maternity leave has the right to start a new (g) cycle of twenty-four months employment, unless the SPWP on which she was employed has ended. Family responsibility leave Workers, who work for at least four days per week, are entitled to three days paid family responsibility leave each year in the following circumstances -(a) when the employee's child is born; (b) when the employee's child is sick; (c) in the event of a death of the employee's spouse or life partner; the employee's parent, adoptive parent, grandparent, child, adopted child, grandchild or sibling. **Statement of Conditions** An Employer must give a worker a statement containing the following details at the start of employment -(i) the Employer's name and address and the name of the SPWP; (ii) the tasks or job that the worker is to perform; and (iii) the period for which the worker is hired or, if this is not certain, the expected duration of the Contract: (iv) the worker's rate of pay and how this is to be calculated;

employment. SCC 59.3.13 Keeping Records

(b)

(a) Every Employer must keep a written record of at least the following –

(v) the training that the worker will receive during the SPWP.

to any employee who is unable to read the statement.

An Employer must ensure that these terms are explained in a suitable language

An Employer must supply each worker with a copy of these Conditions of

Contract C16 of C83

SCC 59.3.11

SCC 59.3.12

(i) the worker's name and position; (ii) in the case of a task-rated worker, the number of tasks completed by the worker: (iii) in the case of a time-rated worker, the time worked by the worker; (iv) payments made to each worker. The Employer must keep this record for a period of at least three years after (b) the completion of the SPWP. SCC 59.3.14 **Payment** An Employer must pay all wages at least monthly in cash or by cheque or into (a) a bank account. (b) A task-rated worker will only be paid for tasks that have been completed. An Employer must pay a task-rated worker within five weeks of the work being (c) completed and the work having been approved by the manager or the Contractor having submitted an invoice to the Employer. (d) A time-rated worker will be paid at the end of each month. Payment must be made in cash, by cheque or by direct deposit into a bank (e) account designated by the worker. Payment in cash or by cheque must take place -(i) at the workplace or at a place agreed to by the worker; (ii) during the worker's working hours or within fifteen minutes of the start or finish of work; (iii) in a sealed envelope which becomes the property of the worker. (g) An Employer must give a worker the following information in writing – (i) the period for which payment is made; (ii) the numbers of tasks completed or hours worked; (iii) the worker's earnings; (iv) any money deducted from the payment; (v) the actual amount paid to the worker. If the worker is paid in cash or by cheque, this information must be recorded on the envelope and the worker must acknowledge receipt of payment by signing for it If a worker's employment is terminated, the Employer must pay all monies (i) owing to that worker within one month of the termination of employment. SCC 59.3.15 **Deductions**

deduction is required in terms of a law.

An Employer may not deduct money from a worker's payment unless the

(a)

C1.2

- (b) An Employer must deduct and pay to the SA Revenue Services any income tax that the worker is required to pay.
- (c) An Employer who deducts money from a worker's pay for payment to another person must pay the money to that person within the time period and other requirements specified in the agreement law, court order or arbitration award concerned.
- (d) An Employer may not require or allow a worker to -
 - repay any payment except an overpayment previously made by the Employer by mistake;
 - (ii) state that the worker received a greater amount of money than the Employer actually paid to the worker; or
 - (iii) pay the Employer or any other person for having been employed.

SCC 59.3.16 Health and Safety

- (a) Employers must take all reasonable steps to ensure that the working environment is healthy and safe.
- (b) A worker must -
 - (i) work in a way that does not endanger his/her health and safety or that of any other person;
 - (ii) obey any health and safety instruction;
 - (iii) obey all health and safety rules of the SPWP;
 - (iv) use any personal protective equipment or clothing issued by the Employer;
 - (e) report any accident, near-miss incident or dangerous behaviour by another person to their Employer or manager.

SCC 59.3.17 Compensation for Injuries and Diseases

- (a) It is the responsibility of the Employers (other than a Contractor) to arrange for all persons employed on a SPWP to be covered in terms of the Compensation for Occupational Injuries and Diseases Act, 130 of 1993.
- (b) A worker must report any work-related injury or occupational disease to their Employer or manager.
- (c) The Employer must report the accident or disease to the Compensation Commissioner.
- (d) An Employer must pay a worker who is unable to work because of an injury caused by an accident at work 75% of their earnings for up to three months. The Employer will be refunded this amount by the Compensation Commissioner. This does NOT apply to injuries caused by accidents outside the workplace such as road accidents or accidents at home.

Contract C18 of C83 C1.2

SCC 59.3.18 Termination

- (a) The Employer may terminate the employment of a worker for good cause after following a fair procedure.
- (b) A worker will not receive severance pay on termination.
- (c) A worker is not required to give notice to terminate employment. However, a worker who wishes to resign should advise the Employer in advance to allow the Employer to find a replacement.
- (d) A worker who is absent for more than three consecutive days without informing the Employer of an intention to return to work will have terminated the Contract. However, the worker may be re-engaged if a position becomes available for the balance of the 24-month period.
- (e) A worker who does not attend required training events, without good reason, will have terminated the Contract. However, the worker may be re-engaged if a position becomes available for the balance of the 24-month period.

SCC 59.3.19 Certificate of Service

On termination of employment, a worker is entitled to a certificate stating -

- (i) the worker's full name;
- (ii) the name and address of the Employer;
- (iii) the SPWP on which the worker worked;
- (iv) the work performed by the worker;
- (v) any training received by the worker as part of the SPWP;
- (vi) the period for which the worker worked on the SPWP:
- (vii) any other information agreed on by the Employer and worker.

SCC 59.3.20 Reporting

The Contractor shall report the breakdown of each payment certificate into the broad categories of:

- a) Overheads,
- b) Supervision,
- c) Materials,
- d) Plant, and
- e) Labour.

The Contractor shall further report for each payment certificate the person-days of employment as set out in the Pro Forma, Schedule X: Monthly Labour Report.

In the calculation of person-days, a day shall be taken as 8 hours and no time over and above 8 hours per day shall be used to contribute to the number of person-days reported.

SCC 59.3.21 Source of Labour

The Contractor shall source his labour from the local area through the services of an appropriate Councillor or Community Liaison Officer or another appointed person who has contact with a labour pool in the area.

Contract C19 of C83 C1.2

4. TRANSFER OF RIGHTS

The successful tenderer should complete and submit a Transfer of Rights Form to claim for materials on site with every progress payment for the project. No payment for materials on site would be granted if this Document is not submitted with the progress payment being considered.

TRANSFER OF RIGHTS

2004.

TRANSFER OF RIGHTS AND INDEMNITY (To be completed during construction by successful Tenderer only)						
Claim for materials on site, Payment Certificate No Date:						
Contract No:		•				
I, the undersigned (name of s					in my capacity as	
		of (name o	f Contracto	or)		
duly authorised hereto on be and interest in and to the ma and in favour of (name of Er Contractor retains actual con by constitutum possessorium	terials an mployer) trol of the	d goods, for w	hich evide	nce of bona	fide ownership is attachedir	hereto, unto
I herewith indemnify the Emp sequestration or liquidation o materials on site will be made ownership of the said material	or of any one of the E	defect in the Co Employer until	ontractor's	title to the m	naterials and agree that no	payment for
This transfer shall become ef any other person on behalf o money thereon excluded.						
I further confirm that I am ful they have been insured adec permanent works and taken of	quately ag	gainst all risks				
This certificate of Transfer	of Rights	applies only	to the ma	terials and g	goods as listed in the follo	owing table.
Description of Item	Unit	Quantity	Rate	Amount	Supplier	
						_
Total Value of Materials an	nd goods					
Signed by:				ı	Oate:	
for and on behalf of the Conti	ractor.				Jale	
Witnessed by:					Date:	
NOTE: This form, together with accompany the Contractor's clair						

Contract C20 of C83 C1.2 Part C1: Agreement and Contract Data

C1.2.2 PART A: DATA PROVIDED BY THE EMPLOYER

The following Contract Specific Data are applicable to this Contract.

REFERENCE CONTRACT SPECIFIC DATA BY THE EMPLOYER

Clause 1.1.14: Name of Employer: Limpopo Department of Agriculture & Rural Development,

Polokwane

Clause 1.2.2: Address of Employer:

Physical: Postal:

Limpopo Department of Agriculture Limpopo Department of Agriculture

& Rural Development & Rural Development

69 Biccard Street P Bag X9487 Polokwane Polokwane 0700 0700

E-Mail:

Telephone No: (015) 294 3000 Fax No: (015) 294 4535

Clause 1.1.15: Name of Engineer: Eng. MI Mashamaite (Pr.Eng)

Clause 1.2.2: Address of Engineer:

<u>Physical:</u> <u>Postal:</u>

Limpopo Department of Agriculture Limpopo Department of Agriculture

& Rural Development & Rural Development

69 Biccard Street P Bag X9487
Polokwane Polokwane 0700 0700

E-Mail: mashamaitemi@yahoo.com

Telephone No: (015) 294 3000 Fax No: (015) 294 4535

Clause 1.6 & 38.1: Special non-working days are Sundays and the following statutory public holidays as

declared by National or Regional Government:

New Year's Day, Human Rights Day, Good Friday, Family Day, Freedom Day, Workers day, Youth Day, National Women's Day, Heritage Day, Day of Reconciliation, Christmas

Day and the Day of Goodwill including the construction industry year end break.

Clause 1.6: The year end break commences on the first working day after 15 December and ends on

the first working day after 5 January of the next year.

Clause 2.3: The Engineer is required to obtain the specific approval of the Employer for the following:

The Engineer requires Departmental approval in order to authorise any expenditure in

excess of the Tender Sum plus 15% Contingencies.

Clause 7: Performance Guarantee to be delivered within 14 days of the Commencement Day.

The total liability under the guarantee should not be less than 10% of the tender amount,

excluding VAT.

Clause 10.1: The Contractor shall commence executing the work within 14 days of the Commencement

date.

Contract C21 of C83 C1.2

Clause 12.2:	The Contractor shall deliver his programme of work within 14 days of the Commencement date.
Clause 35.1.1.2.2:	The value of material to be supplied by the Employer is nil.
Clause 35.1.1.2.3:	The amount to cover Professional fees for repairing damage and loss to be included in the Insurance sum is $\underline{R\ 150\ 000.00}$
Clause 35.1.3:	The limit of indemnity for Liability Insurance is \underline{R} 5 000 000.00 for any single liability claim. Liability insurance shall include spread of fire risk.
Clause 37.2.2.3:	The percentage allowance to cover overhead charges is 15%.
Clause 42.1:	The Works shall be completed within 6 MONTHS excluding special non-working days and the year end break.
Clause 43.1:	The penalty for failing to complete the works is 0.05% of the Total Tender Sum per Calendar Day.
Clause 46:	No Contract Price Adjustment will be allowed for this Contract.
Clause 49.1.5:	The percentage advance on materials not yet built into the Permanent Works is: 80%
Clause 49.3:	The percentage retention on the amounts due to the Contractor is 10 %, excluding Contract Price Adjustment, Contingencies and VAT, and limited to 5% of the Contract amount, excluding Contract Price Adjustment, Contingencies and VAT.
Clause 49.6:	A Retention money Guarantee will not be permitted.
Clause 53.1:	The Defects Liability Period is 12 months measured from the date of the Certificate of Completion. And a guarantee of 12 months.
Clause 58.1.4	Dispute resolution shall be by Adjudication.
Clause 58.3:	Dispute Resolution shall be by Adjudication.

 Contract
 C22 of C83
 C1.2

DATA PROVIDED BY THE CONTRACTOR

The following Contract Specific Data are applicable to this Contract:

C1.2.2: PART B:

REFERENCE	CONTRACT SPECIF	FIC DATA BY THE CON	ITRACTOR	
Clause 1.1.8:	Name of Contractor	:		
Clause 1.2.2:	Address of the Cont	tractor:		
	Physical:		Postal:	
	E-Mail:			
	Telephone No:		Fax No:	
Clause 46.3:	The variation in cost materials.	of all special materials is	s to be provided in	the table SM 1 for specia
	rates and prices shall	•	all include all other o	ed by the Tenderer, which biligatory taxes and levies ose of tender.
	TABLE: SM1			
	Special material	Unit on which var determined	iation will be	Price for base month ex factory, excluding

Delivered in bulk

* Contractor to indicate the type, unit and rate of special material to be listed. When called upon to do so, the Contractor shall substantiate the above rates or prices with acceptable documentary evidence. Contractor to provide any other Special Materials if deemed necessary

Containers

Contract C23 of C83 C1.2

transport, labour or any

other costs.

Contention of Content English and Contention of the Contention of the Contention of the Contention of Contention o

C1.3 FORM OF GUARANTEE - PRO FORMA

Contract No. WHEREAS The Limpopo Department of Agriculture and Rural Development (hereinafter referred to as the Employer") entered into, a Contract with:				
(Hereinafter called "the Contactor") on the day of				
	D WHEREAS it is provided by such Contract that the Contractor shall provide the Employer with security by way Guarantee for the due and faithful fulfilment of such Contract by the Contractor;			
	D WHEREAS			
Gua ren	W THEREFORE WE			
1.	The Employer shall, without reference and / or notice to us, have complete liberty of action to act in any manner authorized and/or contemplated by the terms of the said Contract, and/or to agree to any modifications, variations, alterations, directions or extensions of the completion date of the works under the said Contract, and that its rights under this Guarantee shall in no way be prejudiced nor our liability hereunder be affected by reason of any steps which the Employer may take under such Contract, or of any modification, variation, alterations of the completion date which the Employer may make, give, concede or agree to under the said Contract.			
2.	This Guarantee shall be limited to the payment of a sum of money.			
3.	The Employer shall be entitled, without reference to us, to release any Guarantee held by it, and to give time to or compound or make any other arrangement with the Contractor.			
4.	This Guarantee shall remain in full force and effect until the issue of the Certificate of Completion in terms of the Contract, unless we are advised in writing by the Employer before the issue of the said Certificate of his intention to institute claims, and the particulars thereof, in which event this Guarantee shall remain in full force and effect until all such claims have been paid or liquidated.			
5.	Our total liability hereunder shall not exceed the Guaranteed Sum of:			
6.	The Guarantor reserves the right to withdraw from this Guarantee by depositing the Guaranteed Sum with the beneficiary, whereupon our liability hereunder shall cease.			
7.	We hereby choose our address for the serving of all notices for all purposes arising here from as			

Contract C24 of C83 C1.2

LIMPOPO DEPARTMENT OF AGRICULTURE AND RURAL DEVELOPMENT:

CONSTRUCTION OF 3X3000 CAPACITY BROILER HOUSES IN MARULENG MUNICIPALITY OF THE MOPANI DISTRICT

	VHEREOF this Guarantee has been executed by us at
Signature	
Duly authorized	d to sign on behalf of
Address	
As witnesses:	
1	

C1.4: AGREEMENT IN TERMS OF SECTION 37(2) OF THE OCCUPATIONAL HEALTH AND SAFETY ACT NO 85 OF 1993

THIS AGREEMENT is made between The Limpopo Department of Agriculture and Rural Development

(hereinafter called the EMPLOYER of the one part, herein represented by:

in his capacity as:

(hereinafter called the CONTRACTOR) of the other part, herein represented by

in his capacity as:

duly authorised to sign on behalf of the Contractor.

WHEREAS the CONTRACTOR is the Mandatory of the EMPLOYER in consequence of an Agreement between the CONTRACTOR and the EMPLOYER in respect of

CONTRACT No: ACDP 19/11: CONSTRUCTION OF 3X3000 CAPACITY BROILER HOUSES IN MARULENG MUNICIPALITY OF THE MOPANI DISTRICT

AND WHEREAS the EMPLOYER and the CONTRACTOR have agreed to enter into an agreement in terms of the provisions of Section 37(2) of the Occupational Health and Safety Act No 85 of 1993, as amended by OHSA Amendment Act No 181/1993 (hereinafter referred to as the ACT);

NOW THEREFORE the parties agree as follows:

- 1. The CONTRACTOR undertakes to acquaint the appropriate officials and employees of the CONTRACTOR with all relevant provisions of the ACT and the regulations promulgated in terms thereof.
- 2. The CONTRACTOR undertakes to fully comply with all relevant duties, obligations and prohibitions imposed in terms of the ACT and Regulations: Provided that should the EMPLOYER have prescribed certain arrangements and procedures that same shall be observed and adhered to by the CONTRACTOR, his officials and employees. The CONTRACTOR shall bear the onus of acquainting himself/herself/itself with such arrangements and procedures.
- 3. The CONTRACTOR hereby accepts Sole Liability for such due compliance with the relevant duties, obligations, prohibitions, arrangements and procedures, if any, imposed by the ACT and Regulations, and the CONTRACTOR expressly absolves the EMPLOYER and the Employer's CONSULTING ENGINEERS from being obliged to comply with any of the aforesaid duties, obligations, prohibitions, arrangements and procedures in respect of the work included in the Contract.
- 4. The CONTRACTOR agrees that any duly authorised officials of the EMPLOYER shall be entitled, although not obliged, to take such steps as may be necessary to ensure that the CONTRACTOR has complied with his undertakings as more fully set out in paragraphs 1 and 2 above, which steps may include, but shall not be limited to, the right to inspect any appropriate site or premises occupied by the CONTRACTOR, or to take such steps it may deem necessary to remedy the default of the CONTRACTOR at the cost of the CONTRACTOR.
- 5. The CONTRACTOR shall be obliged to report forthwith to the EMPLOYER any investigation, complaint or criminal charge which may arise as a consequence of the provisions of the ACT and Regulations, pursuant to work performed in terms of this agreement, and shall, on written demand, provide full details in writing of such investigation, complaint or criminal charge.

Contract C26 of C83 C1.2

Part C1: Agreement and Contract Data

Thus signed at	for and on behalf of the CONTRACTOR
on this the	day of
SIGNATURE:.	
NAME AND SU	JRNAME:
CAPACITY:	
WITNESSES:	1
	2
Thus signed at	for and on behalf of the EMPLOYER on this
_	
tne	day of
SIGNATURE:.	
NAME AND SU	JRNAME:
CAPACITY:	
WITNESSES:	1
	2

Contract C27 of C83 C1.2

PART C2: PRICING DATA

C2.1: PRICING INSTRUCTIONS

C2.2: BILL OF QUANTITIES

LIMPOPO DEPT OF AGRICULTURE AND RURAL DEVELOPMENT

CONSTRUCTION OF 3X3000 CAPACITY BROILER HOUSES IN MARULENG MUNICIPALITY OF THE MOPANI DISTRICT

C2.1 Pricing Instructions

- Measurement and payment shall be in accordance with the relevant provisions of the General Conditions of 1. Contract (2010 edition) as amended in the Scope of Works.
- 2. The units of measurement described in this Bill of Quantities are metric units. Abbreviations used in the Bill of Quantities are as follows:

% percent h hour = ha hectare = kilogram kg = kĺ kilolitre = kilometre km = km-pass kilometre-pass = kilopascal kPa kW kilowatt litre m metre mm millimetre m² square metre = square metre-pass m²-pass =

cubic metre m^3 =

m³-km cubic metre-kilometre =

meganewton MN =

meganewton-metre MN.m =

megapascal MPa = No. = number

Prov sum = Provisional sum PC sum Prime Cost sum =

Rate only R/only = sum lump sum = ton (1000 kg) = W/day Work day

3. For the purpose of this Bill of Quantities, the following words shall have the meanings hereby assigned to them:

The unit of measurement for each item of work as defined in the Specifications Unit:

Quantity: The number of units of work for each item. The agreed payment per unit of measurement. Rate:

The product of the quantity and the agreed rate for an item. Amount:

An agreed amount for an item, the extent of which is described in the Bills of Quantities but Lump sum:

the quantity of work of which is not measured in any units.

- Unless otherwise stated, items are measured net in accordance with the Drawings, and no allowance is 4. made for waste.
- 5. The prices and rates in this Bill of Quantities are fully inclusive prices for the Work described under the items. Such prices and rates cover all costs and expenses that may be required in and for the execution of the Work described in accordance with the provisions of the Scope of Work, and shall cover the cost of all general risks, liabilities, and obligations set forth or implied in the Contract Data, as well as overhead charges and profit. These prices will be used as a basis for assessment of payment for additional Work that may have to be carried out.

CONSTRUCTION OF SASSISSION CALLETT BROILER FROM STATE WARREST ALT THE WORLD AND STATE OF

- 6. It will be assumed that prices included in the Bill of Quantities are based on Acts, Ordinances, Regulations, By-laws, International Standards and National Standards that were published 28 days before the closing date for Tenders. (Refer to www.stanza.org.za or www.iso.org for information on Standards)
- 7. Where the Scope of Work requires detailed Drawings and designs or other information to be provided, all costs associated therewith are deemed to have been provided for and included in the unit rates and sum amount Tendered such items
- 8. An item against which no price is entered will be considered to be covered by the other prices or rates in the Bill of Quantities. A single Lump Sum will apply should a number of items be grouped together for pricing purposes.
- 9. The quantities set out in this Bill of Quantities are approximate and do not necessarily represent the actual amount of Work to be done. The quantities of work accepted and Certified for Payment will be used for determining payments due and not the quantities given in this Bill of Quantities.
- 10. The short descriptions of the items of payment given in this Bill of Quantities are only for the purposes of identifying the items. More details regarding the extent of the work entailed under each item appear in the Scope of Work.
- 11. The item numbers appearing in the Bills of Quantities refer to the corresponding item numbers in the Specifications were applicable.
- 12. Those parts of the contract to be constructed using labour-intensive methods have been marked in the Bills of Quantities with the letters "LI" in a separate column filled in against every item so designated. The works, or parts of the works so designated are to be constructed using labour-intensive methods only. The use of plant to provide such works, other than plant specifically provided for in the scope of work, is a variation to the contract. The items marked with the letters LI are not necessarily an exhaustive list of all the activities which must be done by hand, and this clause does not over-ride any of the requirements in the generic labour intensive specification in the Scope of Works.
- Payment for items which are designated to be constructed labour-intensively (either in this schedule or in the Scope of Works) will not be made unless they are constructed using labour-intensive methods. Any unauthorised use of plant to carry out work which was to be done labour-intensively will not be condoned and any works so constructed will not be certified for payment.

Contract C30 of C83 C2.1
Part C2: Pricing Data Pricing Instructions

LIMPOPO DEPT OF AGRICULTURE AND RURAL DEVELOPMENT CONSTRUCTION OF 3X3000 CAPACITY BROILER HOUSES IN MARULENG MUNICIPALITY OF THE MOPANI DISTRICT

C2.2 Bill of Quantities



DEPARTMENT OF AGRICULTURE AND RURAL DEVELOPMENT

Item No	Payment ref.	Description	Unit	Quantity	Rate	Amount
A	SABS 1200 AA SANS 1200A	SECTION A: PRELIMINARY & GENERAL GENERAL				
A 1	8,3 PSA5.1	FIXED-CHARGE ITEMS Note that the combined total for fixed-charge, value-related and time-related items shall not exceed 15% of the tender sum				
A1.1	8.3.1	Contractual Requirements (including insurances of works, Third party and public liabilty, surety)	Sum	1		
A1.4		Compliance to applicable statutory laws of the Republic of South Africa, and Construction Regulations and Occupational Health and Safety Act, including preparation and implementation of Environmental Management Plan, Health & safety Plan, staff training in OHS and provision of safety equipment (PPEs).	Sum	1		
A1.5		Safety Audit by an independent health and Safety Officer / firm.	PC Sum	1	R50 000,00	R50 000,00
A1.5.1		Extra over Item A1.5 above, for overheads and profit.	%	R50 000,00		
A1.6		All survey and site control requirements, including setting out and establishing	Sum	1		
A1.7		Project Nameboard (as per Drawing No. LDARD001)	PC Sum	1	R10 000,00	R10 000,00
A1.7.1		Extra over Item A1.7 above, for overheads and profit.	%	R10 000,00		
A1.8		Provision of Facilities on Site and Site Removal / De-establishment				
A1.8.1		Provision and Establishment of Facilities on Site, including storage, office for general admin and meetings (inclusive of a computer with microsoft office, printer, scan and photocopier), accommodation, ablution and latrine facilities (female and male seprated), tools and equipment, water supply, electricity supply, communications facilities, fencing off site for construction camp and site security	Sum	1		
A1.8.2		Site Removal / De-establishment for Item A1.8.1 above	Sum	1		
		CARRIED FORWARD				

Item	Payment	Description	Unit	Quantity	Rate	Amount
No	ref.					

Item No	Payment ref.	Description	Unit	Quantity	Rate	Amount
	l	BROUGHT FORWARD				
A1.9		Operation & Maintenance				
A1.9.1		On site training and demonstration for beneficiaries on O&M for all aspects of the broiler house, water supply system, solar system, equipment and other technologies provided.	Sum	1		
A1.9.2		Provision of Operation and Maintenance Manua	No.	3		
A2	8.4	SCHEDULED TIME-RELATED ITEMS				
A2.1	8.4.1	Contractual Requirements (including insurances of works, Third party and public liabilty, surety)	Month	5		
A2.4		Operation and Maintenance of Facilities on Site				
A2.4.1		Provision and Establishment of Facilities on Site, including storage, office for general admin and meetings (inclusive of a computer with microsoft office, printer, scan and photocopier), accommodation, ablution and latrine facilities (female and male seprated), tools and equipment, water supply, electricity supply, communications facilities, fencing off site for construction camp and site security	Month	5		
A2.3		Compensation of CLO Appointed from Local Community	Month	5	R5 000,00	R25 000,00
A2.3.1		Extra over Item A2.3 above, for overheads and profit.	%	R25 000,00		
А3		SUM STATED PROVISIONALLY BY ENGINEER				
A3.1		Tests conducted by an accredited laboratory as and when ordered by Engineer	PC Sum	1	R50 000,00	R50 000,00
A3.1.1		Extra over Item A3.1 above, for overheads and profit.	%	R50 000,00		
A3.2		Geotechnical Investigations as and when ordered by Engineer	PC Sum	1	R50 000,00	R50 000,00
A3.1.1		Extra over Item A3.2 above, for overheads and profit.	%	R50 000,00		
	TOTAL C	ARRIED FORWARD TO SUMMARY				



DEPARTMENT OF AGRICULTURE AND RURAL DEVELOPMENT

Item	Payment	Description	Unit	Quantity	Rate	Amount
No.	REF	SECTION B: 3 X BROILER HOUSE STRUCTURES		,		
B1.	PPS 25	GROUND PREPARATIONS				
B1.1		Clean building area to a distance of 5m outside the building lines by removing the top 100 mm of topsoil	m²	3000		
B1.2		Demolish existing chicken structure including 100mm thick concrete floors, compact the soils and dispose of rubble at an approved site and as instructed by the Engineer. Details of the structure to be viewed during site briefing session.	sum	1		
B1.3		Termite control for the entire building area to 5m outside building line, including founations. To be done by a quailified / accredited pest control expert. Pest Control Certificate with 10yr warrantee shall be issued.	m^2	3000		
B2		EXCAVATIONS				
		Excavate in all materials to a maximum depth of 1000 mm for column footings (1000mm wide x 1000mm deep) and to a maximum depth of 600 mm for wall foundation (600mm wide x 600mm deep). Rates include excavation, backfill, compaction to 90% MOD AASHTO in all materials and dispose of surplus material				
B2.1		Soft material	m³	150		
B2.2		Intermediate material	m³	10		RATE ONLY
B2.3		Hard rock	m³	5		RATE ONLY
B2.4	SABS1200 DB	PIPE TRENCHES				
		Excavations in all materials for trenches of 125mm nominal diameter pipes or smaller. Rates include excavation, backfill, compaction to 90% MOD AASHTO in all materials and dispose of surplus material (Refer to LDARD006 for trench details)				
B2.4.1	8.3.2a)	a) Up to 1,2m deep	m³	36		
		Extra-over item B2.4.1				
B2.4.2	8.3.2	Intermediate excavation	m³	10		
	<u> </u>	CARRIED FORWARD				

Ī	Item	Payment	Description	Unit	Quantity	Rate	Amount
ı	No.	REF				1 10100	

Item	Payment	Description	Unit	Quantity	Rate	Amount
No	ref.					
		BROUGHT FORWARD				<u> </u>
B2.4.3	8.3.2b)	Hard rock excavation	m³	5		RATE ONLY
B2.4.4	8.3.2c)	Excavate and dispose of unsuitable material from trench bottom	m³	5		
B2.5	SABS1200L B	BEDDING (Pipes)				
		Provision of bedding for trench backfilling:				
B2.5.1	8.2.1a)	Selected granular material	m³	20		
B2.5.2	8.2.1b)	Selected fill material	m³	15		
В3		CONCRETE WORKS				
B3.1		Precast Concrete Class 25/19 to wall foundations (600 mm x 250 mm).	m³	135		
B3.2		Precast concrete Class 25/19 to column footing of up to 1000x1000x1000mm	m³	48		
B3.3		Supply and fix Ref welded mesh 193 laid under conrete floor, with 100mm overlap at joints.	m²	990		
B3.4		Supply and lay 250 micron PVC water proof membrane on whole floor area (with 100mm overlaps at joints)	m²	1050		
B3.5		100mm thick class 20/19 concrete to floor with expansion joints cutting between the 5m centre of the packshed floor and every steel column position) and to steel float finish, complete with	m³	105		
B3.6		Supply and fix REF193 mesh mesh in floors (with 100mm overlaps)				
B3.7		Precast concrete 20/19 1200mm wide X 75 mm deep apron on longer side and 600mm x 75mm deep apron on shorter sides, with expansion joints at 3m and with wooden float finish.	m³	195		
B4		BRICKWORK				
		All brickwork to be used in conjunction with Class II mortar bedding with reamed joints. All rates to include SABS marked/approved DPC, brickforce in every third brick course,				
B4.1		FOUNDATION: Supply and erect double brick foundation walls up to 255mm above highest surrounding soil level with brickforce on every layer				
B4.1.1		Below natural ground level: Double brick wall NFX stock bricks	m²	750		
		CARRIED FORWARD				

Item	Payment	Description	Unit	Quantity	Rate	Amount
No.	REF		Oilit	Qualitity	Nate	Amount

Item No	Payment ref.	Description	Unit	Quantity	Rate	Amount
		BROUGHT FORWARD				
B4.1.2		Above natural ground level: Double brick wall NFX stock bricks inside and Amber Satin FBS outside or similar/equivalent.	m²	750		
B4.2		Brick Wall: Supply and erect double brick wall with brickforce on every third brick course.				
B4.2.1		Supply and construct 230mm double brick wall structure using face brick on the outside walls at point finish and NFX bricks on the inside	m²	550		
B4.2.1		Supply and construct 230mm double brick wall structure using NFX bricks	m²	110		
B4.3		Plastering				
B4.2.2		Indoors: Supply and construct 10mm wood float finish class 2 mortar plaster on all inside walls and Outside Walls: on three brick course below roof level all round the house	m²	660		
		Outdoors: Supply and construct 10mm wood float finish class 2 mortar plaster on outside walls three brick course below roof level to close-off beamfill all round.	m²	250		
В5		CLOSURES:				
		Supply and install:				
B5.1		Pre-stressed lintels 110mm x 1200mm	no	6		
B5.2		Pre-stressed lintels 110mm x 4200mm	no	72		
B5.3		Pre-stressed lintels 110mm x 3000mm	no	18		
B5.4		915x2035 mm standard hardwood door and frame with a 3 lever lock (entrance doors)	no	3		
B5.5		NE4 window frame, complete with clear glass windows and steel buglar proof.	no	6		
B5.6		Purpose made heavy duty steel double door (2000 x 2032 mm) complete with 2mm thick steel door frame with fixing anchors. Frame complete with two pairs heavy duty hinges and locking mechanism.Door made of 25mmx 2mm outer steel frame and 20mm x 2mm steel square tube vertical members at no more than 125mm centres, and covered in whole with 2mm hotroll sheet	no	3		
B5.6.1		Spray paint Item B5.6 above using one coat zinc chromate (SABS679) primer one coat universal under coat (SABS 6881 TypeII) and two coats Gloss enamal. Final colour to be decided on site.	no.	3		
		CARRIED FORWARD				

	Payment	Description	Unit	Quantity	Pato	Amount
No.	REF		Oilit	Qualitity	Rate	Alliount

Item	Payment	Description	Unit	Quantity	Rate	Amount
No	ref.			-		
		BROUGHT FORWARD				
B5.7		Purpose made heavy duty 1.2m wide steel sliding door complete with 2mm thick steel door frames,fixing anchors, guide rail and rollers, and locking mechanism. Door made of 25mmx 2mm outer steel frame and 20mm x 2mm square tube vertical members at no more than 125mm centres, and covered in whole with 2mm hotroll sheet	no	6		
B5.7.1		Spray paint Item B5.7 above using one coat zinc chromate (SABS679) primer one coat universal under coat (SABS 6881 Typell) and two coats Gloss enamal. Final colour to be decided on site.	no	3		
В6	SABS 1200HA	BIRD PROOFING AND VENTILATION				
		Supply, fabricate, shop priming and install of the following materials:				
B6.1		Purpose made 1800mm x 3300mm frame similar/equivalent to cliscoe for 230mm wall thick, with type V.E.M 635G valtamex flattened mesh welded to a purpose made window frame profiles Type RFX7 & RT13 fixed to cliscoe frame. Including preparation and application of one coat zinc chromate (SABS679) primer one coat universal under coat (SABS 6881 TypeII) and two coats Gloss enamal to Item B6.1 above. Final colour to be decided on site	no.	36		
B6.2		Attach side blue canvas curtains to Item B6.1 above complete with mechanical winches (pulley controlled type) and cable system.	no	36		
В7		BUILDING PAINT WORK				
B7.1		Apply plaster primer on all inside wall, with 2 coats of final color finishing (Color to be confirmed on site)	m²	435		
		CARRIED FORWARD				

Item	Payment	Description	Unit	Quantity	Rate	Amount
No.	REF		Oilit	Qualitity	Nate	Amount

Item	Payment	Description	Unit	Quantity	Rate	Amount
No	ref.			-		
		BROUGHT FORWARD				
В8	SABS 1200HA	Three (3) PORTAL FRAME STRUCTURES 30mX 10m				
		Design of the portal frame to be carried out by an ECSA registered Structural / Civil Engineer/ Technician / technologist. Designs including drawings to be submitted to the Project Engineer before the commencement of the constructuion works.				
B8.1		Design, supply, fabricate, surface preparation, shop priming, delivery to site and installation of 30m x10m steel portal frame structure, complete with all necessary columns, bracing, cleats, brackets, gussets, packs, nuts, roof screws, bolts, washers, baseplates and gable roof structure comprising rafters,purlins 0.6 mm G275 spelter full hardened galvanised IBR sheet, with 0.5m overhang around building with Alubbubble insulation under roof sheets and straightening wires, and six (6) x 600mm turbovent with isolation mechanism. All steel to be spray painted using one coat zinc chromate (SABS679) primer one coat universal under coat (SABS 6881 TypeII) and two coats Gloss enamal. Final colour to be decided on site.Issuance of Certificate of Conformance (COC) of the portal frame by competent professional.	PC Sum	1	1 300 000,00	1 300 000,00
B8.2		Percentage mark-up over Item B8.1 above, for overhead charges and profit	%	R1 300 000,00		
В9		Ancillary works				
B9.1		Supply and install 100x150x0.6mm galv. Mild steel rainwater gutter with heavy duty brackets at 1200mm centres	no.	30		
B9.2		Supply and install100x150x0.6mm horizontal rainwater collector c/w with heavy duty holder brackets and five outlets join downpipes on each longer side of the house (material type: galvanised mild steel)	m	190		
	TOT	L AL CARRIED FORWARD TO SUMMARY		<u> </u>		<u> </u>



DEPARTMENT OF AGRICULTURE AND RURAL DEVELOPMENT

Carry out the following as applicable: Manufacture, supply; deliver, install, commission, test and attend to defects for the following: 1.8m Tank stand (ref Drawing LDARD004), including preparation and application of one coat zinc chromate (SABS 6881 Typell) and two coats Gloss enamal. Final colour to be decided on site Purpose made 1.8m mild steel ladder affixed to the tankstand, including preparation and application of one coat zinc chromate (SABS679) primer one coat universal under coat (SABS 6881 Typell) and two coats Gloss enamal. Final colour to be decided on site Purpose made 1.8m mild steel ladder affixed to the tankstand, including preparation and application of one coat zinc chromate (SABS679) primer one coat universal under coat (SABS 6881 Typell) and two coats Gloss enamal. Final colour to be decided on site 1000litre Tank with level control floating valve, properly placed and fasted onto the 1.8m tank stand. 1000litre Tank with gevel control floating valve, properly placed and fasted onto the 1.8m tank stand. 11 connection from water supply mainline (including excavations, uncover and subsequent backfilling) 12 connection from water main to the feeder tank (Item C1.3 above) using 25mm HDPE below ground and 25mm galv. Pipe usipended from roof at 2m above floor level. Galv. Pipe to have & equally spaced 25mm inline stop valve with geka couplings for hose. inclusive of pipe laying and anchoring as pe LDARD005), NB: Rates for pipe trenching and backfilling covered elsewhere. 12 Extra over Item C1.5 above 25mm LDPE pipeline for bell drinking system with all necessary fittings and holder clapps connecting to 30 bell drinkers per line 25mm galvanised pipe with all necessary fittings and holder claps 25mm HDPE pipe with all necessary fittings m 100 defects lines exceedings of water the decessary fittings and proper trenching and proper trenching and the proper trenching an	Item	PAYMENT REF	Description	Unit	Quantity	Rate	Amount
Carry out the following as applicable: Manufacture, supply, deliver, install, commission, test and attend to defects for the following: 1.8m Tank stand (ref Drawing LDARD004), including preparation and application of one coat zinc chromate (SABS679) primer one coat universal under coat (SABS681 Typell) and two coats Gloss enamal. Final colour to be decided on site Purpose made 1.8m mild steel ladder affixed to the tankstand, including preparation and application of one coat zinc chromate (SABS679) primer one coat universal under coat (SABS 6881 Typell) and two coats Gloss enamal. Final colour to be decided on site 1000litre Tank with level control floating valve, properly placed and fasted onto the 1.8m tank stand. 1000litre Tank with level control floating valve, properly placed and fasted onto the 1.8m tank stand. 1000litre Tank with level control floating valve, properly placed and fasted onto the 1.8m tank stand. 1000litre Tank with level control floating valve, properly placed and fasted onto the 1.8m tank stand. 1000litre Tank with level control floating valve, properly placed and fasted onto the 1.8m tank stand. 1000litre Tank with level control floating valve, properly placed and fasted onto the 1.8m tank stand. 1000litre Tank with level control floating valve, properly placed and fasted onto the 1.8m tank stand. 1000litre Tank with level control floating valve, properly placed and fasted onto the 1.8m tank stand. 1000litre Tank with level control floating valve, properly placed on site of the valve of the valve of the valve, properly placed on site of the valve of the valve, properly placed on site of the valve of the valve, properly placed on site of the valve of the valve, properly placed on site of the valve					,		
Supply, deliver, install, commission, test and attend to defects for the following: 1.8m Tank stand (ref Drawing LDARD004), including preparation and application of one coat zinc chromate (SABS681) primer one coat universal under coat (SABS 6881 Typell) and two coats (Giose enamal. Final colour to be decided on site Purpose made 1.8m mild steel ladder affixed to the tankstand, including preparation and application of one coat zinc chromate (SABS679) primer one coat universal under coat (SABS 6881 Typell) and two coats Glose enamal. Final colour to be decided on site 1000litre Tank with level control floating valve, properly placed and fasted onto the 1.8m tank stand. 1000litre Tank with level control floating valve, properly placed and fasted onto the 1.8m tank stand. 1000litre Tank with level control floating valve, properly placed and fasted onto the 1.8m tank stand. 11 connection from water supply mainline (including excavations, uncover and subsequent backfilling) 12 connection from water main to the feeder tank (Item C1.3 above) using 25mm HDPE below ground and 25mm galv. Pipe suspended from roof at 2m above floor level. Galv. Pipe to have 3x equally spaced 25mm inline stop valve with geka couplings for hose. inclusive of pipe laying and anchoring as pe LDARD005). NB: Rates for pipe trenching and backfilling covered elsewhere. 11 Extra over Item C1.5 above 25mm LDPE pipeline for bell drinking system with all necessary fittings and holder clapps connecting to 30 bell drinkers per line 12 25mm galvanised pipe with all necessary fittings and holder claps supplies with 30 bell drinkers per line (two drinker lines per house) and accessories (water pipe fittings, lift winch and handle, suspension parts and	C1	SABS 1200HA	EQUIPMENT FOR 3 X 3000 BROILER HOUSES				
C1.1 (SAB5679) primer one coat universal under coat (SAB5679) primer one coat universal under coat (SAB568881 Typell) and two coats Gloss enamal. Final colour to be decided on site Purpose made 1.8m mild steel ladder affixed to the tankstand, including preparation and application of one coat zinc chromate (SAB5679) primer one coat universal under coat (SAB5679) primer one coat universal under coat (SAB56881 Typell) and two coats Gloss enamal. Final colour to be decided on site 1000litre Tank with level control floating valve, properly placed and fasted onto the 1.8m tank stand. 1000litre Tank with level control floating valve, properly placed and fasted onto the 1.8m tank stand. 1000 connection from water main to the feeder tank (Item C1.3 above) using 25mm HDPE below ground and 25mm galv. Pipe suspended from roof at 2m above floor level. Galv. Pipe to have 3x equally spaced 25mm inline stoy valve with getak couplings for hose. inclusive of pipe laying and anchoring as pe LDARD005). NB: Rates tor pipe trenching and backfilling covered elsewhere. 101.5.1 Extra over Item C1.5 above 25mm LDPE pipeline for bell drinking system with all necessary fittings and holder clamps connecting to 30 bell drinkers per line 100 c1.5.1.1 25mm HDPE pipe with all necessary fittings and holder claps system complete with 30 bell drinkers per line (two drinker lines per house) and accessories (water pipe fittings, lift winch and handle, suspension parts and parts and the fittings, lift winch and handle, suspension parts and p			supply, deliver, install, commission, test and attend to				
tankstand, including preparation and application of one coat zinc chromate (SABS679) primer one coat universal under coat (SABS 6881 Typell) and two coats Gloss enamal. Final colour to be decided on site 1000litre Tank with level control floating valve, properly placed and fasted onto the 1.8m tank stand. 1000litre Tank with level control floating valve, properly placed and fasted onto the 1.8m tank stand. 1000litre Tank with level control floating valve, properly placed and fasted onto the 1.8m tank stand. 1000litre Tank with level control floating valve, properly placed and fasted onto the 1.8m tank stand. 1000litre Tank with level control floating valve, properly placed and fasted onto the 1.8m tank stand. 1000 floating valve, properly placed onto the faste valve, properly placed and fasted onto the 1.8m tank stand. 1100 floating excavations, uncover and subsequent backfilling) 1100 floating excavations, uncover and subsequent backfilling) 1100 floating excavations, uncover and subsequent backfilling for and backfilling store and subsequent backfilling form and to the feeder tank (Item C1.3 above Item C1.5 above Item C1.	C1.1		preparation and application of one coat zinc chromate (SABS679) primer one coat universal under coat (SABS 6881 TypeII) and two coats Gloss enamal. Final	no.	6		
C1.3 placed and fasted onto the 1.8m tank stand. C1.4 Establish existing water supply mainline (including excavations, uncover and subsequent backfilling) Connection from water main to the feeder tank (Item C1.3 above) using 25mm HDPE below ground and 25mm galv. Pipe suspended from roof at 2m above floor level. Galv. Pipe to have 3x equally spaced 25mm inline stop valve with geka couplings for hose. inclusive of pipe laying and anchoring as pe LDARDOOS). NB: Rates for pipe trenching and backfilling covered elsewhere. C1.5.1 Extra over Item C1.5 above 25mm LDPE pipeline for bell drinking system with all necessary fittings and holder clamps connecting to 30 bell drinkers per line C1.5.1.2 25mm galvanised pipe with all necessary fittings and holder claps C1.5.1.3 25mm HDPE pipe with all necessary fittings m 100 Automatic drinkers: height adjustable bell drinking system complete with 30 bell drinkers per line (two drinker lines per house) and accessories (water pipe fittings, lift winch and handle, suspension parts and	C1.2		tankstand, including preparation and application of one coat zinc chromate (SABS679) primer one coat universal under coat (SABS 6881 Typell) and two coats	no.	6		
C1.5.1.1 excavations, uncover and subsequent backfilling) Connection from water main to the feeder tank (Item C1.3 above) using 25mm HDPE below ground and 25mm galv. Pipe suspended from roof at 2m above floor level. Galv. Pipe to have 3x equally spaced 25mm inline stop valve with geka couplings for hose. inclusive of pipe laying and anchoring as pe LDARD005). NB: Rates for pipe trenching and backfilling covered elsewhere. C1.5.1 Extra over Item C1.5 above 25mm LDPE pipeline for bell drinking system with all necessary fittings and holder clamps connecting to 30 bell drinkers per line C1.5.1.2 25mm galvanised pipe with all necessary fittings and holder claps C1.5.1.3 25mm HDPE pipe with all necessary fittings Automatic drinkers: height adjustable bell drinking system complete with 30 bell drinkers per line (two drinker lines per house) and accessories (water pipe fittings, lift winch and handle, suspension parts and	C1.3			no.	6		
C1.5 above) using 25mm HDPE below ground and 25mm galv. Pipe suspended from roof at 2m above floor level. Galv. Pipe to have 3x equally spaced 25mm inline stop valve with geka couplings for hose. inclusive of pipe laying and anchoring as pe LDARD005). NB: Rates for pipe trenching and backfilling covered elsewhere. C1.5.1 Extra over Item C1.5 above 25mm LDPE pipeline for bell drinking system with all necessary fittings and holder clamps connecting to 30 bell drinkers per line C1.5.1.2 25mm galvanised pipe with all necessary fittings and holder claps C1.5.1.3 25mm HDPE pipe with all necessary fittings m 100 Automatic drinkers: height adjustable bell drinking system complete with 30 bell drinkers per line (two drinker lines per house) and accessories (water pipe fittings, lift winch and handle, suspension parts and	C1.4			sum	1		
25mm LDPE pipeline for bell drinking system with all necessary fittings and holder clamps connecting to 30 bell drinkers per line 25mm galvanised pipe with all necessary fittings and holder claps C1.5.1.2 25mm galvanised pipe with all necessary fittings and holder claps m 100 Automatic drinkers: height adjustable bell drinking system complete with 30 bell drinkers per line (two drinker lines per house) and accessories (water pipe fittings, lift winch and handle, suspension parts and	C1.5		C1.3 above) using 25mm HDPE below ground and 25mm galv. Pipe suspended from roof at 2m above floor level. Galv. Pipe to have 3x equally spaced 25mm inline stop valve with geka couplings for hose. inclusive of pipe laying and anchoring as pe LDARD005). NB: Rates for pipe trenching and	sum	1		
25mm LDPE pipeline for bell drinking system with all necessary fittings and holder clamps connecting to 30 bell drinkers per line 25mm galvanised pipe with all necessary fittings and holder claps C1.5.1.2 25mm galvanised pipe with all necessary fittings and holder claps m 100 Automatic drinkers: height adjustable bell drinking system complete with 30 bell drinkers per line (two drinker lines per house) and accessories (water pipe fittings, lift winch and handle, suspension parts and	C1.5.1		Extra over Item C1.5 above				
holder claps C1.5.1.3 25mm HDPE pipe with all necessary fittings M 100 Automatic drinkers: height adjustable bell drinking system complete with 30 bell drinkers per line (two drinker lines per house) and accessories (water pipe fittings, lift winch and handle, suspension parts and	C1.5.1.1		25mm LDPE pipeline for bell drinking system with all necessary fittings and holder clamps connecting to 30	m	200		
Automatic drinkers: height adjustable bell drinking system complete with 30 bell drinkers per line (two drinker lines per house) and accessories (water pipe fittings, lift winch and handle, suspension parts and	C1.5.1.2		, , , , , , , , , , , , , , , , , , , ,	m	100		
system complete with 30 bell drinkers per line (two drinker lines per house) and accessories (water pipe fittings, lift winch and handle, suspension parts and	C1.5.1.3		25mm HDPE pipe with all necessary fittings	m	100		
	C1.6		system complete with 30 bell drinkers per line (two drinker lines per house) and accessories (water pipe fittings, lift winch and handle, suspension parts and	no	180		
CARRIED FORWARD			CAPRIED FORWARD				

Item	PAYMENT REF	Description	Unit	Quantity	Rate	Amount
		SECTION C. BROILER EQUIPMENT				

Item	Payment	Description	Unit	Quantity	Rate	Amount
No	ref.					
		BROUGHT FORWARD				
C1.7		Pan feeding system: height adjustable feeding bucket, drive motor and auger, feed sensor. One feeder line complete with lift winch and handle, suspension parts, feeding hoppers, control box, steel wire cables. NB: Unit as per number of feeding pans.	no	180		
C1.8		Poultry silo feeding system: 26m³ corrugated steel storage bin silo complete with loading ladder, support steel and conrete structure, feed uplift equipment,tube feeders auger driving system and motor to supplier / manufacturer's specification. Manufacturer's certificate of conformance (COC) / warranty shall be issued)	PC Sum	1	350 000,00	350 000,00
C1.9		Percentage mark up for overhead charges and profit over Item C1.8 above	%	350 000,00		
C1.10		10m wide x 2,6m high poultry house brooding curtain division to hook on to portal frame to match steel orings on the canvas and associated accessories for early birds rearing complete with ancillaries	no.	6		
C1.11		Disinfection foot bath containers at dedicated positions as shown on Drawing LDARD002	no.	6		
C1.12 C1.12		Infra-red electric brooder light bulb (250 watts) 19kg cylinder top gas heater	no no.	90 5		
C1.13		Gas storage cage for gas heaters as per drawing LDARD003. Position to be decided on site	no.	1		
C1.14		Portable indoor digital device capable to measure and record at minimum: thermometre, humidity and carbon dioxide content	no.	12		
C1.15		Rat-traps around the broiler house (10 per house)	no.	30		
C1.16		Supply and deliver 740x530x310cm stackable virgin HDPE food grade plastic broiler crates with lid and binding rivets		100		
C1.17		Supply and deliver 1800mm(H) x 900mm(W) x 450mm (D) heavy duty steel cabinet with atleast 4-line adjustable shelves	no.	3		
C1.18		Supply and deliver 5-tier steel open shelves, at 3.0m long	no.	3		



DEPARTMENT OF AGRICULTURE AND RURAL DEVELOPMENT

Item	PAYMENT REF	IN MARULENG MUNICIPALITY OF MOPANI D Description	Unit		Rate	Amount
		SECTION D. ELECTRICAL WORKS		,	113.10	
		All electrical works are design and build: Design, supply, deliver, install, commission, test and attend to defects for the following:				
		All works to be carried by ECSA registered engineer /ECB registered electrician or electrical firm/contractor				
		NB: The three (3) broiler houses shall be powered by solar in the main, with electricity serving as a backup power.				
D1		ESTABLISHMENT OF ELECTRICAL POWER SYSTEM				
D1.1		SOLAR: 16kw Single phase solar system complete with:	sum	1		
		Wall mounted 16kW single phase inverter kiosk similar / equivalent to sunsynk, with DB as specified by a qualified and experienced electrician or engineer, and must include lightning, dry run, over and underload protection, phase failure reversal and imbalance protection, voltmeter(s) and ammeter(s), adequately sized circuit breaker and manual switches suitable for the broiler equipment provided.Positions for mounting to be confirmed by Engineer onsite.				
		Lithium Batteries (51.2V 200AH) (Qty=3)				
		550 W Mono solar panels (Qty=16), mount the panels north facing on the IBR gable roof as per manufacturer's guidelines				
		4 Panel framed IBR port package (Qty= 4)				
		lockable steel battery cabinet with support rails and locks for the 3x Lithium batteries bank storage				
		8-Way PVC surface mount PV protection				
		Battery disconnetor 2P with 160A fuses complete				
		All cabling requirements, suitably sized including negative and positive cable links.				
		Battery to Inverter lead set				
		All ancillary connectors, fittings and trunking				
		CARRIED FORWARD				

Item	PAYMENT REF	Description	Unit	Quantity	Rate	Amount
		SECTION D. ELECTRICAL WORKS				

Item	Payment	Description	Unit	Quantity	Rate	Amount
No	ref.					
		BROUGHT FORWARD				
D1.2		ELECTRICITY				
		Establish electrical back-up power for use as an alternative to main solar supply. Rates to include all material as specified by a qualified and experienced electrician or engineer.	sum	1		
D2		Electrical Reticulation				
D2.1		Sub-DB with all necessary circuit breakers for all three houses	sum	1		
D2.2		Electric supply from main DB disributed to all three houses DB, inclusive of all PVC conduit tubing and wiring requirements (All tubing to be inside wall).	sum	1		
D2.3		Circuit wiring for all lighting and plug systems in all three houses, inclusive of light fittings and switches, plug socket outlets, terminations, cable trays, sleeve pipes and joints where necessary. Each house to have six (6) double plug for infrared heaters and two (2) single phase plug sockets, and four (4) switch points. Light switches in the production area to be 2-way lux adjustable rotary type switch.	sum	1		
D2.4		Electrical metering device to DB	no.	1		
D2.5		LIGHTING SCHEDULE	sum	1		
D2.6		2/58 Watts indoor double flourescent 6feet luminaries complete with lamps and cover. 10 light points per house.	no.	30		
D2.7		16 outdoor light fittings similar/equivalent to seemorelux per house, c/w 2 x 7watt lamps. All 13 outdoor lights to be day/night switch operated and three (3) indoor normal switch operated	no.	48		
D2.8		125W time switch flood lights mercury vapour complete with lamps. 1 front light point per house.	no.	3		
		CARRIED FORWARD	<u> </u>			

Item	PAYMENT REF	Description	Unit	Quantity	Rate	Amount
		SECTION D. ELECTRICAL WORKS				

Item	Payment	ayment Description		Quantity	Rate	Amount
No	ref.					
		BROUGHT FORWARD				
D3		ELECTRICAL COMPLIANCE				
D3.1		Provide certificate of compliance (COC) for all electrical works including for solar system installation	sum	1		
	TOTAL	CARRIED FORWARD TO SUMMARY				



DEPARTMENT OF AGRICULTURE AND RURAL DEVELOPMENT

CONSTRUCTION OF THREE (3) X 3000 BROILER HOUSES AT MALEMELA PEBA POULTRY AT MARULENG MUNICIPALITY OF MOPANI DISTRICT IN LIMPOPO PROVINCE

SUMMARY OF SCHEDULE OF QUANTITIES AND CALCULATION OF TENDER AMOUNT

SCHEDULE	DESCRIPTION	AMOUNT
SCHEDULE A	PRELIMINARY AND GENERAL	
SCHEDULE B	3 X BROILER HOUSE STRUCTURES	
SCHEDULE C	BROILER EQUIPMENT	
SCHEDULE D	ELECTRICAL	
GRAND TOTAL		
ADD 10% CONTINGEN	CIES	
SUB TOTAL		
ADD 15% VAT		
TOTAL TENDER AMOU	INT	
TOTAL TENDER AMOU	INT (IN WORDS):	

CONSTRUCTION OF 3X3000 CAPACITY BROILER HOUSES IN MARCHENG MUNICIPALITY OF THE MOPANI DISTRICT

PART C3: SCOPE OF WORK

C3.1: STANDARD SPECIFICATIONS

C3.2: PROJECT SPECIFICATIONS

C3.3: PARTICULAR SPECIFICATIONS

LIMPOPO DEPARTMENT OF AGRICULTURE AND RURAL DEVELOPMENT

CONSTRUCTION OF 3X3000 CAPACITY BROILER HOUSES IN MARULENG MUNICIPALITY OF THE MOPANI DISTRICT

C3: SCOPE OF WORK

C3.1 STANDARD SPECIFICATIONS

C3.2 PROJECT SPECIFICATIONS

PART A:	GENERAL
PS-1	Project Description
PS-2	Description of the Site and Access
PS-3	Details of the Works
PS-4	Construction Programme
PS-5	Site Facilities Available
PS-6	Facilities Required on site
PS-7	Management and Disposal of Water
PS-8	Rainfall Figures
PS-9	Security Clearance of Personnel
PS-10	Health and Safety
PS-11	Subcontractors
PS-12	Deviation from Construction Programme
PS-13	Delay in Completion
PS-14	Supply of Materials
PS-15	Execution of Works
PS-16	Existing Services
PS-17	Labour Intensive Specification

PART B: AMENDMENTS TO THE STANDARD SPECIFICATIONS

C3.3 PARTICULAR SPECIFICATIONS

PART C: MECHANICAL

PART D: ENVIRONMENTAL MANAGEMENT SPECIFICATION

PART E: OHSA 1993 HEALTH AND SAFETY

Contract C43 of C83 Index

LIMPOPO DEPARTMENT OF AGRICULTURE AND RURAL DEVELOPMENT

CONSTRUCTION OF 3X3000 CAPACITY BROILER HOUSES IN MARULENG MUNICIPALITY OF THE MOPANI DISTRICT

C3.1 STANDARD SPECIFICATIONS

The standard specifications on which this contract is based are the SANS Standardised Specifications for Civil Engineering Works.

The following SANS specifications are also referred to in this document and the Contractor is advised to obtain them from Standards South Africa (a division of SABS) in Pretoria.

SABS 1200 A - General

SABS 1200 C - Site Clearance (amended 1982)

SABS 1200 DA - Earthworks (Small Works)

SABS 1200 DB: Pipe Trenches

SABS 1200 DB - Earthworks (Pipe Trenches)
SABS 1200 GA - Concrete (Small Works)
SABS 1200 HA - Structural Steelwork
SABS 1200 HB - Cladding and Sheeting

SABS 1200 HC: Corrosion Protection of Structural Steelwork

SABS 1200 L - Medium Pressure Pipeline

SABS 1200 LB - Bedding (Pipes)

The following SANS specifications are also referred to in this document and the Contractor is advised to obtain them from Standards South Africa (a division of SABS) in Pretoria.

SANS 10049:2012 Edition 4.1: Food safety management for prerequisite programmes (PRPs)

SANS 10396: 2003: Implementing Preferential Construction Procurement Policies using Targeted

Procurement Procedures

SANS 1914-1 to 6 (2002): Targeted Construction Procurement

SANS 1921 – 1 (2004): Construction and Management Requirements for Works Contracts

Part 1: General Engineering and Construction Works

and where accommodation of traffic is involved:

SANS 1921-2 (2004): Construction and Management Requirements for Works Contracts

Part 2: Accommodation of Traffic on Public Roads Occupied by the Contractor.

CONCINCO I CASCO CALACITE ENGINEEN INCINCINCIA INCINCIA I

Mechanical

The following standards shall apply, unless otherwise stated:

BS 15

SABS 222 : Dimensions and properties of rolled carbon steel structure sections

(withdrawn) - see also SABS 1431 and the SA Steel Construction Handbook

SABS 763 : Hot- dip (galvanised) zinc coatings (other than on continuously zinc-coated

sheet and wire)

SABS 1431 : Weldable structural steels

BS 449 PART 5

BS 916

SABS 135 : ISO metric bolts, screws and nuts (hexagon and square) (coarse thread free

fit series)

BS 3382

BS 3410 PART 2 BS 3139 PART 1

The latest version of all standards shall be used.

LIMPOPO DEPARTMENT OF AGRICULTURE AND RURAL DEVELOPMET

CONSTRUCTION OF 3X3000 CAPACITY BROILER HOUSES IN MARULENG MUNICIPALITY OF THE MOPANI DISTRICT

C3.2: PROJECT SPECIFICATIONS

STATUS

The Project Specification, consisting of two parts, forms an integral part of the contract and supplements the Standard Specifications.

Part A contains a general description of the works, the site and the requirements to be met.

Part B contains variations, amendments and additions to the Standardized Specifications and, if applicable, the Particular Specifications.

In the event of any discrepancy between a part or parts of the Standardized or Particular Specifications and the Project Specification, the Project Specification shall take precedence. In the event of a discrepancy between the Specifications, (including the Project Specifications) and the drawings and / or the Bill of Quantities, the discrepancy shall be resolved by the Engineer before the execution of the work under the relevant item.

The standard specifications which form part of this contract have been written to cover all phases of work normally required for road contracts, and they may therefore cover items not applicable to this particular contract.

CONSTRUCTION OF SASSON OAFACTT BROILER THOUSES IN MARGEENE MONION AETT OF THE MOFANT DISTRICT

PART A: GENERAL

PS 1 PROJECT DESCRIPTION

The project consists of the rehabilitation of the existing cattle feeding camps; equipping of the feeding camps with equipping of the existing borehole and water reticulation from the borehole to the feeding camps.

PS 2 DESCRIPTIONS OF THE SITE AND ACCESS

PS 2.1 Location of site

The project is located in Makgaung Village in the Mopani West Agricultural Ecological Zone of Mopani District in the Maruleng municipality of the Limpopo Province. The GPS co-ordinates are: 24° 16′ 10.89″ S; 30° 27′ 50.68″ E

PS 3 DETAILS OF THE WORKS

PS 3.1 Brief description of works

The works will require the construction of the following:

- 3x3000 broiler houses portal frame including foundations, floor slab, brick works and roof;
- Supply and installation of water reticulation system; from borehole to reservoirs erected on tanks stands, then into the broiler houses.
- Supply and installation of electrical supply to the broiler houses
- Supply and install broiler house equipment
- Supply and installation of solar energy system

The contractor is required to supply, deliver to site, install, test and commission the works as indicated above.

PS 3.3 Labour recruitment conditions

A Project Steering Committee (PSC) will be established and is a vital means of communication between all parties involved with the project. The composition of the PSC comprises representation by the Employer, the Engineer and formal structures within the community.

The contractor shall make use of these communication channels, and shall appoint from amongst his site personnel a responsible person to participate in the affairs of the PSC, and this representative may be also required to attend the monthly PSC meetings.

It is mandatory that the Contractor shall interact with the community via proactive project liaison and project participation by its leaders and constituted organisations and forums, as well as through the employment of its people, and these activities shall constitute essential facets of the project.

Local labour is to be used and the employment of such labour is to be done in conjunction with the PSC.

PSC shall, if necessary, appoint a Community liaison officer (CLO). The duties of the CLO shall consist inter alias of the following:

- To be available on site daily between the hour of 07:00 and 17:00 and at other times as the need arises. His normal working day will extend from 07:00 in the morning until 17:00 in the afternoon.
- To communicate daily with regard to number and skills, to facilitate in labour disputes and to assist in their resolution.
- To attend all meetings in which the community and/or labour are present or are required to be represented.
- To attend all PSC meeting to report on labour.

Contract C47 of C83 C3.2
Part C3: Scope of Works Project Specifications

CONSTRUCTION OF 3X3000 CAPACITY BROILER HOUSES IN MARULENG MUNICIPALITY OF THE MOPANI DISTRICT

- To assist in the identification and screening of labourers from the community in accordance with the contractor's requirements.
- To advise and inform temporary labourers of their conditions of employment and to inform temporary labourers as early as possible when their period of employment will be terminated.
- To attend disciplinary proceedings to ensure that hearings are fair and reasonable.
- To keep a daily written record of his interviews and community liaison, labour force etc.
- To attend monthly site meetings and report in writing on labour and contract matters.
- Keeping a data base of available labour.
- All such other duties as agreed upon between all parties concerned.
- Compile a list of available skills in the area (skills audit).

PS 4 CONSTRUCTION PROGRAMME

PS 4.1 General

The submission of a construction programme as stated per Clause 12 of the General Conditions of Contract is compulsory.

Before any work is to be commenced on the site (within a period as stated in Clause 12.2 of the General Conditions of Contract), the Contractor must submit a detailed project programme for the construction of the Works to the Engineer for his approval.

In preparation of the construction programme the Contractor must liaise with the Engineer and the programme must take into account the coordination of all activities. The programme must consist of a detailed schedule or block diagram covering all aspects of the Works and the planned time thereof must, with the Contract Period as time basis, be shown.

Rainfall conditions will be taken as abnormal when the average rainfall, as shown in Clause PS 8, is exceeded and the contractor must then apply in writing for extension of the contract period using Clause 48 of the Conditions of Contract.

The service provider is required to state in the Appendix to the Form of Tender the time in which he is prepared to undertake and complete the works.

The Contractor shall submit to the Engineer a realistic, detailed programme not later than 14 days after receipt of the Letter of Acceptance. The programme shall be in bar-chart format showing in detail how the Contractor proposes to complete the work covered by this contract by the Due Completion Date.

The following details must be stated:

- I. The quantity of work applicable to each bar item as well as the rate at which the work will be completed.
- II. A budget of the value of completed work, month by month, for the full contract period.
- III. The Contractor's plant commitment on the contract for every fortnight.
- IV. The critical path.

The programme shall be kept up to date. If a Contractor fails to maintain progress in terms of the programme, he shall produce a revised programme showing the modifications to the original programme necessary to ensure completion of the Works before the Due Completion Date.

The approval of any programme by the Engineer shall have no contractual significance, other than satisfying the Engineer that the Work is carried out according to such programme and that the Contractor undertakes to carry out the work in accordance with the programme. The Engineer will have the right to instruct the Contractor to revise the programme if necessitated by circumstances.

PS 4.2 Time for Completion

The maximum time allowed for the completion of the contract is 5 MONTHS (excluding special non-working

Contract C48 of C83 C3.2
Part C3: Scope of Works Project Specifications

CONSTRUCTION OF 3A3000 CAPACITY BROILER HOUSES IN MARULEING MUNICIPALITY OF THE MOPANI DISTRICT

days and the yearend break) from the date of Letter of Acceptance / or Site Handover.

PS 5 SITE FACILITIES AVAILABLE

PS 5.1 Water Supply

The Contractor must make his own arrangements for provision of fresh water on site for domestic and construction purposes.

The rates Tendered for the relevant items in the Preliminary and General Section of the schedule shall include all costs for the establishment and maintenance of water supply to the works and the Contractor shall make his own arrangements for the possible conveyance and storage of water if necessary.

PS 5.2 Power Supply

The Contractor must make his own arrangements for the provision of electricity on site. The rates Tendered for the relevant items in the Preliminary and General Section of the schedule shall include all costs for the establishment and maintenance of a power supply to the works.

PS 6 FACILITIES REQUIRED ON SITE

PS 6.1 Facilities for the Engineer

A site office for the Engineer is not required.

PS 6.2 Facilities for the Contractor

Site Establishment

The Contractor is responsible to provide a suitable site for his camp and to provide accommodation for his personnel and labourers. If the Employer can make any specific site available to the Contractor, such site will be pointed out to the Contractor. The site office should be user friendly, cleaned at all times and be equipped with office furniture such as printer, desk and chairs. As the area is hot during summer, a fan will be necessary for the site office.

The chosen site shall be subject to the approval of the beneficiary/Engineer and the Project Steering Committee (if available). Possible locations for a campsite shall be pointed out at the Site inspection. The Contractor shall conform to all beneficiary, local authority, environmental and industrial regulations.

The Contractor shall make his own arrangements concerning the supply of electrical power and all other services. No direct payment shall be made for the provision of electrical and other services. The cost thereof shall be deemed to be included in the rates and amounts Tendered for the various items of work for which these services are required.

The Contractor shall provide security watchmen for the contract as he deems fit at no extra cost for the Employer. The Contractor must ensure that all his employees as well as the employees of his subcontractors are able to identify themselves as members of the construction team.

Ablution and Sanitary Facilities:

The Contractor shall erect and maintain on the site proper ablution facilities. The Contractor shall service and maintain the facilities in a clean and hygienic state for the duration of the contract period and on completion of the works remove it from the site to the satisfaction of the Employer/beneficiary.

Contract C49 of C83 C3.2
Part C3: Scope of Works Project Specifications

PS 6.3 Laboratory Facilities

The contractor shall provide laboratory facilities at an SABS accredited laboratory to conduct tests as required or as specified/measured in the bills of quantity.

PS 6.4 Construction Notice Board (Name Board)

One (1) Official Name Board is required for this contract. See details on drawing No. LDARD001.

PS 6.5 Housing for the Engineer and/or his Representative

No housing is required for the Engineer or his Representative.

PS 6.6 Telephone Facilities

Items have been provided in the Bill of Quantities to cover for communication costs for the Engineer.

PS 7 MANAGEMENT AND DISPOSAL OF WATER

The Contractor shall pay special attention to the management and disposal of water and stormwater on the site. It is essential that all completed works or parts thereof are kept dry and properly drained. Claims for delay and for repair of damage caused to the works as a result of the Contractor's failure to properly manage rain and surface water, will not be considered.

PS 8 RAINFALL FIGURES

The following figures are applicable for Clause 50(5) of the Special Conditions of Contract.

INFORMATION SOURCE: WRC Report 1994

RAINFALL STATION: 0679532 PERIOD: 1924 - 1987

Rainfall station	Rainfall station:								
Period: 1924	Period: 1924 - 1987								
Month	N _n	R _n	Month	N _n	R _n				
January	6	155	July	0	11				
February	5	141	August	0	11				
March	4	110	September	1	23				
April	2	51	October	2	50				
May	1	18	November	4	92				
June	0	10	December	5	125				
Annual avera	Annual average: 797mm								

Nn = Average amount of days on which a rainfall of 10 mm or more has been recorded.

Rn = Average monthly rainfall in mm

The contractor will be expected to maintain on site a standard rain gauge for measurement of rainfall on day to day basis during the project implementation period.

Extensions of time in respect of Clause 42 in the General Conditions of Contract for Construction Works (2004) in respect of abnormal rainfall shall be calculated using the following formula for each calendar month or part thereof:

$$V = (Nw - Nn) + \underbrace{(Rw - Rn)}_{X}$$

Where:

Contract C50 of C83 C3.2 Part C3: Scope of Works **Project Specifications**

- V = Extension of time in calendar days in respect of the calendar month under consideration.
- Nw = Actual number of days during the calendar month on which a rainfall of 10 mm or more has been recorded.
- Nn = Average number of days in the relevant calendar month, as derived from existing rainfall records, on which a rainfall of 10mm or more has been recorded for the calendar month.
- Rw = Actual average rainfall in mm recorded for the calendar month under consideration.
- Rn = Average rainfall in mm for the calendar month as derived from existing rainfall records as stated in the Site Information.
- X = 20mm

For purposes of the Contract Nn, Rn and Nn shall have those values assigned to them in the table above based on figures from the WRC report 1994.

If V is negative and its absolute value exceeds Nn, then V shall be taken as equal to minus Nn.

The total extension of time shall be the algebraic sum of all monthly totals for the period under consideration, but if the total is negative the time for completion shall not be reduced due to subnormal rainfall. Extensions of time for part of a month shall be calculated using pro rata values of Nn and Rn.

This formula does not take account flood damage which could cause further or concurrent delays and will be treated separately as far as extension of time is concerned.

The factor (Nw – Nn) shall be considered to represent a fair allowance for variations from the average in the number of days during which rainfall exceeds 10 mm. The factor (Rw-Rn) shall be considered to represent a fair allowance for variations from the average in the number of days during which the rainfall did not exceed 10 mm but wet conditions prevented or disrupted work.

For the purpose of applying the formula, accurate rain gauging shall be taken at a suitable point on the Site and the Contractor shall at his own expense, take all necessary precautions to ensure that rain gauges cannot be interfered with by unauthorized persons.

PS 9 SECURITY CLEARANCE OF PERSONNEL

Service Providers to note that the Limpopo Department of Agriculture may require that Security Clearance investigations be conducted on any number of the service providers personnel.

If so required, by the Limpopo Department of Agriculture, the service provider must remove personnel as indicated immediately and ensure that they have no access to the works or documentation or any other information pertaining the site.

The Employer shall not be liable for any cost concerning the removal of personnel or the effect thereof on the execution of the work.

PS 10 HEALTH AND SAFETY

PS 10.1 General statement

It is a requirement of this contract that the Contractor shall provide a safe and healthy working environment and to direct all his activities in such a manner that his employees and any other persons, who may be directly affected by his activities, are not exposed to hazards to their health and safety. To this end the Contractor shall assume full responsibility to conform to all the provisions of the Occupational Health and Safety Act (OHSA) No 85 and Amendment Act No 181 of 1993, and the OHSA 1993 Construction Regulations 2003 issued on 18 July 2003 by the Department of Labour.

For the purpose of this contract the Contractor is required to confirm his status as mandatory and employer in his own right for the execution of the contract by entering into an agreement with the Employer in terms of the Occupational Health and Safety Act in the form as included in section C1.5.

PS 10.2 Health and Safety Specifications and Plans

Contract C51 of C83 C3.2
Part C3: Scope of Works Project Specifications

CONSTRUCTION OF SASSISSION ACT I BROILER FIGURES IN MARKELENG MIGHIGHT ALT THE MICHARI BISTRICT

(a) Employer's Health and Safety Specification

The Employer's Health and Safety Specification is included in Section C3.3, Part E of the Tender documents as part of the Particular Specifications.

(b) Service Providers Health and Safety Plan

The service provider shall submit with the Tender his own documented Health and Safety Plan he proposes to be implement for the execution of the work under the contract. The Health and Safety Plan must at least cover the following:

- a proper risk assessment of the works, risk items, work methods and procedures in terms of Regulations 7 to 28;
- (ii) pro-active identification of potential hazards and unsafe working conditions;
- (iii) provision of a safe working environment and equipment:
- (iv) statements of methods to ensure the health and safety of subcontractors, employees and visitors to the site, including safety training in hazards and risk areas (*Regulation 5*);
- (v) monitoring health and safety on the site of works on a regular basis, and keeping of records and registers as provided for in the Construction Regulations;
- (vi) details of the Construction Supervisor, the Construction Safety Officers and other competent persons he intends to appoint for the construction works in terms of Regulation 6 and other applicable regulations; and
- (vii) details of methods to ensure that his Health and Safety Plan is carried out effectively in accordance with the Construction Regulations 2003.

The Contractor's Health and Safety Plan will be subject to approval by the Employer, or amendment if necessary, before commencement of construction work. The Contractor will not be allowed to commence work, or his work will be suspended if he had already commenced work, before he has obtained the Employer's written approval of his Health and Safety Plan.

Time lost due to delayed commencement or suspension of the work as a result of the Contractor's failure to obtain approval for his safety plan, shall not be used as a reason to claim for extension of time or standing time and related costs

PS 10.3 Cost of compliance with the OHSA Construction Regulations

The rates and prices Tendered by the Contractor shall be deemed to include all costs for conforming to the requirements of the Act, the Construction Regulations and the Employer's Health and Safety Specification as applicable to this contract.

Should the Contractor fail to comply with the provisions of the Construction Regulations, he will be liable for penalties as provided in the Construction Regulations and in the Employer's Health and Safety Specification.

PS 11 SUB-CONTRACTORS

The Contractor shall have the right to cede any sub-contract under this contract to a subcontractor of his/her choice.

PS 12 DEVIATION FROM CONSTRUCTION PROGRAMME

The programme of work as required in terms of the "General Conditions of Contract 2nd edition (2010)" shall be submitted to the Engineer not later than fourteen days after the Commencement Date.

The Contractor shall take into account the requirements of the Occupational Health and Safety Act, as well as the Construction Regulations in the drafting of the programme.

The format shall not be in the form of a bar chart only, but shall also clearly indicate the anticipated quantity of work to be executed each month. The construction programme shall also clearly indicate the local and

Contract C52 of C83 C3.2
Part C3: Scope of Works Project Specifications

foreign labour to be utilised for the duration of the Contract.

If during the progress of the work, the quantities of the work performed per month fall below the expected indicated in the Construction programme, or if the sequence of operation is altered, or if the programme is deviated from in any other way, the Contractor shall, within one week after being notified by the Engineer, submit a revised construction programme.

Such a revised construction programme shall be based on the tempo of work achieved by the Contractor up to the date of revision. Any proposal to increase the tempo of work must be accompanied by positive steps to increase production by providing more labour and plant on site or by using the available labour and plant in a more efficient manner.

Failure on the part of the Contractor to work according to the programme or revised programmes shall be sufficient reason for the Engineer to take steps as provided for in the "General Conditions of Contract - 2nd edition (2010)"

PS 13 DELAY IN COMPLETION

The Contractor shall organise the Works in such a manner that no delays occur. Delay due to faulty organisation or lack or shortage of materials or labour or co-operation with other parties or to any other cause within the control of the Contractor will not be countenanced and full power is reserved by the Engineer to order the Contractor to expedite the work should the work, in the opinion of the Engineer, not progress in a satisfactory way.

PS 14 SUPPLY OF MATERIALS

All material to be used in the Works is to be supplied by the Contractor.

The Contractor shall ensure that the work is not delayed due to the lack of materials on Site, by placing orders for material required under this Contract as soon as possible. No extension of time will be allowed for any delay due to the supply of materials.

Although the quantities have been carefully calculated, it must be considered as approximate only and the Contractor, before ordering any materials, should check the quantities required. The bill of quantities is provisional.

PS 15 EXECUTION OF THE WORKS

PS 15.1 Inspection by the Engineer

No portion of the work shall be proceeded with until the Engineer or his representative has examined and approved the previous stage. If any work is covered or hidden from view before the Engineer or his representative has inspected the work, the Contractor shall at his own cost expose the covered or hidden work for inspection. The Contractor shall also be responsible for making good any work damaged during the uncovering.

PS 15.2 Certificate of Completion

When all the work under the Contract have been completed to the entire satisfaction of the Engineer, he will issue a certificate of completion to the Contractor informing the Contractor of the date the date at which the works are deemed to be completed and accepted by the Employer.

The sureties provided by the Contractor for the fulfilment and completion of the Contract in terms of the Form of Agreement will be released upon the issue of the Certificate of Completion.

PS 16 EXISTING SERVICES

Contract C53 of C83 **Project Specifications** Part C3: Scope of Works

CONSTRUCTION OF 3X3000 CAPACITY BROILER HOUSES IN MARULEING MUNICIPALITY OF THE MOPANI DISTRICT

The Contractor shall make himself acquainted with the position of all existing services before any excavation or other work likely to affect the existing services is commenced.

The Contractor will be held responsible for any damage to known existing services caused by or arising out of his operations and any damage shall be made good at his own expense. Damage to unknown services shall be repaired as soon as possible and liability shall be determined on site when such damage should occur.

A provisional amount is included in the bill of quantities for the protection and/or shifting of services.

Two weeks prior to commencing construction activities in a particular area, the Contractor shall also diligently enquire of local landowners as to whether there are any other known services which have not been shown on the drawings but which may be affected by the construction activities in that area, and any such services shall be brought to the attention of the Engineer immediately. The contractor shall make provision in his programme for the location and/or shifting of services.

The Contractor shall take note of the requirements of the standard specifications with regard to services.

PS 17 LABOUR INTENSIVE SPECIFICATION

PS 17.1 Labour intensive competencies of supervisory and management staff

Contractors having a CIDB contractor grading designation of 2CE and higher shall only engage supervisory and management staff in labour intensive works who have either completed, or for the period 1 April 2004 to 30 June 2006, are registered for training towards, the skills programme outlined in Table 1.

The managing principal of the contractor, namely, a sole proprietor, the senior partner, the managing director or managing member of a close corporation, as relevant, having a contractor grading designation of 1CE and 2CE, shall have personally completed, or for the period 1 April 2004 to 30 June 2006 be registered on a skills programme for the NQF level 2. All other site supervisory staff in the employ of such contractors must have completed, or for the period 1 April 2004 to 30 June 2006 be registered on a skills programme for, the NQF level 2 unit standards or NQF level 4 unit standards.

Table 1: Skills programme for supervisory and management staff

Personnel	NQF level	Unit standard titles	Skills programme description
Team leader / supervisor	2	Apply Labour Intensive Construction Systems and Techniques to Work Activities	This unit standard must be completed, and
		Use Labour Intensive Construction Methods to Construct and Maintain Roads and Stormwater Drainage Use Labour Intensive Construction Methods to Construct and Maintain Water and Sanitation Services Use Labour Intensive Construction Methods to	any one of these 3 unit standards
Foreman/ supervisor	4	Construct, Repair and Maintain Structures Implement labour Intensive Construction Systems and Techniques	This unit standard must be completed, and
		Use Labour Intensive Construction Methods to Construct and Maintain Roads and Stormwater Drainage Use Labour Intensive Construction Methods to Construct and Maintain Water and Sanitation Services Use Labour Intensive Construction Methods to Construct, Repair and Maintain Structures	any one of these 3 unit standards
Site Agent / Manager (i.e. the contractor's most senior representative that is resident on the site)	5	Manage Labour Intensive Construction Processes	Skills Programme against this single unit standard

PS 17.2 Employment of unskilled and semi-skilled workers in labour-intensive works

PS 17.2.1 Requirements for the sourcing and engagement of labour.

Unskilled and semi-skilled labour required for the execution of all labour intensive works shall be engaged strictly in accordance with prevailing legislation and SANS 1914-5, Participation of Targeted Labour.

The rate of pay set for a day task is 90% of the statutory daily wage applicable for the areas.

Tasks established by the contractor must be such that:

- a) the average worker completes 5 tasks per week in 40 hours or less; and
- b) the weakest worker completes 5 tasks per week in 55 hours or less.

The contractor must revise the time taken to complete a task whenever it is established that the time taken to complete a weekly task is not within the requirements of 5.2.1.3.

The Contractor shall, through all available community structures, inform the local community of the labour intensive works and the employment opportunities presented thereby. Preference must be given to people with previous practical experience in construction and / or who come from households:

- a) where the head of the household has less than a primary school education;
- b) that has less than one full time person earning an income;
- c) where subsistence agriculture is the source of income.
- d) those who are not in receipt of any social security pension income

The Contractor shall endeavour to ensure that the expenditure on the employment of temporary workers is in the following proportions:

- a) 60 % women;
- b) 20% youth who are between the ages of 18 and 25; and
- c) 2% on persons with disabilities.

PS 17.2.2 Specific provisions pertaining to SANS 1914-5

Training of targeted labour

- a) The contractor shall provide all the necessary on-the-job training to targeted labour to enable such labour to master the basic work techniques required to undertake the work in accordance with the requirements of the contract in a manner that does not compromise worker health and safety.
- b) The cost of the formal training of targeted labour will be funded by the provincial office of the Department of Labour. This training should take place as close to the project site as practically possible. The contractor, must access this training by informing the relevant provincial office of the Department of Labour in writing, within 14 days of being awarded the contract, of the likely number of persons that will undergo training and when such training is required. The employer must be furnished with a copy of this request.
- c) The contractor shall be responsible for scheduling the training of workers and shall take all reasonable steps to ensure that each beneficiary is provided with a minimum of six (6) days of formal training if he/she is employed for 3 months or less and a minimum of ten (10) days if he she is employed for 4 months or more.
- d) The contractor shall do nothing to dissuade targeted labour from participating in training programmes.
- e) An allowance equal to 100% of the task rate or daily rate shall be paid by the contractor to workers who attend formal training, in terms of d above.
- f) Proof of compliance with the requirements of b to e must be provided by the Contractor to the Employer prior to submission of the final payment certificate.

Contract C55 of C83 C3.2
Part C3: Scope of Works Project Specifications

PART B: AMENDMENTS TO THE STANDARD SPECIFICATIONS

B1 PROJECT SPECIFICATIONS RELATING TO THE STANDARD SPECIFICATIONS AND OTHER ADDITIONAL SPECIFICATIONS

In certain clauses in the standard, standardised and particular specifications, allowance is made for a choice to be specified in the project specifications between alternative materials or methods of construction, and for additional requirements to be specified to suit a particular contract. Details of such alternative or additional requirements applicable to this contract are contained in this part of the project specifications. It also contains the necessary additional specifications required for this particular contract.

VARIATIONS TO REQUIREMENTS OF SPECIFICATIONS LISTED IN C3.1

PSAA SABS 1200 A: GENERAL (SMALL WORKS)

PSA 4.2: Contractor's Camp

No housing is available for the Contractor's employees and the Contractor shall make his own arrangements to house his employees and transport them to site.

PSA 6.2 Degree of Accuracy

A Degree of Accuracy II shall be applicable for the construction of the various portions of the Works.

PSC SABC 1200 C: SITE CLEARANCE

PSC 3.1 <u>Disposal of Material</u>

Disposal areas are not available on site. The Contractor shall locate his own disposal areas and shall remove and cart away any accumulation of material generated by his construction activities and not required for further use in the Works. The cost of loading, carting away and disposing of material shall be deemed to have been included in the excavation rates.

Care should be taken during clearing that no significant amounts of topsoil are being removed and pushed into windrows. Should that be found, contractor will move such topsoil back at his own cost.

PSDA: SABS 1200 DA: EARTHWORKS (SMALL WORKS)

PSD 3 <u>Classification for Excavation Purposes</u>

Delete Sub-Clause 3.1 and substitute the following:

Excavation shall mean excavating in all kinds of material met with the exception only of "Rock" as hereinafter defined, and shall include for the grubbing up and clearing away of all old foundations, footings, manholes, drains, paving, etc, that may be encountered; and not claim by the Contractor in respect of such items will be allowed unless specified in the Schedules of Quantities.

PSD 3.1.3 Rock

"Rock" shall mean hard un-decomposed boulders exceeding one cubic meter each in volume and such hard stone occurring in bulk, banks or ledges, that practical excavation would require the use of explosives or drilling, wedging and splitting. Explosives may only be used if written permission has been obtained from the Engineer and there is no guarantee given or implied that this permission will be given.

Contract C56 of C83 C3.2
Part C3: Scope of Works Project Specifications

CONSTRUCTION OF 3A3000 GALACITE BROILER THOUSES IN MARGLENG MONIOR ALTER OF THE MOLANI DISTRICT

Should the Contractor consider that any excavations encountered are in "rock" he shall immediately notify the Engineer in writing. Failing such notification the excavations will be assumed to be in accordance with Clause PSD3 and will be measured and paid for accordingly.

The Engineer shall be the sole judge as to the classification of materials encountered in the excavations.

PSDB: SABS 1200 DB: EARTHWORKS (PIPE TRENCHES)

PSDB 3 <u>Classes of Excavation</u>

Refer to Clauses PSD 3 and PSD 3.1.3 for excavation classification.

PSDB 5.6 Backfilling

In areas subject to road traffic loads and under structures, etc., backfill materials shall have a plasticity index not exceeding 12, a minimum grading modulus of 0,5 and a minimum CBR of 15 % at 93 % of Modified AASHTO maximum density (100 % Modified AASHTO maximum density for sands) if placed in the upper 150 mm of the sub-grade portion of the backfill and of 7 % if placed in the lower portion.

PSDB 5.7 Compaction

The moisture content during compaction shall be the optimum moisture content for the construction plant employed.

In unrestricted areas, the excavation shall be backfilled in layers not exceeding 150 mm compacted thickness up to 750 mm above the outer crown of the pipe and in layers not exceeding 300 mm in compacted thickness thereafter and the material shall be compacted to not less than 90 % of Modified AASHTO maximum density.

In areas subject to road traffic loads and under the structures excavations shall be backfilled in layers not exceeding 150 mm in compacted thickness, and the material shall be compacted to not less than 93 % of Modified AASHTO maximum density or 100 % in the case of non-plastic sand.

PSGA: SABS 1200 GA: CONCRETE (SMALL WORKS)

PSGA 5.1.2: Welding

Welding of reinforcement and steel pipes is permitted.

PSGA 5.4.1.6 Ready mixed concrete

Use of ready-mixed concrete is permitted and the manufacturer's quality control system will be acceptable.

PSGA 5.4.7 Concrete Curing

Where suitable water for curing of the concrete is not readily available, the contractor is to allow for the use of an approved curing compound.

PSH SABS 1200 H: STRUCTURAL STEELWORKS

PSH 3.1 Materials: Structural Steel

Contract C57 of C83 C3.2
Part C3: Scope of Works Project Specifications

The various grades of steel to be used in the works are shown on the drawings.

PSH 5.1.2 **Drawings and Shop Details**

The Contractor shall be responsible to prepare shop drawings which will be issued to the Engineer for approval.

PSHA SABS 1200 HA: STRUCTURAL STEELWORKS (SUNDRY ITEMS)

None

PSHC SABS 1200 HC: CORROSION PROTECTION OF STRUCTURAL STEELWORK

All structural steel, excluding purlins and girts shall receive the coating system specified below. All purlins and girts shall be hot dipped galvanised.

PSHC 5.4.3.1 Abrasive Blast Cleaning

Blast cleaning of steelwork shall be to SA2 minimum standard (commercial blast).

PSHC 5.7 Coating System

The following coating system shall be applied by brush, roller or airless spray:

Primer: One Coat "Sigmacover ST", dry films thickness 75 microns.

First Coat: One coat "Sigmacover ST", dry film thickness 75 microns.

Finishing Coat: One coat "Sigmadur HS semigloss" dry film thickness 75 microns

PSL SABS 1200 L: MEDIUM PRESSURE PIPELINES

PSL 7.3 Testing

Confirm that the Contractor will be required to carry out the standard hydraulic pipe test with suitable testing equipment on all the pipelines.

PSLB SABS 1200 LB: BEDDING (PIPES)

PSLB 3 **Materials**

Materials for bedding shall be Class C to SABS 0102, free of organic materials and shall comprise "selected fill for bedding" or "fine granular" material.

"Selected fill for bedding" means a soil of granular nature with a PI less than 6 and shall not contain more than 10 % by dry mass of stones larger than the pipe wall thickness and shall be free of roots. vegetation and stones and lumps larger than 75 mm average dimension.

"Fine granular" means the same material except that at least 90 % by mass shall pass through a sieve having 4,5 mm square openings or a clean coarse sand as directed and not more than 10 % shall pass the 0,150 mm sieve.

PSLB 3.4.2 Selective Excavation

It is expected that the selected granular material for the bedding, cradle and blanket are generally to be derived from the trench excavation, even if to be transported along the pipeline route. It is

Contract C58 of C83 C3.2 **Project Specifications**

therefore important for the contractor to be selective during trench excavation, to ensure that suitable materials are not contaminated by unsuitable materials.

In addition, topsoil is to be stockpiled separately for later use in top soiling the trench route.

C3.3 PARTICULAR SPECIFICATIONS

PART C: Mechanical and Electrical

PART D: Environmental Management

PART E: OHSA 1993 Health & Safety

LIMPOPO DEPARTMENT OF AGRICULTURE AND RURAL DEVELOPMENT

CONSTRUCTION OF 3X3000 CAPACITY BROILER HOUSES IN MARULENG MUNICIPALITY OF THE MOPANI DISTRICT

C3.3 PARTICULAR SPECIFICATIONS

In addition to the Standardised and Project Specifications the following Particular Specifications shall apply to this contract and are bound in hereafter.

PART C: Mechanical and Electrical
PART D: Environmental Management
PART E: OHSA 1993 Health & Safety

Contract C61 of C83 C3.3

Part C3: Scope of Works Particular Specifications

PART C: MECHANICAL and ELECTRICAL

C1. PIPING AND FITTINGS

C1.1 GENERAL

The piping and fittings shall conform to the requirements of the latest edition of the SABS or the BS referred to in the technical specifications. All materials shall be the best of their kinds and shall be suitable for working at the pressures and temperatures involved under all working conditions, without impairing the efficiency or reliability of the plant and the strength of its component parts.

The mild steel piping shall be fabricated and assembled in the workshop apart from selected on site work. Two coats of Epoxy pipe coating shall be applied internally and externally to a total minimum dry film thickness of 125 micron (if not galvanised).

Prefabricated piping sections shall be capable of being fitted into place without forcing. Loose flanges and cutting lengths shall be supplied to allow for minor alignment errors or plant location. All pipelines shall be cleaned internally.

The pipe sections shall be carried on suitably designed supports to ensure that no undue stresses are placed on adjoining pipe work and equipment. All flange bolt holes shall be spaced equally off centre, unless specified otherwise on arrangement drawings. Thread tape shall be used on all threaded fittings.

C1.2 STEEL PIPES AND MALLEABLE IRON PIPES AND FITTINGS

The steel pipes and fabricated fittings shall comply with the requirements of SABS 719 and Butt weld fittings to ANSI B16.9 and BS 1640; or JIS B 2404-72 or SABS 62 and galvanised as required to SANS 121 (ISO 1461); where applicable.

C1.3 FLANGES

Flanges shall comply with the requirements of SABS 1123 or BS10 latest edition.

Flanges designed for rated working pressures of less than 1600 kPa shall have flat flange faces and those for equal or greater working pressures raised flange faces.

It shall be the responsibility of the Contractor to ensure that the flanges on pumps, valves, fittings, specials and pipes, which shall be fitted together, are fully compatible. The flanges shall be drilled to the relevant Table or to match existing flange drilling if applicable.

Before the machined surfaces have become affected by rust, they shall be coated with a mixture of white lead and tallow or other approved protective composition.

C1.4 FLEXIBLE COUPLINGS

Flexible couplings, where required, shall be approved type and manufactured and tested to the same pressure as the pipes with which they are to be used. Flexible suction pipelines should be able to withstand negative pressure of 80 kPa. Flexible couplings on the delivery side of the pumps should at least withstand a pressure equal to 1.5 times closed valve pump pressure in cases where that value exceeds the normal standard specification.

C1.5 FLANGE JOINTING MATERIAL

All flange jointing material shall be approved by the Engineer before erection is commenced. Insertions for flat flange faces shall be of the full flange diameter encompassing the bolts. Insertion for raised flanges

Contract C62 of C83 C3.3
Part C3: Scope of Works Particular Specifications

shall fit neatly inside the bolt rings.

All packings must be cut from rubber insertions with a nominal thickness of 3,2 mm according to SABS 564-1973. The inside and outside diameters should be according to SABS 1123-1977.

C1.6 BOLTS AND NUTS

All nuts, bolts, studs and washers shall comply with SABS 135:1985 and shall be Galvanized to SANS 121 (ISO 1461).

No bolts or studs of less than the required size shall be used. The length of each bolt shall be such that after tightening between one thread and one diameter in length projects through the nut and at least one full thread in addition to the thread run-out remains clear between the nut and the unthreaded shank. The threaded portion of bolts shall be clear of the shear plane.

C1.7 GALVANISED PIPING AND FITTINGS EXPOSED TO SOIL AND AIR

All galvanising shall be done in accordance with SANS 121 (ISO 1461).

All galvanised surfaces which suffer damage during transport or erection, shall be made good with Zincfix paint. These coatings are to be applied strictly in accordance with the manufacturer's instructions and specially qualified painters are to be employed for this work.

Exposed galvanised piping is to be primed with a self-etching primer, followed by one coat of universal undercoating and two coats of high gloss enamel paint. Other galvanised surfaces are to be left unpainted. Coatings at joints and coatings that have been repaired shall be tested in the same manner as the first applied coatings over 100% of the area and shall in every way be to the satisfaction of the Engineer.

All galvanised piping and fittings exposed to the soil and air especially all exposed threads (i.e. air valve and lateral control valve manifolds) shall be painted with two coats of Bituprime.

C1.8 THRUST AND ANCHOR BLOCKS

If there is any doubt regarding the suitability of the in-situ material at any location, the Contractor shall obtain approval from the Engineer prior to casting of thrust blocks.

C2. VALVES

C2.1 GATE VALVES

RESILIENT SEAL GATE VALVES

Resilient seal gate valves (RSV) shall comply with SABS 664 (latest amendment) with classes and flanged drilling as described in the bill of quantities. Where plain ended valves are required, the ends shall be suitable for the type of pipe specified. The valves shall be designed for drop-tight closure over the full range of pressures from zero to maximum working pressure.

The valves shall be provided with a straight unobstructed body passage without pockets. The spindle seat shall consist of 2 nitrile rubber '0' rings located in a corrosion resistant housing. A wiper ring shall also be provided.

The gates shall be completely rubber covered. The gate guides shall be of tongue and groove type. Spindles shall be manufactured of solid stainless steel and shall be of the non-rising type. The body of the valve shall be coated to a minimum DFT of 250 microns.

Unless otherwise specified caps for key operation will be required for buried valves and hand wheels on

Contract C63 of C83 C3.3
Part C3: Scope of Works Particular Specifications

valves situated in accessible chambers. Extension spindles and brackets shall be provided where detailed and hand wheels shall be clearly marked with the direction of opening. All valves shall be clockwise closing. Gearing shall be chosen to limit the total effort at the hand wheel or valve key to 350 Newton.

C2.2 BUTTERFLY VALVES

All butterfly valves must be provided with a gearbox and hand wheel mechanism and it must be possible to install the unit between flanges drilled according to SABS specifications. Valves are to have a stainless steel stem and are to incorporate a resilient disc seal mechanical retained around the periphery of the valve disc, unless otherwise specified in the detail specifications.

C2.3 NON RETURN VALVES

General wafer type non return valves bolted between two flanges may have a cast iron body, but stainless steel plates having machined scaling faces, 316 stainless steel pin and springs, nitrile seat and teflon or similar bearing washers. Linear action, coaxial type non return valves may be wafer type or flanged as per detail specifications

3. GAUGES

C3.1 GENERAL

Scale markings shall be radial, plain, straight, black lines on a white background and shall be spaced so that one scale division represents approximately 1% - 1,5% of the maximum scale in values of 1,2 and 5 multiplied by any power of 10.

On circular gauges the scale shall be concentric and the maximum and minimum scale values shall be at the bottom of the gauge, with the scale symmetrically disposed about the vertical centre line of the gauge.

The tip of the pointer shall be of such length and width that the gauge maybe read to a value within the accuracy of the gauge and shall preferably be of the knife edge type. The tip of the pointer shall be as close as practical to the dial.

All pressure connections shall be provided with an isolating cock of the type which has the handle in line with the bore of the cock when the cock is open.

C3.2 PRESSURE GAUGES

Pressure gauges shall comply with BS 1780 or equivalent for Industrial Gauges, shall be calibrated in kilo Pascal and shall be not less than 100 mm diameter. Full-scale reading shall be between 1,5 and 2 time maximum actual operating pressure except where otherwise specified. All gauges shall be suitable for continuous operation and shall be liquid filled where fluctuations in pressure may cause damage.

Where a blockage of the gauge is possible, diaphragm seals with large bases and facility for cleaning shall be provided. This shall apply in all cases where liquids bearing solids or sludge are handled.

Gauges shall not be mounted directly on equipment subject to vibration.

For dry locations indoors, the casing may be plastic or epoxy coated aluminium. For damp indoor locations, and for all locations outdoors, the gauges shall be weatherproof and have AISI 316 stainless steel cases. Isolating and bleed cocks shall be provided for each pressure gauge.

C4 WELDING

C4.1 GENERAL

This specification covers the gas and arc welding of butt and fillet and socket welds in piping. The welding

Contract C64 of C83 C3.3
Part C3: Scope of Works Particular Specifications

may be done by shielded metal-arc welding, gas tungsten-arc welding, gas metal-arc welding or oxy acetylene welding process, using a manual semi-automatic or automatic welding technique or combination of these techniques.

No position welding will be allowed without written approval by the Engineer.

Metal arc welding shall be in accordance with BS 1856 or BS 2633 as applicable.

All oxy-acetylene welding and testing shall be in accordance with BS 1821 or BS2640 as applicable. The Engineer shall have the right to test any welds in the installation during the installation period or before final acceptance.

The Contractor shall at his expense cut out the required welds for testing and also re-weld the piping where such test pieces have been removed.

Welding Electrodes

Welding electrodes shall be in accordance with SABS 455.

Electrodes shall be stored and handled in accordance with the recommendations of the supplier and electrodes which are older than six months, shall not be used.

C5. OPERATION AND MAINTENANCE MANUALS

The contractor prior to commissioning shall provide three copies of the Operation and Maintenance Manual. These manuals shall be of a standard acceptable to the Engineer and shall be subject to his approval. At least one set of manuals shall contain original copies.

Manuals shall be in English, shall be easy to use, practically and neatly presented, bound between plastic protected covers, clearly titled, well indexed and sectionalised and specifically applicable to the equipment supplied. Where standard manuals are used these shall be marked up to be unambiguously applicable to the equipment supplied. Drawings shall be held in plastic envelopes in the manual.

The manuals must contain the following:

- a) A description of the equipment supplied giving full details of name, manufacturer, model number, size design duty and design and performance data. This shall, inter alia, include the information called for in the Pump and Motor Data Forms part of the bill of quantities.
- b) Descriptive and technical literature including clear and comprehensive performance curves specifically applicable to the equipment supplied. Re Pump curves and test certificates)
- c) Operating instructions supported by drawings, flow diagrams, explanatory sketches etc as may be necessary and including details of control and protection systems incorporated, and safety precautions which must be observed.
- d) Dimensional arrangement and layout drawings.
- e) A comprehensive lubricating schedule covering all equipment supplied with full details of recommended lubricants, initial fill lubricants used, capacities and lubrication periods.
- f) A comprehensive schedule of routine maintenance with timelines, for all equipment supplied.

Contract C65 of C83 C3.3
Part C3: Scope of Works Particular Specifications

- CONSTRUCTION OF 3X3000 CAPACITY BROILER HOUSES IN MARULENG MUNICIPALITY OF THE MOPANI DISTRICT
 - g) Assembly and disassembly instructions, supported by clear assembly and/or exploded view drawings.
 - h) A comprehensive spare list for the equipment, complete referenced cross sectional drawings and indicating recommended spares. All information required for the ordering of spares to be given including manufacturer's part numbers, supplier's name and all identification information.
 - i) Electrical circuit drawings.
 - Copies of all Test Certificates. j)
 - Documents, information and charts providing a full record of the results of the Tests on Completion. k)

C6. INSPECTION AND TESTING

C6.1 **GENERAL**

- a) The equipment supplied under this Contract shall be subject to inspection by the Engineer or his Nominated Agent at all stages of manufacture.
- b) The tests and commissioning procedure laid down below and such additional tests as the Engineer may reasonably require to prove compliance with the Specification shall be carried out at the Contractor's Works and at Site.
- The Contractor shall give reasonable notice of time and place in writing to enable the Engineer to inspect and witness tests of materials and equipment. He shall provide the Engineer with facilities for witnessing these tests and for any additional tests or inspection of any portion of the Works as required by the Engineer.
- d) The Contractor shall at his own cost render all assistance and supply all labour appliance and any other materials as the Engineer may require to check the setting out, measure up and inspect any portions of the Works at any stage during fabrication, construction, erection or painting. During such operations the Contractor shall if required suspend any or all of the Works without having claim for loss or damage as a result thereof.
- e) The testing of the plant (or a part thereof) supplied under this Contract shall be carried out through its full operating range (or part thereof) as required by the Engineer. All such tests and inspections and the necessary inspection facilities shall be provided at the Contractor's expense.
- At the commencement of and during the whole of Commissioning and Testing Periods, the Contractor shall have available on site all essential spares and tools considered necessary to enable repair work of defective parts to be carried out immediately in the event of a breakdown.
- g) The Contractor shall be responsible for the proper operation and maintenance of the plant throughout the period of the tests.
- h) Acceptance by the Engineer of any plant item, following such inspection or tests, shall not relieve the Contractor of any obligations under this Contract.

TESTING BEFORE DELIVERY C6.2

- All items of plant are subject to inspection at the manufacturer's works before despatch. a)
- Materials, components and electric motors shall be tested for compliance with relevant British or

Contract C66 of C83 C3.3 Part C3: Scope of Works Particular Specifications South African standards and certificates submitted in triplicate.

C6.3 TESTING AT SITE

a) Welds

Welds shall be tested as required by the relevant Code of Practice.

Where the test pressure specified for individual items of equipment is less than the test pressure specified for the connecting pipe line the equipment shall be disconnected for the test and suitable make-up lengths of pipe work or plugged connections shall be installed to enable the pipe line tests to be carried out.

b) Draining and cleaning

Upon completion of the pressure test on a section of pipe work the water used for testing shall be drained away as quickly as possible to remove as much dirt and dross. After completion of a pipe work circuit the circuit shall be flushed through to remove all pipe scale, dross and similar material.

The Contractor shall provide all necessary connections, by-pass pipes, temporary strainers, temporary make-up pieces, to enable the systems to be drained and cleaned.

d. Alignment

Alignment checks of all driven machinery are required and shall be witnessed by the Engineer and the results recorded.

e. Controls

All automatic control functions, alarm and safety cut-out devices shall be tested by operational or simulated tests and set-points and calibrations set and their settings recorded, all in the presence of the Engineer.

f. Performance Tests

Tests shall be carried out on all plant items to check that they are capable of their rated performance.

Each test shall be witnessed by the Engineer and a signed certificate of approval shall be issued by the Engineer upon completion of the tests to his satisfaction.

C6.4 TESTS ON COMPLETION

During completion of the balancing and commissioning of equipment the plant shall be brought into normal operation and the final adjustments of the equipment shall be made.

Thereafter the Tests on Completion in terms of the Conditions of Contract shall be carried out to ensure that the plant will fulfil the functions for which it has been designed.

Such tests shall include the following:

- a) Simulated tests for all alarm and safety cut out equipment to prove the operation of the equipment.
- b) Simulation tests on automatic controls to prove the ability of the controls to correct the conditions outside the required design parameters needs to be done by the Contractor. The tests shall be carried out by manually changing the desired values to produce an incorrect condition and then re-

Contract C67 of C83 C3.3

CONSTRUCTION OF 3X3000 CAPACITY BROILER HOUSES IN MARULENG MUNICIPALITY OF THE MOPANI DISTRICT

setting the controls to the design conditions and checking the operation of valves, etc, to restore the design conditions.

The Contractor shall provide all necessary temporary measuring and recording equipment. The equipment shall be of a type generally used for this type of testing and shall be to the approval of the Engineer. All instruments shall be accurately calibrated before the tests begin.

On completion of the whole of the tests and when the Contractor is satisfied that the entire plant is operating satisfactorily and will fulfil the function for which it has been supplied, he shall submit to the Engineer triplicate copies of all test records and charts together with reports on all the tests called for in this Specification.

The Engineer shall reserve the right to ask for any reasonable additional tests or for the repetition of previous tests in order to prove that the operation of the plant is satisfactory and in accordance with the Specification and Drawings.

C6.5 TEST CERTIFICATES

The Contractor shall provide three copies of test certificates for the installed pumps and materials and equipment specified for testing. Further copies are to be bound into the manuals to be supplied.

Contract C68 of C83 C3.3

PART D: ENVIRONMENTAL MANAGEMENT SPECIFICATION

D.1 General

In order to ensure that the construction works is carried out in an environmentally sensitive matter, strict compliance to the Environmental Management Plan (EMP) guidelines is required. The purpose of the EMP is to:

- Encourage good management practices through planning and commitment to environmental issues.
- Provide rational and practical environmental guidelines to:
 - i. Minimise disturbance of the natural environment,
 - ii. Prevent pollution of land, air and water,
 - iii. Prevent soil erosion and facilitate re-vegetation.
- Adopt the best practicable means available to prevent or minimise adverse environmental impact,
- Develop waste management practices based on prevention, minimisation, recycling, treatment or disposal of wastes,
- ° Train employees and contractors with regard to environmental obligations.

D.2 Training and Induction of Employees

The Contractor has a responsibility to ensure that all those people involved in the project are aware of and familiar with the environmental requirements for the project (this includes subcontractors, casual labour, etc.). The EMP shall be part of the terms of reference for all contractors, sub-contractors and suppliers.

D.3 Complaints Register and Environmental Incident Book

Any complaints received by the project team from the public will be recorded. The complaint should be brought to the attention of the site manager, who will respond.

The following information must be recorded:

- Time, date and nature of the complaint,
- ° Type of communication (telephone, letter etc),
- Name, contact address and telephone number of the complainant,
- Response and investigation undertaken and
- Actions taken and by whom.

All complaints received will be investigated and a response give to the complainant within 14 days.

All environmental incidents occurring on the site will be recorded. The following information will be provided:

- ° Time, date, location and nature of the incident,
- Actions taken and by whom.

D.4 Site Cleanliness and Neatness

- Location of a construction camp is to be approved by the Engineer and is to be restored to its previous condition after completion of construction.
- The construction camp should preferably be fenced with a 1.8m bonnox fence or similar approved.
- ° All materials, equipment, plant and vehicles must be stored within the construction camp.
- A dedicated area must be made available for construction staff to change and store their personal belongings.

D.5 Access

Contract C69 of C83 C3.3
Part C3: Scope of Works Particular Specifications

- Access to existing roads, schools, buildings, shop and residential properties must not be impeded during construction.
- Access roads utilised by the Contractor must be maintained in good condition.

D.6 Borrow Pits

- Mining authorisations (permits) for borrow pits must be obtained from the Department of Minerals and Energy (DME) in consultation with the Department of Water Affairs and Forestry (DWAF).
- Spoil dumps resulting from borrow pits must not interfere with any natural surface drainage.
- Borrow pits must be rehabilitated after use in accordance with the requirements of DME and DWAF.

D.7 Dust Control / Air Quality

- Dust suppression measures must be implemented during construction by ensuring that all surfaces prone to dust generation are kept damp (e.g. use of water tanker).
- Ensure that vehicles and equipment are in good working conditions and that emissions are not excessive.
- Ensure that vehicles and equipment are in good working conditions and that emissions are not excessive.
- Special care must be taken in areas where the route passes close to schools and residential areas.
- The speed of construction vehicles must be reduced.

D.8 Fauna

° Contractor staff may not chase, catch or kill animals encountered during construction.

D.9 Fire Prevention and Control

- Smoking is prohibited in the vicinity of flammable substances.
- The contractor must ensure that fire-fighting equipment is available on site, particularly where flammable substances are being stored or used, and that construction staff are aware of where it is kept and how it is operated.
- Fires started for comfort (warmth) are prohibited, due to the risk of veld fires and risk to adjacent property owner's lands.

D.10 Grave sites

° Gravesites in close proximity to the road must not be disturbed during construction.

D.11 Materials Handling and Spills Management

- Any hazardous materials to be used during construction (e.g. lime, fuel, paint, etc) are to be stored in a designated area at the campsite.
- The storage containers/facilities (including any diesel/petrol tanks) must be placed on an impermeable surface and surrounded by a bund wall, in order to ensure that accidental spillage does not pollute the environment.
- Workers must at all times be made aware of the health and safety risks associated with any hazardous substances used (e.g. smoking near fuel tanks), and must be provided with appropriate protective clothing/equipment in case of spillages or accidents.
- Ensure all staff and contractors undergo relevant training in the maintenance of equipment to prevent the accidental discharge or spill of fuel, oil, lubricants and other chemicals.
- Any spill of potentially hazardous materials must be cleaned up immediately (Potentially hazardous materials on site include paint, oil, grease, fuel, turpentine, etc).
- o The area of contaminated soil or spill must be deposited into the hazardous waste container(s).
- The contractor should keep Peat Sorb or a similar absorbent on site to clean up any spills.

Contract C70 of C83 C3.3
Part C3: Scope of Works Particular Specifications

- The absorbent must be stored in a designated area and be available for inspection.
- ° All spills are to be recorded in the environmental incident book.

D.12 Noise

- Noise generating activities must be restricted to between 07h00 and 17h00 Monday to Friday, unless otherwise approved by the appropriate competent person in consultation with adjacent landowners/affected persons.
- All equipment, vehicles and machinery must be in good working conditions and be equipped with sound mufflers if necessary.
- Construction staff must be trained and made aware of not creating unnecessary noise such as hooting and shouting.

D.13 Pollution Control

- Soil and water pollution through usage of fuel, oil, paint, bitumen or other hazardous substances must be avoided.
- All construction vehicles are to be maintained in good working order so as to prevent soil or water pollution from oil, fuel or other leaks, and to reduce noise pollution.

D.14 Rivers and Streams

- During construction of bridge structures, there must be no obstruction of the water flow of rivers and streams.
- Excavated material must not be stockpiled on or near riverbanks, in order to prevent sedimentation occurring.
- Erosion control measures must be employed both during and after construction.
- No impediments to natural surface water flow, other than approved erosion control measures, must occur.

D.15 Safety

- Safety measures, such as detour signs, must be implemented during construction to ensure the safety of workers, pedestrians and drivers/passengers in vehicles in the vicinity of construction work.
- Special care must be taken in the vicinity of schools to ensure the safety of children wishing to cross the road under construction.
- The relevant signage (e.g. speed control signs) must be erected alongside the road during the operation phase in order to control traffic.
- Accommodation must be made for pedestrian pathways alongside the road during the construction and operation phases.

D.16 Soil Management

- Storm water drainage pipes must be installed alongside the road in all areas susceptible to soil erosion.
- Erosion should be minimised by the construction of meadow drains and the planting of indigenous vegetation on the side slopes and drains to reduce flow velocity of stormwater.
- Spoil from cuts may be used in existing erosion galleys.
- Stone pitching and gabions should be constructed at pipe culvert outlets.
- Accidental spills of contaminants onto the ground e.g. oil, concrete, fuel and chemicals should be removed together with the contaminated soil.
- of If necessary an absorbent such as Peat Sorb should be used the aid in cleaning up the spill. The contaminated soil should be disposed of in an appropriate container, depending on its classification.
- Servicing and re-fuelling of vehicles must only be carried out at construction camp.

D.17 Worker Conduct

Contract C71 of C83 C3.3
Part C3: Scope of Works Particular Specifications

Code of Conduct for Construction Personnel:

- On not leave the construction site untidy and strewn with rubbish which will attract animal pests.
- Do not set fires.
- Do not cause any unnecessary, disturbing noise at the construction camp/site or at any designated worker collection/drop off points.
- ^o Do not drive a construction-related vehicle under the influence of alcohol.
- Do not exceed the national speed limits on public roads or exceed the recommended speed limits on the site.
- Do not drive a vehicle which is generating excessive noise or gaseous pollution (noisy vehicles must be reported and repaired as soon as possible).
- Do not litter along the roadsides, including both the public and private roads.
- ° Do not pollute any water bodies (whether flowing or not).
- No member of the construction team is allowed to enter the areas outside the construction site.

D.18 Traffic Disturbances and Diversions

- Any traffic diversions must be undertaken with the approval of all relevant authorities and in accordance with all relevant legislation.
- Wherever possible, traffic diversion must only take place on existing disturbed areas and remain within the existing road reserve.
- Traffic diversion routes must be rehabilitated after use.

D.19 Vegetation

- ° Only vegetation falling directly on the route must be removed where necessary.
- Alien vegetation within the road reserve must be eradicated, and management measures must be implemented for future control of these species.
- Vegetation that has been removed from large areas (e.g. on traffic diversion routes) during construction must be replaced with indigenous vegetation after construction has been completed.

D.20 Waste Management

- All general, non-hazardous waste must be placed in a skip container and disposed of at a registered waste disposal site.
- The container is to ensure that the portable toilet facilities at the campsite are properly maintained and in working order.
- No disposal, or leakage, of sewage must occur on or near the site.
- All hazardous waste (e.g. oil, plant empty lime bags, contaminated wash water, etc) must be stored in leakproof containers and disposed of a registered hazardous waste disposal site.
- The contents of waste storage containers must, under no circumstances, be emptied to the surrounding area. In general, littering, discarding or burying of any materials is not allowed on site or along the route.
- Adequate waste receptacles must be available at strategic points around the construction camp and site for all domestic refuse and to minimise the occurrence of littering.
- ° Concrete rubble must be collected and disposed of as directed by the Project Manager.
- Each working area must be cleared of litter and building waste (e.g. rubble, wood, concrete packets etc) on completion of the day's work.
- Any spill around the container(s) should be treated as per Section C11 and C16.

Contract C72 of C83 C3.3
Part C3: Scope of Works Particular Specifications

PART E: OHSA 1993 HEALTH AND SAFETY SPECIFICATION

E1 SCOPE

This specification covers the health and safety requirements to be met by the Contractor to ensure a continued safe and healthy environment for all workers, employees and subcontractors under his control and for all other persons entering the site of works.

This specification shall be read with the Occupational Health and Safety Act (Act No 85 and amendment Act No 181) 1993, and the corresponding Construction Regulations 2003, and all other safety codes and specifications referred to in the said Construction Regulations.

In terms of the OHSA Agreement in Section C1.2.4 of the Contract document, the status of the Contractor as mandatory to the Employer (client) is that of an employer in his own right, responsible to comply with all provisions of OHSA 1993 and the Construction Regulations 2003.

This safety specification and the Contractor's own Safety Plan as well as the Construction Regulations 2003, shall be displayed on site or made available for inspection by all workers, employees, inspectors and any other persons entering the site of works.

The following are possible risks associated with this project:

- Working with electrically powered equipment in the pump stations, with potential for electrical shock and fire.
- Working on the side of the tar road with the necessity of persons and equipment having to cross the road in face of oncoming traffic.
- Erection of travelling gun, with potential of electrical shock due to faulty electrical installations etc.
- Dusty conditions resulting from land clearing and preparation activities.
- Possibility of lightning strikes when electrical storms are prevalent during the summer months.
- Possibility of runaway veld fires resulting from burning of de-bushed vegetation.
- Potentially dangerous existing services, i.e. gas lines, water and sewage mains, electrical high voltage cables, buried and overhead
- Deep excavations in soils requiring shoring or reducing of slopes
- Blasting of hard rock or demolition of concrete
- High pressure during testing of the pipe lines, which could result in potentially dangerous situations in the event of the pipeline or fittings failing
- Movement of construction vehicles on site, taking into consideration steep slopes, other traffic and existing services
- Exposure to possible injuries due to mishandling or failure of power and hand tools
- Non-conformance to specifications with regards to fasteners and materials
- Risks related to general safety and security on site

Additional risks may arise from specific methods of construction selected by the Contractor which are not necessary covered in the above.

E2 DEFINITIONS

For the purpose of this contract the following shall apply:

- (a) **Employer**" where used in the contract documents and in this specification, means the Employer as defined in the General Conditions of Contract and it shall have the exact same meaning as "client" as defined in the Construction Regulations 2003. "Employer" and "client" is therefore interchangeable and shall be read in the context of the relevant document.
- (b) "Contractor" wherever used in the contract documents and in this specification, shall have the same meaning as "Contractor" as defined in the General Conditions of Contract.

Contract C73 of C83 C3.3
Part C3: Scope of Works Particular Specifications

In this specification the terms "principal contractor" and "contractor" are replaced with "Contractor" and "subcontractor" respectively.

For the purpose of this contract the **Contractor** will, in terms of OHSA 1993, be the mandatory, without derogating from his status as an employer in his own right.

(c) "Engineer" where used in this specification, means the Engineer as defined in the General Conditions of Contract. In terms of the Construction Regulations the Engineer may act as agent on behalf of the Employer (the client as defined in the Construction Regulations).

E3 TENDERS

The Contractor shall submit the following with his tender:

- (a) a documented Health and Safety Plan as stipulated in Regulation 5 of the Construction Regulations.
 The Safety Plan must be based on the Construction Regulations 2003 and will be subject to approval by the Employer;
- (b) a declaration to the effect that he has the competence and necessary resources to carry out the work safely in compliance with the Construction Regulations 2003;
- (c) a declaration to the effect that he made provision in his tender for the cost of the health and safety measures envisaged in the Construction Regulations.
- (d) Failure to submit the foregoing with his tender, will lead to the conclusion that the Contractor will not be able to carry out the work under the contract safely in accordance with the Construction Regulations.

E4 NOTIFICATION OF COMMENCEMENT OF CONSTRUCTION WORK

After award of the contract, but before commencement of construction work, the Contractor shall, in terms of Regulation 3, notify the Provincial Director of the Department of Labour in writing if the following work is involved:

- (a) the demolition of structures and dismantling of fixed plant of height of 3,0m or more;
- (b) the use of explosives;
- (c) construction work that will exceed 30 days or 300 person-days;
- (e) excavation work deeper than 1,0m; or
- (f) working at a height greater than 3,0m above ground or landings.

The notification must be done in the form of the pro forma included under Section 9 (Forms to be completed by Successful Tenderer) of the tender document.

A copy of the notification form must be kept on site, available for inspection by inspectors, Employer, Engineer, employees and persons on site.

E5 RISK ASSESSMENT

Before commencement of any construction work during the construction period, the Contractor shall have a risk assessment performed and recorded in writing by a competent person. (Refer Regulation 7 of the Construction Regulations 2003).

The risk assessment shall identify and evaluate the risks and hazards that may be expected during the execution of the work under the contract, and it shall include a documented plan of safe work procedures to mitigate, reduce or control the risks and hazards identified.

The risk assessment shall be available on site for inspection by inspectors, Employer, Engineer, subcontractors, employees, trade unions and health and safety committee members, and must be monitored and reviewed periodically by the Contractor.

Contract C74 of C83 C3.3
Part C3: Scope of Works Particular Specifications

E6 APPOINTMENT OF EMPLOYEES AND SUBCONTRACTORS

E6.1 Health and Safety plan

The Contractor shall appoint his employees and any subcontractors to be employed on the contract, in writing, and he shall provide them with a copy of his documented Health and Safety Plan, or relevant sections thereof. The Contractor shall ensure that all subcontractors and employees are committed to the implementation of his Safety Plan.

E6.2 Health and safety induction training

The Contractor shall ensure that all employees under his control, including subcontractors and their employees, undergo a health and safety induction training course by a competent person before commencement of construction work. No visitor or other person shall be allowed or permitted to enter the site of the works unless such person has undergone health and safety training pertaining to hazards prevalent on site.

The Contractor shall ensure that every employee on site shall at all times be in possession of proof of the health and safety induction training issued by a competent person prior to commencement of construction work.

E7. APPOINTMENT OF SAFETY PERSONNEL

E7.1 Construction Supervisor

The Contractor shall appoint a full-time **Construction Supervisor** with the duty of supervising the performance of the construction work.

He may also have to appoint one or more competent employees to assist the construction supervisor where justified by the scope and complexity of the works.

E7.2 Construction safety officer

Taking into consideration the size of the project and the hazards or dangers that can be expected, the Contractor shall appoint in writing a full-time or part-time **Construction Safety Officer** if so decided by the Inspector of the Department of Labour. The Safety Officer shall have the necessary competence and resources to perform his duties diligently.

Provision shall be made by the Contractor in his rates, to cover the cost of this dedicated construction safety officer appointed after award of the contract.

E7.3 Health and safety representatives

In terms of **Section 17 and 18 of the Act (OHSA 1993)** the Contractor, being the employer in terms of the Act for the execution of the contract, shall appoint a **health and safety representative** whenever he has more than 20 employees in his employment on the site of the works. The health and safety representative must be selected from employees who are employed in a full-time capacity at a specific workplace.

The number of health and safety representatives for a workplace shall be at least one for every 100 employees.

The function of health and safety representative(s) will be to review the effectiveness of health and safety measures, to identify potential hazards and major incidents, to examine causes of incidents (in collaboration with his employer, the Contractor), to investigate complaints by employees relating to health and safety at work, to make representations to the employer (Contractor) or inspector on general matters affecting the health and safety of employees, to inspect the workplace, plant, machinery etc. on a regular base, to participate in consultations with inspectors and to attend meetings of the health and safety committee.

Contract C75 of C83 C3.3

E7.4 Health and safety committee

In terms of Sections 17 and 18 of the Act (OHSA 1993) the Contractor (as employer), shall establish one or more health and safety committee(s) where there are two or more health and safety representatives at a workplace. The persons selected by the Contractor to serve on the committee shall be designated in writing.

The function of the health and safety committee shall be to hold meetings at regular internals, but at least once every three months, to review the health and safety measures on the contract, to discuss incidents related to health and safety with the Contractor and the inspector, and to make recommendations regarding health and safety to the Contractor and to keep record of recommendations and reports made by the committee.

E7.5 Competent persons

In accordance with the Construction Regulations the Contractor has to appoint in writing **competent persons** responsible for supervising construction work on each of the following work situations that may be expected on the site of the works.

- (a) Risk assessment and induction training as described in Regulation 7 of the Construction Regulations;
- (b) Fall protection as described in Regulation 8;
- (c) Formwork and support work as described in Regulation 10;
- (f) Excavation work as described in Regulation 11;
- (g) Demolition work as described in Regulation 12;
- (h) Scaffolding work as described in Regulation 14;
- (i) Suspended platform operations as described in Regulation 15;
- (j) Material hoists as described in Regulation 17;
- (k) Batch plant operations as described in Regulation 18;
- (I) Explosive powered tools as described in Regulation 19;
- (m) Cranes as described in Regulation 20;
- (n) Construction vehicle and mobile plant inspections on a daily basis by a competent person as described in Regulation 21(1);
- (o) Control of all temporary electrical installation on the construction site as described in Regulation 22;
- (p) Stacking and storage on construction sites as described in Regulation 26; and
- (q) Inspections of fire equipment as described in Regulation 27.

A competent person may be appointed for more than one part of the construction work with the understanding that the person must be suitably qualified and able to supervise at the same time the construction work on all the work situations for which he has been appointed.

The appointment of competent persons to supervise parts of the construction work does not relieve the Contractor from any of his responsibilities to comply with **all** requirements of the Construction Regulations.

E8. RECORDS AND REGISTERS

In accordance with the Construction Regulations the Contractor is bound to keep records and registers related to health and safety on site for periodic inspection by inspectors, the Engineer, the Employer, trade union officials and subcontractors and employees. The following records and registers must be kept on site and shall be available for inspection at all times.

- (a) A copy of the OHSA 1993 Construction Regulations 2003;
- (b) A copy of this Health and Safety Specification;
- (c) A copy of the Contractor's Health and Safety Plan (Regulation 4);
- (d) A copy of the Notification of Construction Work (Regulation 3);
- (e) A health and safety file in terms of Regulation 5(7) with inputs by the Construction Safety Officer (Regulation 6(7));
- (f) A copy of the risk assessment described in Regulation 7;
- (g) A full protection plan and the corresponding records of evaluation and training of employees working from elevated positions as described in Regulation 8;
- (h) Drawings pertaining to the design of structures (Regulation 9(3)) and formwork and support work

Contract C76 of C83 C3.3
Part C3: Scope of Works Particular Specifications

structures (Regulation 10(d)) must be kept on site;

- (i) Pronouncement of the safety of excavations must be recorded in a register to be kept on site (Regulation 11(3)(h));
- (j) A copy of the certificate of the system design for suspended platforms (Regulation 15(3));
- (k) A notice must be affixed around the base towers of material hoists to indicate the maximum mass load, which may be carried at any one time by material hoists (Regulation 7(5));
- (I) Maintenance records of material hoists and inspection results must be kept in a record book to be kept on site (Regulation 17(8));
- (m) A record of any repairs to or maintenance of a batch plant must be kept on site (Regulations 18(9));
- (n) A warning notice must be displayed in a conspicuous manner when and wherever an explosive powered tool is used (Regulation 19(2));
- (o) A register for recording of findings by the competent person appointed to inspect construction vehicles and mobile plant (Regulation 21(1)(j)).

E9. CONTRACTORS RESPONSIBILITIES

For this contract the Contractor will be the mandatory of the Employer (Client), as defined in the Act (OHSA 1993), which means that the Contractor has the status of employer in his own right in respect of the contract. The Contractor is therefore responsible for all the duties and obligations of an employer as set out in the Act (OHSA 1993) and the Construction Regulations 2003.

Before commencement of work under the contract, the Contractor shall enter into an agreement with the Employer (Client) to confirm his status as mandatory (employer) for the contract under consideration.

The Contractor's duties and responsibilities are clearly set out in the Construction Regulations 2003, and are not repeated in detail but some important aspects are highlighted hereafter, without relieving the Contractor of any of his duties and responsibilities in terms of the Construction Regulations.

(a) Contractor's position in relation to the Employer (Client) (Regulation 4)

In accordance with Section 4 of the Regulations, the Contractor shall liaise closely with the Employer or the Engineer on behalf of the Employer, to ensure that all requirements of the Act and the Regulations are met and complied with.

(b) The Principal Contractor and Contractor (Regulation 5)

The Contractor is in terms of the definition in Regulation 2(b) the equivalent of Principle Contractor as defined in the Construction Regulations, and he shall comply with all the provisions of Regulation 5.

Any subcontractors employed by the Contractor must be appointed in writing, setting out the terms of the appointment in respect of health and safety. An independent subcontractor shall however provide and demonstrate to the Contractor a suitable, acceptable and sufficiently documented health and safety plan before commencement of the subcontract. In the absence of such a health and safety plan the subcontractor shall undertake in writing that he will comply with the Contractor's safety plan, the health and safety specifications of the Employer and the Construction Regulations 2003.

(c) Supervision of construction work (Regulation 6)

The Contractor shall appoint the safety and other personnel and employees as required in terms of Regulation 6 and as set out in paragraph 7 above. Appointment of those personnel and employees does not relieve the Contractor from any of the obligations under Regulation 6.

Contract C77 of C83 C3.3

Part C3: Scope of Works

Particular Specifications

(d) Risk assessment (Regulation 7)

The Contractor shall have the risk assessment made as set out in paragraph 7 above before commencement of the work and it must be available on site for inspection at all times. The Contractor shall consult with the health and safety committee or health and safety representative(s) etc. on a regular basis to ensure that all employees, including subcontractors under his control, are informed and trained by a competent person regarding health hazards and related work procedures.

No subcontractor, employee or visitor shall be allowed to enter the site of works without prior health and safety induction training, all as specified in Regulation 7.

(e) Fall protection (Regulation 8)

Fall protection, if applicable to this contract shall comply in all respects with Regulation 8 of the Construction Regulations.

(f) Structures (Regulation 9)

The Contractor will be liable for all claims arising from collapse or failure of structures if he failed to comply with all the specifications, project specifications and drawings related to the structures, unless it can be proved that such collapse or failure can be attributed to faulty design or insufficient design standards on which the specifications and the drawings are based.

In addition the Contractor shall comply with all aspects of Regulation 9 of the Construction Regulations.

(g) Formwork and support work (Regulation 10)

The Contractor will be responsible for the adequate design of all formwork and support structures by a competent person.

All drawings pertaining to formwork shall be kept on site and all equipment and materials used in formwork, shall be carefully examined and checked for suitability by a competent person.

The provisions of Regulation 10 of the Construction Regulations shall be followed in every detail.

(h) Excavation work (Regulation 11)

It is essential that the Contractor shall follow the instructions and precautions in the Standard Specifications and Project Specifications as well as the provisions of the Construction Regulations to the letter as unsafe excavations can be a major hazard on any construction site. The Contractor shall therefore ensure that all excavation work is carried out under the supervision of a competent person, that inspections are carried out by a Professional Engineer or Technologist, and that all work is done in such a manner that no hazards are created by unsafe excavations and working conditions.

Supervision by a competent person will not relieve the Contractor from any of his duties and responsibilities under Regulation 11 of the Construction Regulations.

(i) Demolition work (Regulation 12)

Whenever demolition work is included in a contract, the Contractor shall comply with all the requirements of Regulation 12 of the Construction Regulations. The fact that a competent person has to be appointed by the Contractor does not relieve the Contractor from any of his responsibilities in respect of safety of demolition work.

Contract C78 of C83 C3.3

(j) Tunnelling (Regulation 13)

The Contractor shall comply with Regulation 13 wherever tunnelling of any kind is involved.

(k) Scaffolding (Regulation 14)

The Contractor shall ensure that all the provisions of Regulation 14 of the Construction Regulations are complied with. [Note: Reference in the Regulations to "Section 44 of the Act" should read "Section 43 of the Act"].

(I) Suspended platforms (Regulation 15)

Wherever suspended platforms will be necessary on any contract, the Contractor shall ensure that copies of the system design issued by a Professional Engineer are submitted to the Engineer for inspection and approval. The Contractor shall appoint competent persons as supervisors and competent scaffold erectors, operators and inspectors and ensure that all work related to suspended platforms are done in accordance with Regulation 15 of the Construction Regulations.

(m) Boatswain's chains (Regulation 16)

Where boatswain's chains are required on the construction site, the Contractor shall comply with Regulation 16.

(n) Material Hoists (Regulation 17)

Wherever applicable, the Contractor shall comply with the provisions of Regulation 17 to the letter.

(o) Batch plants (Regulation 18)

Wherever applicable, the Contractor shall ensure that all lifting machines, lifting tackle, conveyors, etc. used in the operation of a batch plant shall comply with, and that all operators, supervisors and employees are strictly held to the provisions of Regulation 18. The Contractor shall ensure that the General Safety Regulations (Government Notice R1031 of 30 May 1986), the Driven Machinery Regulations (Government Notice R295 of 26/2/1988) and the Electrical Installation Regulations (Government Notice R2271 of 11/10/1995) are adhered to by all involved.

In terms of the Regulations, records of repairs and maintenance shall be kept on site.

(p) Explosive powered tools (Regulation 19)

The Contractor shall ensure that, wherever explosive-powered tools are required to be used, all safety provisions of Regulation 19 are complied with.

It is especially important that warning notices are displayed and that the issue and return of cartridges and spent cartridges be recorded in a register to be kept on site.

(q) Cranes (Regulation 20)

Wherever the use of tower cranes becomes necessary, the provisions of Regulation 20 shall be complied with.

(r) Construction vehicles And mobile plant (Regulation 21

The Contractor shall ensure that all construction vehicles and plant are in good working condition and safe for use, and that they are used in accordance with their design and intended use. The vehicles and plant shall only be operated by workers or operators who have received appropriate training, all in accordance with all the requirements of Regulation 21.

All vehicles and plant must be inspected on a daily basis, prior to use, by a competent person and the findings must be recorded in a register to be kept on site.

(s) Electrical installation and machinery on construction sites (Regulation 22)

Contract C79 of C83 C3.3
Part C3: Scope of Works Particular Specifications

The Contractor shall comply with the Electrical Installation Regulations (Government Notice R2920 of 23 October 1992) and the Electrical Machinery Regulations (Government Notice R1953 of 12 August 1993). Before commencement of construction, the Contractor shall take adequate steps to ascertain the presence of, and guard against dangers and hazards due to electrical cables and apparatus under, over or on the site.

All temporary electrical installations on the site shall be under the control of a competent person, without relieving the Contractor of his responsibility for the health and safety of all workers and persons on site in terms of Regulation 22.

(t) Use of temporary storage of flammable liquids on construction sites (Regulation 23)

The Contractor shall comply with the provisions of the General Safety Regulations (Government Notice R1031 of 30 May 1986) and all the provisions of Regulation 23 of the Construction Regulations to ensure a safe and hazard-free environment to all workers and other persons on site.

(u) Water environments (Regulation 24)

Where construction work is done over or in close proximity to water, the provisions of Regulation 24 shall apply.

(v) Housekeeping on Construction sites (Regulation 25)

Housekeeping on all construction sites shall be in accordance with the provisions of the environment Regulations for workplaces (Government Notice R2281 of 16 October 1987) and all the provisions of Regulation 25 of the Construction Regulations.

(w) Stacking and storage on construction sites (Regulation 26)

The provisions for the stacking of articles contained in the General Safety Regulations (Government Notice R1031 of 30 May 1986) as well as all the provisions Regulation 26 of the Construction Regulations shall apply.

(x) Fire precautions on construction sites (Regulation 27)

The provisions of the Environmental Regulations for Workplaces (Government Notice R2281 of 16 October 1987) shall apply.

In addition the necessary precautions shall be taken to prevent the incidence of fires, to provide adequate and sufficient fire protection equipment, sirens, escape routes etc. all in accordance with Regulation 27 of the Construction Regulations.

(y) Construction welfare facilities (Regulation 28)

The Contractor shall comply with the construction site provisions as in the Facilities Regulations (Government Notice R1593 of 12 August 1988) and the provisions of Regulation 28 of the Construction Regulations.

(z) Non-compliance with the Construction Regulations 2003

The foregoing is a summary of parts of the Construction Regulations applicable to all construction projects.

The Contractor, as employer for the execution of the contract, shall ensure that all provisions of the Construction Regulations applicable to the contract under consideration are complied with to the letter.

Should the Contractor fail to comply with the provisions of the Regulations 3 to 28 as listed in Regulation 30, he will be guilty of an offence and will be liable, upon conviction, to the fines or imprisonment as set out in Regulation 30.

Contract C80 of C83 C3.3
Part C3: Scope of Works Particular Specifications

The Contractor is advised in his own interest to make a careful study of the Act and the Construction Regulations as ignorance of the Act and the Regulations will not be accepted in any proceedings related to non-conformance to the Act and the Regulations.

E10. MEASUREMENT AND PAYMENT

E10.1 Principles

It is a condition of this contract that Contractors, who submit tenders for this contract, shall make provision in their tenders for the cost of all health and safety measures during the construction process. All associated activities and expenditure are deemed to be included in the Contractor's tendered rates and prices.

(a) Safety personnel

The Construction Supervisor, the Construction Safety Officer, Health and Safety Representatives, Health and Safety Committee and Competent Persons referred to in clauses 7.1 to 7.5 shall be members of the Contractor's personnel, and no additional payment will be made for the appointment of such safety personnel.

(b) Records and Registers

The keeping of health and safety-related records and registers as described in 8 is regarded as a normal duty of the Contractor for which no additional payment will be considered, and which is deemed to be included in the Contractor's tendered rates and prices.


Contract C81 of C83 C3.3

PART C 4: SITE INFORMATION

C4.1: LOCALITY PLAN

Contract Part C4: Site information

C4.1 LOCALITY PLAN



Locality Map showing the location of Malemela Peba Poultry farm


SCHEDULE OF TENDER DRAWINGS

The following drawings, which are bound in, form part of this Contract in terms of Clause 1(i) - (j) of the General Conditions of Contract:

DRAWING NO:	DESCRIPTION:
LDARD001	Nameboard
LDARD002	30m x10m Broiler house
LDARD003	Gas storage cage
LDARD004	1.8m Tank stand
LDARD005	Pipe anchors
LDARD006	Pipe trench details

The Tenderer shall satisfy himself that the sets of drawings are complete in accordance with the above schedule, and if any are found to be missing or duplicated, or the writing or figures indistinct, he shall apply to the Engineer immediately and have the discrepancy rectified. No liability whatsoever will be admitted by the Employer in respect of errors in Tenders attributed to any such discrepancy.


Contract Part C3: Scope of C78 of C78




FRONT	ELEVATION

PREPARED BY:	LIMPOPO PROFITE AND RURAL DEVELOPMENT		PREPARED FOR CONSTRUCTION	
GETEKEN : MI.MASHAMAITE DRAWN				SKAAL : N/S SCALE :
ONTWERP : MI.MASHAMAITE	CONSTRUCTION NAMEBOARD		DATUM DATE: APRIL-2023	
SURVEYED BY : F.MODIBA				TEK. NR • DRAWING NO.
NAGESIEN CHECKED: MJ.GOUWS	GOEDGEKEUR : LDARD(SPEC-COM) APPROVED	WP No. : WP Nr. :	Proj No.:	LDARD001


- ERECTION BRACKETS





NORTH ELEVATION

PLAN OF BROILER HOUSE



END ELEVATION

END ELEVATION

NOTES:


** GENERAL:


- * EACH DRINKING WATER LINE TO BE SUPPLIED WITH REDUCING TEE AND DOWNPIPE EVERY 4m, TO ACCOMMODATE 2 BALLSHAPED WATER FOUNTAINS
- * SLIDING DOORS (1.2m x 2.0m) 1.6mm MILD STEEL PLATE IN 40x40x5 ANGLE IRON FRAME WITH 200kg HILLALDAM HANGER OR
- * ROLL-UP DOOR STANDARD 2.4m WIDE x 2.0m HIGH GARAGE DOOR.
- * ALL STEEL WORK TO BE PAINTED WITH 2 COATS OF RED OXIDE PRIMER.
- * BRICKWORK 230mm WIDE CLAY ON THE INSIDE AND POINT FINISHED (CLINKER FINISH) ON THE OUTSIDE.
- ** EQUIPMENT NEEDED PER HOUSE (2000 BROILERS):
- * POLTEK AUTOMATIC BALLAST BROILER DRINKER MK.6 (CODE 933)
 OR SIMILAR, QUANTITY: 20
- * 60 × TUBE FEEDERS.
- * 2 × 100 liter PLASTIC WATER TANK.
- * 2 × 1000-BIRD SBM GAS BROODER.
- * 1 \times HALF-HOUSE BROODING CURTAIN DIVIDER TO HOOK ONTO WALLS AND BEAMS, HOOKS TO BE INSTALLED ON WALLS AND BEAMS TO MATCH STEEL O-RINGS IN CURTAIN.
- ** CONSTRUCTION PROCEDURES:
- 1. SITE PREPARATION REMOVE AT LEAST 100mm OF THE TOP SOIL
- LAYER OVER WHOLE OF BUILDING AREA.
- 2. EXCAVATE AND CAST ALL WALL FOUNDATIONS.
- 3. ERECT FOUNDATION WALLS TO FLOOR LEVEL.

 FLOOR MUST BE 255 mm ABOVE HIGHEST SURROUNDING GROUND LEVEL
- 4. CAST FLOOR.
- 5. ERECT ALL WALLS AND PLASTER ON THE INSIDE WHILE ONLY POINT FINISH ON THE OUTSIDE.
- 6. CAST 400mm WIDE 75mm THICK CONCRETE (25Mpa) APRON AROUND BUILDING.
 ON EASTERN, NORTHERN AND WESTERN SIDES AND CAST 1200mm WIDE
 75mm THICK CONCRETE (25Mpa) APRON ON SOUTHERN SIDE
- 7. FIT WINDOW UNITS: FRAME, MESH, HILLALDAM TRACKS AND WINDOW PANELS
- 8. FIT EQUIPMENT, WATER AND ELECTRICAL RETICULATIONS.
- 9. EQUIP CENTRE ROOF BEAM WITH HOOKS TO WHICH THE DIVIDING CANVAS CURTAIN CAN BE ATTACHED WHEN NECESSARY.


SCHEDULE OF ELECTRICAL FITTINGS				
SYMBOL DESCRIPTION				
	DISTRIBUTION BOARD			
•	OVERHEAD MOUNTED FILAMENT LIGHT			
	6 FT. FLUORESCENT LIGHT			
D	DNE-WAY LIGHT SWITCH			
₽	DOUBLE WALL PLUG			

PREPARED BY:	LIMPOPO AGRICULTURE AND RURAL DEVELOPMENT		PREPARED FO CONSTRUCTION	OR: ON PURPOSES
GETEKEN : MI.MASHAMAITE DRAWN	.3	0x10m Broiler ho	ISE	SKAAL : N/S SCALE :
ONTWERP : MI.MASHAMAITE		extern Brenet tre		DATUM DATE: APRIL-2023
SURVEYED BY : F.MODIBA				TEK. NR • DRAWING NO.
NAGESIEN CHECKED : MJ.GOUWS	GOEDGEKEUR:LDARD(SPEC-COM)	WP No WP Nr.	Proj No.:	LDARD002






A: ELEVATION VIEW





B: STAND FLOOR PLATFORM




Clamp Detail

PREPARED BY:	PREPARED FOR: CONSTRUCTION PURPOSES			
GETEKEN : MI.MASHAMAITE DRAWN			SKAAL : N/S SCALE :	
ONTWERP : MI.MASHAMAITE		1.8m TANK STA	DATUM DATE: APRIL-2023	
SURVEYED BY : F.MODIBA			TEK. NR • DRAWING NO.	
NAGESIEN CHECKED : MJ.GOUWS	GOEDGEKEUR:LDARD(SPEC-COM)	WP No WP Nr.	Proj No.:	LDARD004







GENERAL NOTES:

- Anchors to be cast against undisturbed in-situ material
- All couplings to always remain accessible
- All anchors sides denoted by "Z" shall be perpendicular top the centre line of the pipe
- of the pipe 4. The "2" length shall at minimum be the half width of the trench 5. Width of anchors for valves (except
- Width of anchors for valves (except restrained valves and valves bigger than 300mm dia.), bends, reducers,
 Tees and end caps shall be sufficient to withstand punching shear (W=1.7m)
- 6. shaded areas denote minimum anchor sizes
- 7. Area of anchors = HxW (Min area = 0.09 sq.metre). Ref: Thrust Anchor Graph

PREPARED BY:	PREPARED FOR: CONSTRUCTION PURPOSES			
CETEMEN : MILMENNAMITE CRASSIC CHITESPO : MILMENNAMITE	PIPE ANCHORS			SCALE: N/S SCALE: N/S DATE: APRIL-2023
SURNEYED BY 1 FANCORMA				TEX. HR . DRIVENS NO.
CHECKED : MUSCUMS	PERFORM HELMONISMO	等处:	Proj HaJ	LDARD005

NOTES:

pipe joints to

50mm min. depth

-	SABS 1200 and in part the requirements of SABS 1200LB
	(Bedding), SABSDB (Trench Excavation) and SABS1200L
	(Medium Pressure Pipelines) as well as the Project
	Specification shall override any conflicting specifications
	shown on this drawing unless otherwise ordered by the
	Engineer

- Trench in very sandy conditions may be excavated to underside of pipe provided the In-situ material meets bedding requirements and subject to the approval of the Engineer.
- Freehaul distance for disposal of surplusexcavation is 1.0km for machines and 200m for wheelbarrows.
- Freehaul distance for bedding trench excavation is 0.5km.
- Pipes in disctrict road rserves and roads of higher standard shall have 1.0m cover and be considered 'Trafficked'. All other pipes shall have 600mm cover except where deemed by the Engineer to be 'Trafficked'.
- For steel pipes- granular bedding shall be 100mm deep below pipe and thereafter balnket fill to 200mm above pipe (SABS 1200LB, Drawing LB-1(C).
- All infield lands shall be considered to be trafficked unless stated otherwise by the Project Engineer.

PIPE	X	D	Ζ
(mm)	(mm)	(mm)	(mm)
75	300	150	150
100	400	200	200
125	500	250	250
150	600	300	300
200	750	400	350
250	900	500	400
300	900	750	450
350	1000	900	500
400	1150	1000	550

COMPACTED BACKFILL MATERIAL - To contain no more than 10% rock - Stones to be no larger than 150mm (SANS 1200 DB 3.5) - Surface to be backfilled proud of surrounding ground to allow for initial settlement, as specified Trench width as applicable (Min. 450mm) NGL COMPACTED SELECTED FILL MATERIAL Plasticity index to be no greater than Stones to be no larger than 30mm (SANS 1200 LB 3.2) Compacted in layers not thicker than 300mm to 90% MÓDAASHTO (SANS 1200 LB - COMPACTED SELECTED GRANULAR MATERIAL AROUND PIPE - Graded 0.6mm to 19mm, granular, non-cohesive, free draining material (SANS 1200 LB 3.1) - Compacted to 90% MODAASHTO (SANS 1200 DB 5.1.4) X = D/4X=100mm min. Pocket under X=200mm max.

TYPICAL DETAIL

Trench in Non-Trafficked Areas

uPVC and HDPE Pipes

NTS

